

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071522\
 Data File : PP049471.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Jul 2022 15:26
 Operator : YP\AJ
 Sample : PB146213BL
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB146213BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 14 16:31:52 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP071422.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jul 14 06:08:44 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.353	3.602	30520043	52465660	21.032	21.464
2)	SA Decachlor...	10.105	8.569	27750293	23172252	19.620	19.897

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071522\
Data File : PP049471.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Jul 2022 15:26
Operator : YP\AJ
Sample : PB146213BL
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB146213BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 14 16:31:52 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP071422.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jul 14 06:08:44 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.353 min
Delta R.T.: 0.000 min
Response: 30520043
Conc: 21.03 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB146213BL




#1 Tetrachloro-m-xylene

R.T.: 3.602 min
Delta R.T.: 0.000 min
Response: 52465660
Conc: 21.46 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.105 min
Delta R.T.: -0.002 min
Response: 27750293
Conc: 19.62 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.569 min
Delta R.T.: -0.003 min
Response: 23172252
Conc: 19.90 ng/ml