

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071525\
 Data File : PP073788.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jul 2025 08:49
 Operator : YP\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 16 01:40:10 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070825.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jul 08 08:35:32 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.492	3.826f	35689	92264	0.026	0.050 #
2)	SA Decachlor...	10.185	8.774	154621	27927	0.142	0.021 #
Target Compounds							
3)	L1 AR-1016-1	5.636	4.856	113917	232219	2.398	3.406 #
4)	L1 AR-1016-2	5.676	4.875	229741	94453	3.226	0.927 #
5)	L1 AR-1016-3	5.706	5.038	86966	372243	1.992	6.880 #
6)	L1 AR-1016-4	5.793	5.096	76765	211016	2.136	4.809 #
7)	L1 AR-1016-5	6.110	5.307	120667	84760	3.851	1.553 #
8)	L2 AR-1221-1	4.707	4.006	74659	223992	4.179	8.282 #
9)	L2 AR-1221-2	4.776	4.073	77655	199394	5.750	9.793 #
10)	L2 AR-1221-3	4.850	4.155	35348	99059	0.850	1.612 #
11)	L3 AR-1232-1	4.850	4.155	35348	99059	1.083	2.125 #
12)	L3 AR-1232-2	5.360	4.875	136186	94453	8.378	1.982 #
13)	L3 AR-1232-3	5.676	5.038	229741	372243	6.963	14.872 #
14)	L3 AR-1232-4	5.793	5.142	76765	60278	4.668	2.783 #
15)	L3 AR-1232-5	5.896	5.307	448344	84760	42.415	3.757 #
16)	L4 AR-1242-1	5.636	4.856	113917	232219	2.983	4.020 #
17)	L4 AR-1242-2	5.676	4.875	229741	94453	3.837	1.093 #
18)	L4 AR-1242-3	5.706	5.038	86966	372243	2.375	8.102 #
19)	L4 AR-1242-4	5.793	5.142	76765	60278	2.389	1.362 #
20)	L4 AR-1242-5	6.553	5.646	747344	157792	22.829	2.856 #
21)	L5 AR-1248-1	5.636	4.856	113917	232219	3.690	5.173 #
22)	L5 AR-1248-2	5.896	5.096	448344	211016	11.230	3.429 #
23)	L5 AR-1248-3	6.110	5.142	120667	60278	2.717	0.941 #
24)	L5 AR-1248-4	6.485	5.307	1363729	84760	24.759	1.124 #
25)	L5 AR-1248-5	6.553	5.710	747344	326930	13.894	4.383 #
26)	L6 AR-1254-1	6.485	5.646	1363729	157792	25.448	1.360 #
27)	L6 AR-1254-2	6.704	5.798	337656	716386	4.054	7.119 #
28)	L6 AR-1254-3	7.061	6.232	2324273	352713	26.313	2.284 #
29)	L6 AR-1254-4	7.343	6.445	540775	532045	6.874	5.627
30)	L6 AR-1254-5	7.771	0.000	154373	0	2.095	N.D. #
31)	L7 AR-1260-1	7.229	6.320	203996	117956	3.460	1.209 #
32)	L7 AR-1260-2	7.494	6.502	742625	1613516	7.749	13.135 #
33)	L7 AR-1260-3	7.865	6.673	805721	26098	11.027	0.238 #
34)	L7 AR-1260-4	8.064	7.155	227353	245691	3.482	2.748
35)	L7 AR-1260-5	8.373	7.395	208528	184826	1.382	0.822 #
36)	L8 AR-1262-1	8.064	6.942f	227353	34438	2.612	0.233 #
37)	L8 AR-1262-2	8.373	7.155	208528	245691	1.053	1.922 #
38)	L8 AR-1262-3	8.693	7.687	370696	468915	2.948	4.113 #
39)	L8 AR-1262-4	8.726f	7.727	1030814	34880	11.053	0.190 #
40)	L8 AR-1262-5	9.409	8.237	113757	90529	1.795	1.072 #
41)	L9 AR-1268-1	8.693	7.687	370696	468915	1.661	1.526

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071525\
Data File : PP073788.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jul 2025 08:49
Operator : YP\AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
HEXANE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 16 01:40:10 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070825.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jul 08 08:35:32 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.726f	7.727	1030814	34880	5.411	0.131 #
43)	L9 AR-1268-3	9.014	7.972f	182211	307735	1.100	1.364
44)	L9 AR-1268-4	9.409	8.237	113757	90529	1.636	0.974 #
45)	L9 AR-1268-5	9.832	8.533	94794	46595	0.206	0.076 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071525\
Data File : PP073788.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jul 2025 08:49
Operator : YP\AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
HEXANE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 16 01:40:10 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070825.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jul 08 08:35:32 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.492 min
Delta R.T.: 0.004 min
Response: 35689
Conc: 0.03 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#1 Tetrachloro-m-xylene

R.T.: 3.826 min
Delta R.T.: 0.048 min
Response: 92264
Conc: 0.05 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.185 min
Delta R.T.: 0.009 min
Response: 154621
Conc: 0.14 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.774 min
Delta R.T.: -0.006 min
Response: 27927
Conc: 0.02 ng/ml



#3 AR-1016-1


R.T.: 5.636 min
Delta R.T.: -0.003 min
Response: 113917
Conc: 2.40 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#3 AR-1016-1

R.T.: 4.856 min
Delta R.T.: -0.002 min
Response: 232219
Conc: 3.41 ng/ml




#4 AR-1016-2

R.T.: 5.676 min
Delta R.T.: 0.016 min
Response: 229741
Conc: 3.23 ng/ml



#4 AR-1016-2


R.T.: 4.875 min
Delta R.T.: 0.000 min
Response: 94453
Conc: 0.93 ng/ml



#5 AR-1016-3


R.T.: 5.706 min
Delta R.T.: -0.017 min
Response: 86966
Conc: 1.99 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#5 AR-1016-3

R.T.: 5.038 min
Delta R.T.: -0.014 min
Response: 372243
Conc: 6.88 ng/ml




#6 AR-1016-4

R.T.: 5.793 min
Delta R.T.: -0.028 min
Response: 76765
Conc: 2.14 ng/ml



#6 AR-1016-4


R.T.: 5.096 min
Delta R.T.: 0.003 min
Response: 211016
Conc: 4.81 ng/ml



#7 AR-1016-5


R.T.: 6.110 min
Delta R.T.: -0.002 min
Response: 120667
Conc: 3.85 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#7 AR-1016-5

R.T.: 5.307 min
Delta R.T.: 0.000 min
Response: 84760
Conc: 1.55 ng/ml




#8 AR-1221-1

R.T.: 4.707 min
Delta R.T.: 0.017 min
Response: 74659
Conc: 4.18 ng/ml



#8 AR-1221-1


R.T.: 4.006 min
Delta R.T.: 0.018 min
Response: 223992
Conc: 8.28 ng/ml



#9 AR-1221-2


R.T.: 4.776 min
Delta R.T.: 0.000 min
Response: 77655
Conc: 5.75 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#9 AR-1221-2

R.T.: 4.073 min
Delta R.T.: -0.002 min
Response: 199394
Conc: 9.79 ng/ml




#10 AR-1221-3

R.T.: 4.850 min
Delta R.T.: -0.001 min
Response: 35348
Conc: 0.85 ng/ml



#10 AR-1221-3


R.T.: 4.155 min
Delta R.T.: 0.005 min
Response: 99059
Conc: 1.61 ng/ml



#11 AR-1232-1


R.T.: 4.850 min
Delta R.T.: 0.000 min
Response: 35348
Conc: 1.08 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#11 AR-1232-1

R.T.: 4.155 min
Delta R.T.: 0.006 min
Response: 99059
Conc: 2.13 ng/ml




#12 AR-1232-2

R.T.: 5.360 min
Delta R.T.: -0.014 min
Response: 136186
Conc: 8.38 ng/ml



#12 AR-1232-2


R.T.: 4.875 min
Delta R.T.: 0.000 min
Response: 94453
Conc: 1.98 ng/ml



#13 AR-1232-3


R.T.: 5.676 min
Delta R.T.: 0.016 min
Response: 229741
Conc: 6.96 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#13 AR-1232-3

R.T.: 5.038 min
Delta R.T.: -0.014 min
Response: 372243
Conc: 14.87 ng/ml




#14 AR-1232-4

R.T.: 5.793 min
Delta R.T.: -0.027 min
Response: 76765
Conc: 4.67 ng/ml



#14 AR-1232-4


R.T.: 5.142 min
Delta R.T.: 0.005 min
Response: 60278
Conc: 2.78 ng/ml



#15 AR-1232-5


R.T.: 5.896 min
Delta R.T.: -0.013 min
Response: 448344
Conc: 42.42 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#15 AR-1232-5

R.T.: 5.307 min
Delta R.T.: -0.001 min
Response: 84760
Conc: 3.76 ng/ml




#16 AR-1242-1

R.T.: 5.636 min
Delta R.T.: 0.000 min
Response: 113917
Conc: 2.98 ng/ml



#16 AR-1242-1


R.T.: 4.856 min
Delta R.T.: -0.002 min
Response: 232219
Conc: 4.02 ng/ml



#17 AR-1242-2


R.T.: 5.676 min
Delta R.T.: 0.018 min
Response: 229741
Conc: 3.84 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#17 AR-1242-2

R.T.: 4.875 min
Delta R.T.: 0.000 min
Response: 94453
Conc: 1.09 ng/ml




#18 AR-1242-3

R.T.: 5.706 min
Delta R.T.: -0.014 min
Response: 86966
Conc: 2.37 ng/ml



#18 AR-1242-3


R.T.: 5.038 min
Delta R.T.: -0.014 min
Response: 372243
Conc: 8.10 ng/ml



#19 AR-1242-4


R.T.: 5.793 min
Delta R.T.: -0.024 min
Response: 76765
Conc: 2.39 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#19 AR-1242-4

R.T.: 5.142 min
Delta R.T.: 0.006 min
Response: 60278
Conc: 1.36 ng/ml




#20 AR-1242-5

R.T.: 6.553 min
Delta R.T.: 0.007 min
Response: 747344
Conc: 22.83 ng/ml



#20 AR-1242-5


R.T.: 5.646 min
Delta R.T.: -0.011 min
Response: 157792
Conc: 2.86 ng/ml



#21 AR-1248-1


R.T.: 5.636 min
Delta R.T.: 0.000 min
Response: 113917
Conc: 3.69 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#21 AR-1248-1

R.T.: 4.856 min
Delta R.T.: -0.001 min
Response: 232219
Conc: 5.17 ng/ml




#22 AR-1248-2

R.T.: 5.896 min
Delta R.T.: -0.012 min
Response: 448344
Conc: 11.23 ng/ml



#22 AR-1248-2


R.T.: 5.096 min
Delta R.T.: 0.002 min
Response: 211016
Conc: 3.43 ng/ml



#23 AR-1248-3


R.T.: 6.110 min
Delta R.T.: 0.000 min
Response: 120667
Conc: 2.72 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#23 AR-1248-3

R.T.: 5.142 min
Delta R.T.: 0.006 min
Response: 60278
Conc: 0.94 ng/ml




#24 AR-1248-4

R.T.: 6.485 min
Delta R.T.: -0.024 min
Response: 1363729
Conc: 24.76 ng/ml



#24 AR-1248-4


R.T.: 5.307 min
Delta R.T.: 0.000 min
Response: 84760
Conc: 1.12 ng/ml



#25 AR-1248-5


R.T.: 6.553 min
Delta R.T.: 0.006 min
Response: 747344
Conc: 13.89 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#25 AR-1248-5

R.T.: 5.710 min
Delta R.T.: 0.012 min
Response: 326930
Conc: 4.38 ng/ml




#26 AR-1254-1

R.T.: 6.485 min
Delta R.T.: 0.000 min
Response: 1363729
Conc: 25.45 ng/ml



#26 AR-1254-1


R.T.: 5.646 min
Delta R.T.: -0.012 min
Response: 157792
Conc: 1.36 ng/ml



#27 AR-1254-2


R.T.: 6.704 min
Delta R.T.: 0.003 min
Response: 337656
Conc: 4.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#27 AR-1254-2

R.T.: 5.798 min
Delta R.T.: -0.009 min
Response: 716386
Conc: 7.12 ng/ml




#28 AR-1254-3

R.T.: 7.061 min
Delta R.T.: -0.004 min
Response: 2324273
Conc: 26.31 ng/ml



#28 AR-1254-3


R.T.: 6.232 min
Delta R.T.: 0.023 min
Response: 352713
Conc: 2.28 ng/ml



#29 AR-1254-4


R.T.: 7.343 min
Delta R.T.: -0.003 min
Response: 540775
Conc: 6.87 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#29 AR-1254-4

R.T.: 6.445 min
Delta R.T.: 0.009 min
Response: 532045
Conc: 5.63 ng/ml




#30 AR-1254-5

R.T.: 7.771 min
Delta R.T.: 0.009 min
Response: 154373
Conc: 2.10 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T.: 6.853 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 7.229 min
Delta R.T.: 0.000 min
Response: 203996
Conc: 3.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#31 AR-1260-1

R.T.: 6.320 min
Delta R.T.: -0.017 min
Response: 117956
Conc: 1.21 ng/ml




#32 AR-1260-2

R.T.: 7.494 min
Delta R.T.: 0.011 min
Response: 742625
Conc: 7.75 ng/ml



#32 AR-1260-2


R.T.: 6.502 min
Delta R.T.: -0.023 min
Response: 1613516
Conc: 13.14 ng/ml



#33 AR-1260-3


R.T.: 7.865 min
Delta R.T.: 0.025 min
Response: 805721
Conc: 11.03 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#33 AR-1260-3

R.T.: 6.673 min
Delta R.T.: -0.004 min
Response: 26098
Conc: 0.24 ng/ml




#34 AR-1260-4

R.T.: 8.064 min
Delta R.T.: 0.000 min
Response: 227353
Conc: 3.48 ng/ml



#34 AR-1260-4


R.T.: 7.155 min
Delta R.T.: 0.009 min
Response: 245691
Conc: 2.75 ng/ml



#35 AR-1260-5


R.T.: 8.373 min
Delta R.T.: -0.009 min
Response: 208528
Conc: 1.38 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#35 AR-1260-5

R.T.: 7.395 min
Delta R.T.: 0.006 min
Response: 184826
Conc: 0.82 ng/ml




#36 AR-1262-1

R.T.: 8.064 min
Delta R.T.: -0.002 min
Response: 227353
Conc: 2.61 ng/ml



#36 AR-1262-1


R.T.: 6.942 min
Delta R.T.: 0.052 min
Response: 34438
Conc: 0.23 ng/ml



#37 AR-1262-2


R.T.: 8.373 min
Delta R.T.: -0.010 min
Response: 208528
Conc: 1.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#37 AR-1262-2

R.T.: 7.155 min
Delta R.T.: 0.008 min
Response: 245691
Conc: 1.92 ng/ml




#38 AR-1262-3

R.T.: 8.693 min
Delta R.T.: -0.005 min
Response: 370696
Conc: 2.95 ng/ml



#38 AR-1262-3


R.T.: 7.687 min
Delta R.T.: 0.018 min
Response: 468915
Conc: 4.11 ng/ml



#39 AR-1262-4


R.T.: 8.726 min
Delta R.T.: -0.056 min
Response: 1030814
Conc: 11.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#39 AR-1262-4

R.T.: 7.727 min
Delta R.T.: -0.008 min
Response: 34880
Conc: 0.19 ng/ml




#40 AR-1262-5

R.T.: 9.409 min
Delta R.T.: -0.023 min
Response: 113757
Conc: 1.79 ng/ml



#40 AR-1262-5


R.T.: 8.237 min
Delta R.T.: 0.006 min
Response: 90529
Conc: 1.07 ng/ml



#41 AR-1268-1


R.T.: 8.693 min
Delta R.T.: 0.000 min
Response: 370696
Conc: 1.66 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#41 AR-1268-1

R.T.: 7.687 min
Delta R.T.: 0.018 min
Response: 468915
Conc: 1.53 ng/ml




#42 AR-1268-2

R.T.: 8.726 min
Delta R.T.: -0.060 min
Response: 1030814
Conc: 5.41 ng/ml



#42 AR-1268-2


R.T.: 7.727 min
Delta R.T.: -0.008 min
Response: 34880
Conc: 0.13 ng/ml



#43 AR-1268-3


R.T.: 9.014 min
Delta R.T.: 0.000 min
Response: 182211
Conc: 1.10 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE




#43 AR-1268-3

R.T.: 7.972 min
Delta R.T.: 0.035 min
Response: 307735
Conc: 1.36 ng/ml




#44 AR-1268-4

R.T.: 9.409 min
Delta R.T.: -0.022 min
Response: 113757
Conc: 1.64 ng/ml



#44 AR-1268-4


R.T.: 8.237 min
Delta R.T.: 0.006 min
Response: 90529
Conc: 0.97 ng/ml



#45 AR-1268-5

R.T.: 9.832 min
Delta R.T.: -0.009 min
Response: 94794
Conc: 0.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
HEXANE



#45 AR-1268-5

R.T.: 8.533 min
Delta R.T.: 0.007 min
Response: 46595
Conc: 0.08 ng/ml