

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071921\
 Data File : PP037384.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 19 Jul 2021 20:10
 Operator : DD\AJ
 Sample : M3076-03
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 20 06:01:34 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070621.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jul 07 08:32:32 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.958	3.947	1255505	710711	27.624	25.972
2)	SA Decachlor...	10.988	9.241	1292460	738784	28.075	26.542
Target Compounds							
3)	L1 AR-1016-1	6.279	5.198	1123839	659347	646.735	638.035
4)	L1 AR-1016-2	6.302	5.219	1596810	929552	638.700	649.242
5)	L1 AR-1016-3	6.368	5.408	1020468	511817	640.719	655.081
6)	L1 AR-1016-4	6.476	5.462	858256	384629	650.891	637.237
7)	L1 AR-1016-5	6.790	5.689	830099	504477	656.200	653.304
8)	L2 AR-1221-1	5.206	4.202	181199	57291	341.646	187.583 #
9)	L2 AR-1221-2	5.307	4.302	138787	86868	342.570	369.001
10)	L2 AR-1221-3	5.394	4.389	603363	352700	495.193	474.197
11)	L3 AR-1232-1	5.394	4.389	603363	352700	543.026	519.465
12)	L3 AR-1232-2	5.984	5.219	820028	929552	1375.255	1485.117
13)	L3 AR-1232-3	6.302	5.408	1596810	511817	1459.264	1541.555
14)	L3 AR-1232-4	6.476	5.507	858256	474195	1478.288	1719.904
15)	L3 AR-1232-5	6.573	5.689	657493	504477	1709.609	1697.029
16)	L4 AR-1242-1	6.279	5.198	1123839	659347	881.658	874.815
17)	L4 AR-1242-2	6.302	5.219	1596810	929552	880.698	903.380
18)	L4 AR-1242-3	6.368	5.408	1020468	511817	887.237	898.842
19)	L4 AR-1242-4	6.476	5.507	858256	474195	896.536	920.094
20)	L4 AR-1242-5	7.258	6.069	143542	394881	138.027	580.130 #
21)	L5 AR-1248-1	6.279	5.198	1123839	659347	1070.757	1044.812
22)	L5 AR-1248-2	6.573	5.462	657493	384629	442.890	468.906
23)	L5 AR-1248-3	6.790	5.507	830099	474195	502.541	554.113
24)	L5 AR-1248-4	7.218	5.689	160721	504477	85.033	495.716 #
25)	L5 AR-1248-5	7.258	6.112	143542	60300	76.695	56.846 #
26)	L6 AR-1254-1	7.189	6.069	667590	394881	371.607	265.990 #
27)	L6 AR-1254-2	7.417	6.229	693202	381970	249.203	294.049
28)	L6 AR-1254-3	7.799	6.650	405934	201252	131.668	94.306 #
29)	L6 AR-1254-4	8.093	6.889	268003	82674	117.988	60.936 #
30)	L6 AR-1254-5	8.523	7.318	2298536	1453352	918.535	775.271
31)	L7 AR-1260-1	7.966	6.787	1507603	970533	684.827	702.362
32)	L7 AR-1260-2	8.232	6.986	1800830	1170248	647.368	696.604
33)	L7 AR-1260-3	8.596	7.139	1189926	1125293	588.729	656.758
34)	L7 AR-1260-4	8.827	7.622	1510237	830719	613.964	611.035
35)	L7 AR-1260-5	9.156	7.872	2794018	1988252	605.500	616.431
36)	L8 AR-1262-1	8.596	7.318	1189926	1453352	408.558	1399.619 #
37)	L8 AR-1262-2	9.156	7.872	2794018	1988252	532.018	571.559
38)	L8 AR-1262-3	9.492f	8.159	1925851	346266	502.621	245.936 #
39)	L8 AR-1262-4	9.543f	8.220	1077340	1476207	366.639	554.342 #
40)	L8 AR-1262-5	10.233	8.720	763444	462602	359.046	365.982
41)	L9 AR-1268-1	9.492f	8.159	1925851	346266	317.128	86.890 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071921\
 Data File : PP037384.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 19 Jul 2021 20:10
 Operator : DD\AJ
 Sample : M3076-03
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 20 06:01:34 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070621.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jul 07 08:32:32 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.543f	8.220	1077340	1476207	187.443	398.851 #
43) L9	AR-1268-3	9.792	8.431	79120	34186	16.136	10.883 #
44) L9	AR-1268-4	10.233	8.720	763444	462602	333.716	337.546
45) L9	AR-1268-5	10.651	8.999	267518	144003	16.896	13.991



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071921\
Data File : PP037384.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 19 Jul 2021 20:10
Operator : DD\AJ
Sample : M3076-03
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 20 06:01:34 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070621.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jul 07 08:32:32 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.958 min
Delta R.T.: -0.002 min
Response: 1255505
Conc: 27.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.947 min
Delta R.T.: -0.002 min
Response: 710711
Conc: 25.97 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.988 min
Delta R.T.: -0.004 min
Response: 1292460
Conc: 28.08 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.241 min
Delta R.T.: -0.007 min
Response: 738784
Conc: 26.54 ng/ml



#3 AR-1016-1


R.T.: 6.279 min
Delta R.T.: -0.002 min
Response: 1123839
Conc: 646.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.198 min
Delta R.T.: -0.003 min
Response: 659347
Conc: 638.04 ng/ml




#4 AR-1016-2

R.T.: 6.302 min
Delta R.T.: -0.002 min
Response: 1596810
Conc: 638.70 ng/ml



#4 AR-1016-2


R.T.: 5.219 min
Delta R.T.: -0.003 min
Response: 929552
Conc: 649.24 ng/ml



#5 AR-1016-3


R.T.: 6.368 min
Delta R.T.: -0.002 min
Response: 1020468
Conc: 640.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.408 min
Delta R.T.: -0.004 min
Response: 511817
Conc: 655.08 ng/ml




#6 AR-1016-4

R.T.: 6.476 min
Delta R.T.: -0.001 min
Response: 858256
Conc: 650.89 ng/ml



#6 AR-1016-4


R.T.: 5.462 min
Delta R.T.: -0.003 min
Response: 384629
Conc: 637.24 ng/ml



#7 AR-1016-5


R.T.: 6.790 min
Delta R.T.: -0.002 min
Response: 830099
Conc: 656.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.689 min
Delta R.T.: -0.003 min
Response: 504477
Conc: 653.30 ng/ml




#8 AR-1221-1

R.T.: 5.206 min
Delta R.T.: -0.004 min
Response: 181199
Conc: 341.65 ng/ml



#8 AR-1221-1


R.T.: 4.202 min
Delta R.T.: -0.004 min
Response: 57291
Conc: 187.58 ng/ml



#9 AR-1221-2


R.T.: 5.307 min
Delta R.T.: -0.002 min
Response: 138787
Conc: 342.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.302 min
Delta R.T.: -0.003 min
Response: 86868
Conc: 369.00 ng/ml




#10 AR-1221-3

R.T.: 5.394 min
Delta R.T.: -0.002 min
Response: 603363
Conc: 495.19 ng/ml



#10 AR-1221-3


R.T.: 4.389 min
Delta R.T.: -0.004 min
Response: 352700
Conc: 474.20 ng/ml



#11 AR-1232-1


R.T.: 5.394 min
Delta R.T.: -0.001 min
Response: 603363
Conc: 543.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.389 min
Delta R.T.: -0.003 min
Response: 352700
Conc: 519.47 ng/ml




#12 AR-1232-2

R.T.: 5.984 min
Delta R.T.: -0.001 min
Response: 820028
Conc: 1375.25 ng/ml



#12 AR-1232-2


R.T.: 5.219 min
Delta R.T.: -0.004 min
Response: 929552
Conc: 1485.12 ng/ml



#13 AR-1232-3


R.T.: 6.302 min
Delta R.T.: -0.002 min
Response: 1596810
Conc: 1459.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.408 min
Delta R.T.: -0.004 min
Response: 511817
Conc: 1541.56 ng/ml




#14 AR-1232-4

R.T.: 6.476 min
Delta R.T.: -0.002 min
Response: 858256
Conc: 1478.29 ng/ml



#14 AR-1232-4


R.T.: 5.507 min
Delta R.T.: -0.004 min
Response: 474195
Conc: 1719.90 ng/ml



#15 AR-1232-5


R.T.: 6.573 min
Delta R.T.: -0.002 min
Response: 657493
Conc: 1709.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.689 min
Delta R.T.: -0.004 min
Response: 504477
Conc: 1697.03 ng/ml




#16 AR-1242-1

R.T.: 6.279 min
Delta R.T.: -0.002 min
Response: 1123839
Conc: 881.66 ng/ml



#16 AR-1242-1


R.T.: 5.198 min
Delta R.T.: -0.004 min
Response: 659347
Conc: 874.82 ng/ml



#17 AR-1242-2


R.T.: 6.302 min
Delta R.T.: -0.002 min
Response: 1596810
Conc: 880.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.219 min
Delta R.T.: -0.004 min
Response: 929552
Conc: 903.38 ng/ml




#18 AR-1242-3

R.T.: 6.368 min
Delta R.T.: -0.002 min
Response: 1020468
Conc: 887.24 ng/ml



#18 AR-1242-3


R.T.: 5.408 min
Delta R.T.: -0.004 min
Response: 511817
Conc: 898.84 ng/ml



#19 AR-1242-4


R.T.: 6.476 min
Delta R.T.: -0.002 min
Response: 858256
Conc: 896.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.507 min
Delta R.T.: -0.004 min
Response: 474195
Conc: 920.09 ng/ml




#20 AR-1242-5

R.T.: 7.258 min
Delta R.T.: -0.002 min
Response: 143542
Conc: 138.03 ng/ml



#20 AR-1242-5


R.T.: 6.069 min
Delta R.T.: -0.005 min
Response: 394881
Conc: 580.13 ng/ml



#21 AR-1248-1


R.T.: 6.279 min
Delta R.T.: -0.001 min
Response: 1123839
Conc: 1070.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.198 min
Delta R.T.: -0.003 min
Response: 659347
Conc: 1044.81 ng/ml




#22 AR-1248-2

R.T.: 6.573 min
Delta R.T.: -0.001 min
Response: 657493
Conc: 442.89 ng/ml



#22 AR-1248-2


R.T.: 5.462 min
Delta R.T.: -0.003 min
Response: 384629
Conc: 468.91 ng/ml



#23 AR-1248-3


R.T.: 6.790 min
Delta R.T.: -0.001 min
Response: 830099
Conc: 502.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.507 min
Delta R.T.: -0.002 min
Response: 474195
Conc: 554.11 ng/ml




#24 AR-1248-4

R.T.: 7.218 min
Delta R.T.: -0.001 min
Response: 160721
Conc: 85.03 ng/ml



#24 AR-1248-4


R.T.: 5.689 min
Delta R.T.: -0.003 min
Response: 504477
Conc: 495.72 ng/ml



#25 AR-1248-5


R.T.: 7.258 min
Delta R.T.: 0.000 min
Response: 143542
Conc: 76.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 6.112 min
Delta R.T.: -0.003 min
Response: 60300
Conc: 56.85 ng/ml




#26 AR-1254-1

R.T.: 7.189 min
Delta R.T.: -0.001 min
Response: 667590
Conc: 371.61 ng/ml



#26 AR-1254-1


R.T.: 6.069 min
Delta R.T.: -0.004 min
Response: 394881
Conc: 265.99 ng/ml



#27 AR-1254-2


R.T.: 7.417 min
Delta R.T.: -0.002 min
Response: 693202
Conc: 249.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.229 min
Delta R.T.: -0.004 min
Response: 381970
Conc: 294.05 ng/ml




#28 AR-1254-3

R.T.: 7.799 min
Delta R.T.: -0.001 min
Response: 405934
Conc: 131.67 ng/ml



#28 AR-1254-3


R.T.: 6.650 min
Delta R.T.: -0.003 min
Response: 201252
Conc: 94.31 ng/ml



#29 AR-1254-4


R.T.: 8.093 min
Delta R.T.: -0.003 min
Response: 268003
Conc: 117.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.889 min
Delta R.T.: -0.004 min
Response: 82674
Conc: 60.94 ng/ml




#30 AR-1254-5

R.T.: 8.523 min
Delta R.T.: -0.002 min
Response: 2298536
Conc: 918.53 ng/ml



#30 AR-1254-5


R.T.: 7.318 min
Delta R.T.: -0.004 min
Response: 1453352
Conc: 775.27 ng/ml



#31 AR-1260-1


R.T.: 7.966 min
Delta R.T.: -0.002 min
Response: 1507603
Conc: 684.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.787 min
Delta R.T.: -0.004 min
Response: 970533
Conc: 702.36 ng/ml




#32 AR-1260-2

R.T.: 8.232 min
Delta R.T.: -0.002 min
Response: 1800830
Conc: 647.37 ng/ml



#32 AR-1260-2


R.T.: 6.986 min
Delta R.T.: -0.004 min
Response: 1170248
Conc: 696.60 ng/ml



#33 AR-1260-3


R.T.: 8.596 min
Delta R.T.: -0.002 min
Response: 1189926
Conc: 588.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 7.139 min
Delta R.T.: -0.004 min
Response: 1125293
Conc: 656.76 ng/ml




#34 AR-1260-4

R.T.: 8.827 min
Delta R.T.: -0.002 min
Response: 1510237
Conc: 613.96 ng/ml



#34 AR-1260-4


R.T.: 7.622 min
Delta R.T.: -0.004 min
Response: 830719
Conc: 611.03 ng/ml



#35 AR-1260-5


R.T.: 9.156 min
Delta R.T.: -0.002 min
Response: 2794018
Conc: 605.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.872 min
Delta R.T.: -0.004 min
Response: 1988252
Conc: 616.43 ng/ml




#36 AR-1262-1

R.T.: 8.596 min
Delta R.T.: -0.001 min
Response: 1189926
Conc: 408.56 ng/ml



#36 AR-1262-1


R.T.: 7.318 min
Delta R.T.: -0.003 min
Response: 1453352
Conc: 1399.62 ng/ml



#37 AR-1262-2


R.T.: 9.156 min
Delta R.T.: 0.000 min
Response: 2794018
Conc: 532.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.872 min
Delta R.T.: -0.004 min
Response: 1988252
Conc: 571.56 ng/ml




#38 AR-1262-3

R.T.: 9.492 min
Delta R.T.: 0.023 min
Response: 1925851
Conc: 502.62 ng/ml



#38 AR-1262-3


R.T.: 8.159 min
Delta R.T.: -0.003 min
Response: 346266
Conc: 245.94 ng/ml



#39 AR-1262-4


R.T.: 9.543 min
Delta R.T.: -0.019 min
Response: 1077340
Conc: 366.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.220 min
Delta R.T.: -0.006 min
Response: 1476207
Conc: 554.34 ng/ml




#40 AR-1262-5

R.T.: 10.233 min
Delta R.T.: 0.000 min
Response: 763444
Conc: 359.05 ng/ml



#40 AR-1262-5


R.T.: 8.720 min
Delta R.T.: -0.003 min
Response: 462602
Conc: 365.98 ng/ml



#41 AR-1268-1


R.T.: 9.492 min
Delta R.T.: 0.022 min
Response: 1925851
Conc: 317.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 8.159 min
Delta R.T.: -0.004 min
Response: 346266
Conc: 86.89 ng/ml




#42 AR-1268-2

R.T.: 9.543 min
Delta R.T.: -0.024 min
Response: 1077340
Conc: 187.44 ng/ml



#42 AR-1268-2


R.T.: 8.220 min
Delta R.T.: -0.008 min
Response: 1476207
Conc: 398.85 ng/ml



#43 AR-1268-3


R.T.: 9.792 min
Delta R.T.: 0.000 min
Response: 79120
Conc: 16.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.431 min
Delta R.T.: -0.005 min
Response: 34186
Conc: 10.88 ng/ml




#44 AR-1268-4

R.T.: 10.233 min
Delta R.T.: -0.003 min
Response: 763444
Conc: 333.72 ng/ml



#44 AR-1268-4


R.T.: 8.720 min
Delta R.T.: -0.004 min
Response: 462602
Conc: 337.55 ng/ml



#45 AR-1268-5

R.T.: 10.651 min
Delta R.T.: -0.002 min
Response: 267518
Conc: 16.90 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.999 min
Delta R.T.: -0.005 min
Response: 144003
Conc: 13.99 ng/ml