

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP072125\
 Data File : PP073992.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Jul 2025 16:39
 Operator : YP\AJ
 Sample : PB168927BL
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB168927BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 22 02:12:23 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070825.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jul 08 08:35:32 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.482	3.775	23731935	34783449	17.329	18.881
2)	SA Decachlor...	10.168	8.771	20402079	28960366	18.699	21.887
Target Compounds							
3)	L1 AR-1016-1	5.634	4.861	171643	21768	3.613	0.319 #
4)	L1 AR-1016-2	5.634	4.873	171643	39457	2.410	0.387 #
5)	L1 AR-1016-3	5.772f	5.032	635491	11795	14.554	0.218 #
6)	L1 AR-1016-4	5.835	5.106	152849	28273	4.252	0.644 #
7)	L1 AR-1016-5	6.112	5.276	89020	23249	2.841	0.426 #
8)	L2 AR-1221-1	4.723	3.982	68228	20378	3.819	0.753 #
9)	L2 AR-1221-2	4.785	4.073	336054	609331	24.885	29.927
10)	L2 AR-1221-3	4.858	4.148	44331	19114	1.066	0.311 #
11)	L3 AR-1232-1	4.858	4.148	44331	19114	1.358	0.410 #
12)	L3 AR-1232-2	5.383	4.873	13228	39457	0.814	0.828
13)	L3 AR-1232-3	5.634	5.032	171643	11795	5.202	0.471 #
14)	L3 AR-1232-4	5.835	5.147	152849	13021	9.294	0.601 #
15)	L3 AR-1232-5	5.901	5.276	97375	23249	9.212	1.030 #
16)	L4 AR-1242-1	5.634	4.861	171643	21768	4.495	0.377 #
17)	L4 AR-1242-2	5.634	4.873	171643	39457	2.866	0.456 #
18)	L4 AR-1242-3	5.772f	5.032	635491	11795	17.353	0.257 #
19)	L4 AR-1242-4	5.835	5.147	152849	13021	4.756	0.294 #
20)	L4 AR-1242-5	6.553	5.650	92980	41641	2.840	0.754 #
21)	L5 AR-1248-1	5.634	4.861	171643	21768	5.560	0.485 #
22)	L5 AR-1248-2	5.901	5.106	97375	28273	2.439	0.459 #
23)	L5 AR-1248-3	6.112	5.147	89020	13021	2.005	0.203 #
24)	L5 AR-1248-4	6.510	5.276	171705	23249	3.117	0.308 #
25)	L5 AR-1248-5	6.553	5.701	92980	27208	1.729	0.365 #
26)	L6 AR-1254-1	6.478	5.650	161362	41641	3.011	0.359 #
27)	L6 AR-1254-2	6.702	5.811	141787	27595	1.702	0.274 #
28)	L6 AR-1254-3	7.058	6.207	401768	31335	4.548	0.203 #
29)	L6 AR-1254-4	7.355	6.444	150694	398271	1.916	4.212 #
30)	L6 AR-1254-5	7.778	6.911f	50764	9918	0.689	0.074 #
31)	L7 AR-1260-1	7.228	6.344	208445	31144	3.535	0.319 #
32)	L7 AR-1260-2	7.495	6.521	401137	31234	4.185	0.254 #
33)	L7 AR-1260-3	7.835	6.682	88459	121087	1.211	1.106
34)	L7 AR-1260-4	8.066	7.113	294258	181221	4.506	2.027 #
35)	L7 AR-1260-5	8.364	7.396	34180	316190	0.227	1.407 #
36)	L8 AR-1262-1	8.066	6.911	294258	9918	3.381	0.067 #
37)	L8 AR-1262-2	8.364	7.113	34180	181221	0.173	1.418 #
38)	L8 AR-1262-3	8.636f	7.666	67810	47985	0.539	0.421
39)	L8 AR-1262-4	8.790	7.723	81378	132108	0.873	0.718
40)	L8 AR-1262-5	9.435	8.256	50610	55224	0.798	0.654
41)	L9 AR-1268-1	8.636f	7.666	67810	47985	0.304	0.156 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP072125\
Data File : PP073992.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Jul 2025 16:39
Operator : YP\AJ
Sample : PB168927BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB168927BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 22 02:12:23 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070825.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jul 08 08:35:32 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.790	7.723	81378	132108	0.427	0.497
43)	L9 AR-1268-3	9.019	7.931	152582	125061	0.922	0.554 #
44)	L9 AR-1268-4	9.435	8.256	50610	55224	0.728	0.594
45)	L9 AR-1268-5	9.831	8.522	94716	256134	0.205	0.415 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP072125\
Data File : PP073992.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Jul 2025 16:39
Operator : YP\AJ
Sample : PB168927BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB168927BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 22 02:12:23 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070825.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jul 08 08:35:32 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.482 min
Delta R.T.: -0.006 min
Response: 23731935
Conc: 17.33 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#1 Tetrachloro-m-xylene

R.T.: 3.775 min
Delta R.T.: -0.004 min
Response: 34783449
Conc: 18.88 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.168 min
Delta R.T.: -0.008 min
Response: 20402079
Conc: 18.70 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.771 min
Delta R.T.: -0.009 min
Response: 28960366
Conc: 21.89 ng/ml



#3 AR-1016-1


R.T.: 5.634 min
Delta R.T.: -0.005 min
Response: 171643
Conc: 3.61 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#3 AR-1016-1

R.T.: 4.861 min
Delta R.T.: 0.003 min
Response: 21768
Conc: 0.32 ng/ml




#4 AR-1016-2

R.T.: 5.634 min
Delta R.T.: -0.027 min
Response: 171643
Conc: 2.41 ng/ml



#4 AR-1016-2


R.T.: 4.873 min
Delta R.T.: -0.002 min
Response: 39457
Conc: 0.39 ng/ml



#5 AR-1016-3


R.T.: 5.772 min
Delta R.T.: 0.050 min
Response: 635491
Conc: 14.55 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#5 AR-1016-3

R.T.: 5.032 min
Delta R.T.: -0.019 min
Response: 11795
Conc: 0.22 ng/ml




#6 AR-1016-4

R.T.: 5.835 min
Delta R.T.: 0.015 min
Response: 152849
Conc: 4.25 ng/ml



#6 AR-1016-4


R.T.: 5.106 min
Delta R.T.: 0.013 min
Response: 28273
Conc: 0.64 ng/ml



#7 AR-1016-5


R.T.: 6.112 min
Delta R.T.: 0.000 min
Response: 89020
Conc: 2.84 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#7 AR-1016-5

R.T.: 5.276 min
Delta R.T.: -0.031 min
Response: 23249
Conc: 0.43 ng/ml




#8 AR-1221-1

R.T.: 4.723 min
Delta R.T.: 0.033 min
Response: 68228
Conc: 3.82 ng/ml



#8 AR-1221-1


R.T.: 3.982 min
Delta R.T.: -0.006 min
Response: 20378
Conc: 0.75 ng/ml



#9 AR-1221-2


R.T.: 4.785 min
Delta R.T.: 0.009 min
Response: 336054
Conc: 24.88 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#9 AR-1221-2

R.T.: 4.073 min
Delta R.T.: -0.002 min
Response: 609331
Conc: 29.93 ng/ml




#10 AR-1221-3

R.T.: 4.858 min
Delta R.T.: 0.007 min
Response: 44331
Conc: 1.07 ng/ml



#10 AR-1221-3


R.T.: 4.148 min
Delta R.T.: -0.002 min
Response: 19114
Conc: 0.31 ng/ml



#11 AR-1232-1


R.T.: 4.858 min
Delta R.T.: 0.008 min
Response: 44331
Conc: 1.36 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#11 AR-1232-1

R.T.: 4.148 min
Delta R.T.: -0.002 min
Response: 19114
Conc: 0.41 ng/ml




#12 AR-1232-2

R.T.: 5.383 min
Delta R.T.: 0.010 min
Response: 13228
Conc: 0.81 ng/ml



#12 AR-1232-2


R.T.: 4.873 min
Delta R.T.: -0.002 min
Response: 39457
Conc: 0.83 ng/ml



#13 AR-1232-3


R.T.: 5.634 min
Delta R.T.: -0.026 min
Response: 171643
Conc: 5.20 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#13 AR-1232-3

R.T.: 5.032 min
Delta R.T.: -0.020 min
Response: 11795
Conc: 0.47 ng/ml




#14 AR-1232-4

R.T.: 5.835 min
Delta R.T.: 0.015 min
Response: 152849
Conc: 9.29 ng/ml



#14 AR-1232-4


R.T.: 5.147 min
Delta R.T.: 0.010 min
Response: 13021
Conc: 0.60 ng/ml



#15 AR-1232-5


R.T.: 5.901 min
Delta R.T.: -0.009 min
Response: 97375
Conc: 9.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#15 AR-1232-5

R.T.: 5.276 min
Delta R.T.: -0.032 min
Response: 23249
Conc: 1.03 ng/ml




#16 AR-1242-1

R.T.: 5.634 min
Delta R.T.: -0.003 min
Response: 171643
Conc: 4.49 ng/ml



#16 AR-1242-1


R.T.: 4.861 min
Delta R.T.: 0.003 min
Response: 21768
Conc: 0.38 ng/ml



#17 AR-1242-2


R.T.: 5.634 min
Delta R.T.: -0.024 min
Response: 171643
Conc: 2.87 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#17 AR-1242-2

R.T.: 4.873 min
Delta R.T.: -0.002 min
Response: 39457
Conc: 0.46 ng/ml




#18 AR-1242-3

R.T.: 5.772 min
Delta R.T.: 0.053 min
Response: 635491
Conc: 17.35 ng/ml



#18 AR-1242-3


R.T.: 5.032 min
Delta R.T.: -0.020 min
Response: 11795
Conc: 0.26 ng/ml



#19 AR-1242-4


R.T.: 5.835 min
Delta R.T.: 0.018 min
Response: 152849
Conc: 4.76 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#19 AR-1242-4

R.T.: 5.147 min
Delta R.T.: 0.010 min
Response: 13021
Conc: 0.29 ng/ml




#20 AR-1242-5

R.T.: 6.553 min
Delta R.T.: 0.007 min
Response: 92980
Conc: 2.84 ng/ml



#20 AR-1242-5


R.T.: 5.650 min
Delta R.T.: -0.008 min
Response: 41641
Conc: 0.75 ng/ml



#21 AR-1248-1


R.T.: 5.634 min
Delta R.T.: -0.003 min
Response: 171643
Conc: 5.56 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#21 AR-1248-1

R.T.: 4.861 min
Delta R.T.: 0.003 min
Response: 21768
Conc: 0.48 ng/ml




#22 AR-1248-2

R.T.: 5.901 min
Delta R.T.: -0.007 min
Response: 97375
Conc: 2.44 ng/ml



#22 AR-1248-2


R.T.: 5.106 min
Delta R.T.: 0.012 min
Response: 28273
Conc: 0.46 ng/ml



#23 AR-1248-3


R.T.: 6.112 min
Delta R.T.: 0.002 min
Response: 89020
Conc: 2.00 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#23 AR-1248-3

R.T.: 5.147 min
Delta R.T.: 0.011 min
Response: 13021
Conc: 0.20 ng/ml




#24 AR-1248-4

R.T.: 6.510 min
Delta R.T.: 0.001 min
Response: 171705
Conc: 3.12 ng/ml



#24 AR-1248-4


R.T.: 5.276 min
Delta R.T.: -0.031 min
Response: 23249
Conc: 0.31 ng/ml



#25 AR-1248-5


R.T.: 6.553 min
Delta R.T.: 0.006 min
Response: 92980
Conc: 1.73 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#25 AR-1248-5

R.T.: 5.701 min
Delta R.T.: 0.003 min
Response: 27208
Conc: 0.36 ng/ml




#26 AR-1254-1

R.T.: 6.478 min
Delta R.T.: -0.007 min
Response: 161362
Conc: 3.01 ng/ml



#26 AR-1254-1


R.T.: 5.650 min
Delta R.T.: -0.009 min
Response: 41641
Conc: 0.36 ng/ml



#27 AR-1254-2


R.T.: 6.702 min
Delta R.T.: 0.000 min
Response: 141787
Conc: 1.70 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#27 AR-1254-2

R.T.: 5.811 min
Delta R.T.: 0.004 min
Response: 27595
Conc: 0.27 ng/ml




#28 AR-1254-3

R.T.: 7.058 min
Delta R.T.: -0.007 min
Response: 401768
Conc: 4.55 ng/ml



#28 AR-1254-3


R.T.: 6.207 min
Delta R.T.: -0.002 min
Response: 31335
Conc: 0.20 ng/ml



#29 AR-1254-4


R.T.: 7.355 min
Delta R.T.: 0.009 min
Response: 150694
Conc: 1.92 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#29 AR-1254-4

R.T.: 6.444 min
Delta R.T.: 0.008 min
Response: 398271
Conc: 4.21 ng/ml




#30 AR-1254-5

R.T.: 7.778 min
Delta R.T.: 0.015 min
Response: 50764
Conc: 0.69 ng/ml



#30 AR-1254-5


R.T.: 6.911 min
Delta R.T.: 0.058 min
Response: 9918
Conc: 0.07 ng/ml



#31 AR-1260-1


R.T.: 7.228 min
Delta R.T.: -0.001 min
Response: 208445
Conc: 3.54 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#31 AR-1260-1

R.T.: 6.344 min
Delta R.T.: 0.008 min
Response: 31144
Conc: 0.32 ng/ml




#32 AR-1260-2

R.T.: 7.495 min
Delta R.T.: 0.012 min
Response: 401137
Conc: 4.19 ng/ml



#32 AR-1260-2


R.T.: 6.521 min
Delta R.T.: -0.005 min
Response: 31234
Conc: 0.25 ng/ml



#33 AR-1260-3


R.T.: 7.835 min
Delta R.T.: -0.005 min
Response: 88459
Conc: 1.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#33 AR-1260-3

R.T.: 6.682 min
Delta R.T.: 0.005 min
Response: 121087
Conc: 1.11 ng/ml




#34 AR-1260-4

R.T.: 8.066 min
Delta R.T.: 0.002 min
Response: 294258
Conc: 4.51 ng/ml



#34 AR-1260-4


R.T.: 7.113 min
Delta R.T.: -0.033 min
Response: 181221
Conc: 2.03 ng/ml



#35 AR-1260-5


R.T.: 8.364 min
Delta R.T.: -0.019 min
Response: 34180
Conc: 0.23 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#35 AR-1260-5

R.T.: 7.396 min
Delta R.T.: 0.007 min
Response: 316190
Conc: 1.41 ng/ml




#36 AR-1262-1

R.T.: 8.066 min
Delta R.T.: 0.001 min
Response: 294258
Conc: 3.38 ng/ml



#36 AR-1262-1


R.T.: 6.911 min
Delta R.T.: 0.022 min
Response: 9918
Conc: 0.07 ng/ml



#37 AR-1262-2


R.T.: 8.364 min
Delta R.T.: -0.019 min
Response: 34180
Conc: 0.17 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#37 AR-1262-2

R.T.: 7.113 min
Delta R.T.: -0.034 min
Response: 181221
Conc: 1.42 ng/ml




#38 AR-1262-3

R.T.: 8.636 min
Delta R.T.: -0.061 min
Response: 67810
Conc: 0.54 ng/ml



#38 AR-1262-3


R.T.: 7.666 min
Delta R.T.: -0.003 min
Response: 47985
Conc: 0.42 ng/ml



#39 AR-1262-4


R.T.: 8.790 min
Delta R.T.: 0.008 min
Response: 81378
Conc: 0.87 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#39 AR-1262-4

R.T.: 7.723 min
Delta R.T.: -0.012 min
Response: 132108
Conc: 0.72 ng/ml




#40 AR-1262-5

R.T.: 9.435 min
Delta R.T.: 0.003 min
Response: 50610
Conc: 0.80 ng/ml



#40 AR-1262-5


R.T.: 8.256 min
Delta R.T.: 0.025 min
Response: 55224
Conc: 0.65 ng/ml



#41 AR-1268-1


R.T.: 8.636 min
Delta R.T.: -0.056 min
Response: 67810
Conc: 0.30 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#41 AR-1268-1

R.T.: 7.666 min
Delta R.T.: -0.003 min
Response: 47985
Conc: 0.16 ng/ml




#42 AR-1268-2

R.T.: 8.790 min
Delta R.T.: 0.004 min
Response: 81378
Conc: 0.43 ng/ml



#42 AR-1268-2


R.T.: 7.723 min
Delta R.T.: -0.013 min
Response: 132108
Conc: 0.50 ng/ml



#43 AR-1268-3


R.T.: 9.019 min
Delta R.T.: 0.005 min
Response: 152582
Conc: 0.92 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL




#43 AR-1268-3

R.T.: 7.931 min
Delta R.T.: -0.005 min
Response: 125061
Conc: 0.55 ng/ml




#44 AR-1268-4

R.T.: 9.435 min
Delta R.T.: 0.004 min
Response: 50610
Conc: 0.73 ng/ml



#44 AR-1268-4


R.T.: 8.256 min
Delta R.T.: 0.025 min
Response: 55224
Conc: 0.59 ng/ml



#45 AR-1268-5

R.T.: 9.831 min
Delta R.T.: -0.009 min
Response: 94716
Conc: 0.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB168927BL



#45 AR-1268-5

R.T.: 8.522 min
Delta R.T.: -0.005 min
Response: 256134
Conc: 0.42 ng/ml