

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP072523\
 Data File : PP058950.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jul 2023 16:43
 Operator : YP\AJ
 Sample : 03741-09
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 25 17:17:51 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP072123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Jul 22 02:26:24 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.425	3.664	29531883	41685524	21.451	21.676
2)	SA Decachlor...	10.221	8.706	22172467	34611620	25.738	24.462
Target Compounds							
3)	L1 AR-1016-1	5.581f	4.767	404336	84624	9.260	1.472 #
4)	L1 AR-1016-2	5.625	4.781	209665	125736	3.367	1.529 #
5)	L1 AR-1016-3	5.685	4.958	299648	778752	7.484	17.709 #
6)	L1 AR-1016-4	5.778	0.000	31190	0	0.966	N.D. #
7)	L1 AR-1016-5	6.088	5.200	125438	208074	3.678	4.206
8)	L2 AR-1221-1	4.632	3.863f	883377	42297	49.673	1.792 #
9)	L2 AR-1221-2	4.733	3.967	594368	1233982	45.342	69.190 #
10)	L2 AR-1221-3	4.816f	4.044	132275	823319	3.411	14.923 #
11)	L3 AR-1232-1	4.816f	4.044	132275	823319	4.113	18.137 #
12)	L3 AR-1232-2	0.000	4.781	0	125736	N.D.	3.256 #
13)	L3 AR-1232-3	5.625	4.958	209665	778752	7.077	37.483 #
14)	L3 AR-1232-4	5.778	5.038	31190	1113651	2.078	55.028 #
15)	L3 AR-1232-5	5.883	5.200	46243	208074	3.570	9.307 #
16)	L4 AR-1242-1	5.581f	4.767	404336	84624	10.696	1.703 #
17)	L4 AR-1242-2	5.625	4.781	209665	125736	3.894	1.764 #
18)	L4 AR-1242-3	5.685	4.958	299648	778752	8.652	20.538 #
19)	L4 AR-1242-4	5.778	5.038	31190	1113651	1.108	27.666 #
20)	L4 AR-1242-5	6.538	5.562	61758	324309	2.176	6.737 #
21)	L5 AR-1248-1	5.581f	4.767	404336	84624	14.612	2.349 #
22)	L5 AR-1248-2	5.883	0.000	46243	0	1.076	N.D. #
23)	L5 AR-1248-3	6.088	5.038	125438	1113651	2.677	19.444 #
24)	L5 AR-1248-4	6.493	5.200f	27100	208074	0.573	3.061 #
25)	L5 AR-1248-5	6.538	5.607	61758	93345	1.348	1.532
26)	L6 AR-1254-1	6.468	5.562	44765	324309	0.844	3.207 #
27)	L6 AR-1254-2	6.684	5.713	103811	87702	1.326	1.014
28)	L6 AR-1254-3	7.045	6.121	159689	243097	2.038	1.769
29)	L6 AR-1254-4	7.335	6.380f	69696	130603	1.335	1.635
30)	L6 AR-1254-5	7.749	6.768	57469	330698	1.069	2.747 #
31)	L7 AR-1260-1	7.215	6.248	154861	351597	2.670	3.552 #
32)	L7 AR-1260-2	7.470	6.439	168788	335615	2.786	2.952
33)	L7 AR-1260-3	7.828	6.596	46456	181944	1.049	1.662 #
34)	L7 AR-1260-4	8.068	7.059	26603	437149	0.539	5.141 #
35)	L7 AR-1260-5	8.372	7.288f	49906	306052	0.560	1.805 #
36)	L8 AR-1262-1	7.828	6.885f	46456	89482	0.681	1.637 #
37)	L8 AR-1262-2	8.372	7.059	49906	437149	0.455	3.791 #
38)	L8 AR-1262-3	8.696	7.597	56957	-21492	0.727	N.D. #
39)	L8 AR-1262-4	8.786	7.653	323922	486505	5.358	3.091 #
40)	L8 AR-1262-5	9.477f	0.000	29577	0	0.761	N.D. #
41)	L9 AR-1268-1	8.696	7.597	56957	-21492	0.425	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP072523\
 Data File : PP058950.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jul 2023 16:43
 Operator : YP\AJ
 Sample : 03741-09
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 25 17:17:51 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP072123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Jul 22 02:26:24 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.786	7.653	323922	486505	2.721	2.193
43) L9	AR-1268-3	9.022	7.868	35159	90793	0.329	0.446 #
44) L9	AR-1268-4	9.477f	0.000	29577	0	0.711	N.D. #
45) L9	AR-1268-5	9.879	8.450	63662	279003	0.199	0.507 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP072523\
Data File : PP058950.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Jul 2023 16:43
Operator : YP\AJ
Sample : 03741-09
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 25 17:17:51 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP072123.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Jul 22 02:26:24 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.425 min
Delta R.T.: 0.000 min
Response: 29531883
Conc: 21.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.664 min
Delta R.T.: 0.000 min
Response: 41685524
Conc: 21.68 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.221 min
Delta R.T.: -0.005 min
Response: 22172467
Conc: 25.74 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.706 min
Delta R.T.: -0.008 min
Response: 34611620
Conc: 24.46 ng/ml



#3 AR-1016-1


R.T.: 5.581 min
Delta R.T.: -0.021 min
Response: 404336
Conc: 9.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.767 min
Delta R.T.: 0.005 min
Response: 84624
Conc: 1.47 ng/ml




#4 AR-1016-2

R.T.: 5.625 min
Delta R.T.: 0.000 min
Response: 209665
Conc: 3.37 ng/ml



#4 AR-1016-2


R.T.: 4.781 min
Delta R.T.: 0.000 min
Response: 125736
Conc: 1.53 ng/ml



#5 AR-1016-3


R.T.: 5.685 min
Delta R.T.: -0.002 min
Response: 299648
Conc: 7.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.958 min
Delta R.T.: 0.000 min
Response: 778752
Conc: 17.71 ng/ml




#6 AR-1016-4

R.T.: 5.778 min
Delta R.T.: -0.009 min
Response: 31190
Conc: 0.97 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T.: 5.001 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 6.088 min
Delta R.T.: 0.005 min
Response: 125438
Conc: 3.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.200 min
Delta R.T.: -0.014 min
Response: 208074
Conc: 4.21 ng/ml




#8 AR-1221-1

R.T.: 4.632 min
Delta R.T.: -0.003 min
Response: 883377
Conc: 49.67 ng/ml



#8 AR-1221-1


R.T.: 3.863 min
Delta R.T.: -0.019 min
Response: 42297
Conc: 1.79 ng/ml



#9 AR-1221-2


R.T.: 4.733 min
Delta R.T.: 0.012 min
Response: 594368
Conc: 45.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.967 min
Delta R.T.: 0.000 min
Response: 1233982
Conc: 69.19 ng/ml




#10 AR-1221-3

R.T.: 4.816 min
Delta R.T.: 0.019 min
Response: 132275
Conc: 3.41 ng/ml



#10 AR-1221-3


R.T.: 4.044 min
Delta R.T.: 0.000 min
Response: 823319
Conc: 14.92 ng/ml



#11 AR-1232-1


R.T.: 4.816 min
Delta R.T.: 0.018 min
Response: 132275
Conc: 4.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.044 min
Delta R.T.: -0.001 min
Response: 823319
Conc: 18.14 ng/ml




#12 AR-1232-2

R.T.: 0.000 min
Exp R.T. : 5.332 min
Response: 0
Conc: N.D.



#12 AR-1232-2


R.T.: 4.781 min
Delta R.T.: 0.000 min
Response: 125736
Conc: 3.26 ng/ml



#13 AR-1232-3


R.T.: 5.625 min
Delta R.T.: 0.000 min
Response: 209665
Conc: 7.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.958 min
Delta R.T.: 0.000 min
Response: 778752
Conc: 37.48 ng/ml




#14 AR-1232-4

R.T.: 5.778 min
Delta R.T.: -0.009 min
Response: 31190
Conc: 2.08 ng/ml



#14 AR-1232-4


R.T.: 5.038 min
Delta R.T.: -0.005 min
Response: 1113651
Conc: 55.03 ng/ml



#15 AR-1232-5


R.T.: 5.883 min
Delta R.T.: 0.005 min
Response: 46243
Conc: 3.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.200 min
Delta R.T.: -0.015 min
Response: 208074
Conc: 9.31 ng/ml




#16 AR-1242-1

R.T.: 5.581 min
Delta R.T.: -0.021 min
Response: 404336
Conc: 10.70 ng/ml



#16 AR-1242-1


R.T.: 4.767 min
Delta R.T.: 0.005 min
Response: 84624
Conc: 1.70 ng/ml



#17 AR-1242-2


R.T.: 5.625 min
Delta R.T.: 0.000 min
Response: 209665
Conc: 3.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.781 min
Delta R.T.: 0.000 min
Response: 125736
Conc: 1.76 ng/ml




#18 AR-1242-3

R.T.: 5.685 min
Delta R.T.: -0.003 min
Response: 299648
Conc: 8.65 ng/ml



#18 AR-1242-3


R.T.: 4.958 min
Delta R.T.: 0.000 min
Response: 778752
Conc: 20.54 ng/ml



#19 AR-1242-4


R.T.: 5.778 min
Delta R.T.: -0.008 min
Response: 31190
Conc: 1.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.038 min
Delta R.T.: -0.005 min
Response: 1113651
Conc: 27.67 ng/ml




#20 AR-1242-5

R.T.: 6.538 min
Delta R.T.: 0.011 min
Response: 61758
Conc: 2.18 ng/ml



#20 AR-1242-5


R.T.: 5.562 min
Delta R.T.: -0.008 min
Response: 324309
Conc: 6.74 ng/ml



#21 AR-1248-1


R.T.: 5.581 min
Delta R.T.: -0.022 min
Response: 404336
Conc: 14.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.767 min
Delta R.T.: 0.004 min
Response: 84624
Conc: 2.35 ng/ml




#22 AR-1248-2

R.T.: 5.883 min
Delta R.T.: 0.004 min
Response: 46243
Conc: 1.08 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T.: 5.001 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 6.088 min
Delta R.T.: 0.005 min
Response: 125438
Conc: 2.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.038 min
Delta R.T.: -0.006 min
Response: 1113651
Conc: 19.44 ng/ml




#24 AR-1248-4

R.T.: 6.493 min
Delta R.T.: 0.004 min
Response: 27100
Conc: 0.57 ng/ml



#24 AR-1248-4


R.T.: 5.200 min
Delta R.T.: -0.016 min
Response: 208074
Conc: 3.06 ng/ml



#25 AR-1248-5


R.T.: 6.538 min
Delta R.T.: 0.010 min
Response: 61758
Conc: 1.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.607 min
Delta R.T.: -0.005 min
Response: 93345
Conc: 1.53 ng/ml




#26 AR-1254-1

R.T.: 6.468 min
Delta R.T.: 0.005 min
Response: 44765
Conc: 0.84 ng/ml



#26 AR-1254-1


R.T.: 5.562 min
Delta R.T.: -0.008 min
Response: 324309
Conc: 3.21 ng/ml



#27 AR-1254-2


R.T.: 6.684 min
Delta R.T.: 0.002 min
Response: 103811
Conc: 1.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.713 min
Delta R.T.: -0.005 min
Response: 87702
Conc: 1.01 ng/ml




#28 AR-1254-3

R.T.: 7.045 min
Delta R.T.: -0.005 min
Response: 159689
Conc: 2.04 ng/ml



#28 AR-1254-3


R.T.: 6.121 min
Delta R.T.: -0.003 min
Response: 243097
Conc: 1.77 ng/ml



#29 AR-1254-4


R.T.: 7.335 min
Delta R.T.: -0.001 min
Response: 69696
Conc: 1.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.380 min
Delta R.T.: 0.026 min
Response: 130603
Conc: 1.63 ng/ml




#30 AR-1254-5

R.T.: 7.749 min
Delta R.T.: -0.008 min
Response: 57469
Conc: 1.07 ng/ml



#30 AR-1254-5


R.T.: 6.768 min
Delta R.T.: -0.006 min
Response: 330698
Conc: 2.75 ng/ml



#31 AR-1260-1


R.T.: 7.215 min
Delta R.T.: 0.000 min
Response: 154861
Conc: 2.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.248 min
Delta R.T.: -0.007 min
Response: 351597
Conc: 3.55 ng/ml




#32 AR-1260-2

R.T.: 7.470 min
Delta R.T.: -0.002 min
Response: 168788
Conc: 2.79 ng/ml



#32 AR-1260-2


R.T.: 6.439 min
Delta R.T.: -0.005 min
Response: 335615
Conc: 2.95 ng/ml



#33 AR-1260-3


R.T.: 7.828 min
Delta R.T.: -0.006 min
Response: 46456
Conc: 1.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.596 min
Delta R.T.: -0.003 min
Response: 181944
Conc: 1.66 ng/ml




#34 AR-1260-4

R.T.: 8.068 min
Delta R.T.: 0.008 min
Response: 26603
Conc: 0.54 ng/ml



#34 AR-1260-4


R.T.: 7.059 min
Delta R.T.: -0.014 min
Response: 437149
Conc: 5.14 ng/ml



#35 AR-1260-5


R.T.: 8.372 min
Delta R.T.: -0.009 min
Response: 49906
Conc: 0.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.288 min
Delta R.T.: -0.027 min
Response: 306052
Conc: 1.80 ng/ml




#36 AR-1262-1

R.T.: 7.828 min
Delta R.T.: -0.005 min
Response: 46456
Conc: 0.68 ng/ml



#36 AR-1262-1


R.T.: 6.885 min
Delta R.T.: 0.020 min
Response: 89482
Conc: 1.64 ng/ml



#37 AR-1262-2


R.T.: 8.372 min
Delta R.T.: -0.009 min
Response: 49906
Conc: 0.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.059 min
Delta R.T.: -0.013 min
Response: 437149
Conc: 3.79 ng/ml




#38 AR-1262-3

R.T.: 8.696 min
Delta R.T.: 0.000 min
Response: 56957
Conc: 0.73 ng/ml



#38 AR-1262-3


R.T.: 7.597 min
Delta R.T.: -0.003 min
Response: -21492
Conc: N.D.



#39 AR-1262-4


R.T.: 8.786 min
Delta R.T.: -0.003 min
Response: 323922
Conc: 5.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.653 min
Delta R.T.: -0.011 min
Response: 486505
Conc: 3.09 ng/ml




#40 AR-1262-5

R.T.: 9.477 min
Delta R.T.: 0.023 min
Response: 29577
Conc: 0.76 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 8.161 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.696 min
Delta R.T.: 0.000 min
Response: 56957
Conc: 0.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.597 min
Delta R.T.: -0.004 min
Response: -21492
Conc: N.D.




#42 AR-1268-2

R.T.: 8.786 min
Delta R.T.: -0.005 min
Response: 323922
Conc: 2.72 ng/ml



#42 AR-1268-2


R.T.: 7.653 min
Delta R.T.: -0.012 min
Response: 486505
Conc: 2.19 ng/ml



#43 AR-1268-3


R.T.: 9.022 min
Delta R.T.: -0.001 min
Response: 35159
Conc: 0.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.868 min
Delta R.T.: -0.006 min
Response: 90793
Conc: 0.45 ng/ml




#44 AR-1268-4

R.T.: 9.477 min
Delta R.T.: 0.022 min
Response: 29577
Conc: 0.71 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.162 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.879 min
Delta R.T.: 0.001 min
Response: 63662
Conc: 0.20 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.450 min
Delta R.T.: -0.008 min
Response: 279003
Conc: 0.51 ng/ml