

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081023\
 Data File : PP059298.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Aug 2023 12:49
 Operator : YP\AJ
 Sample : 03572-03
 Misc : AR1232 MDL 25 PPB
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 10 21:45:36 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 09 02:30:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.415	3.646	20656453	35102453	16.834	17.325
2)	SA Decachlor...	10.206	8.681	14847935	29089228	19.454	20.677
Target Compounds							
3)	L1 AR-1016-1	5.591	4.739	415359	827797	10.572	12.907
4)	L1 AR-1016-2	5.613	4.759	577481	1119368	10.187	12.322
5)	L1 AR-1016-3	5.676	4.937	345574	324221	9.633	6.748 #
6)	L1 AR-1016-4	5.777	4.979	270090	366428	9.324	8.874
7)	L1 AR-1016-5	6.072	5.191	339827	718320	11.229	13.805
8)	L2 AR-1221-1	4.625	3.862	286709	372584	18.199	13.725
9)	L2 AR-1221-2	4.722	3.948	734511	836881	62.200	42.034 #
10)	L2 AR-1221-3	4.788	4.024	886783	1296075	25.183	21.770
11)	L3 AR-1232-1	4.788	4.024	886783	1296075	30.166	27.315
12)	L3 AR-1232-2	5.322	4.759	352954	1119368	22.644	26.389
13)	L3 AR-1232-3	5.613	4.937	577481	324221	21.870	14.613 #
14)	L3 AR-1232-4	5.777	5.019	270090	771692	20.408	36.548 #
15)	L3 AR-1232-5	5.867	5.191	245082	718320	21.471	31.337 #
16)	L4 AR-1242-1	5.591	4.739	415359	827797	12.134	14.791
17)	L4 AR-1242-2	5.613	4.759	577481	1119368	11.768	14.038
18)	L4 AR-1242-3	5.676	4.937	345574	324221	10.999	7.607 #
19)	L4 AR-1242-4	5.777	5.019	270090	771692	10.532	17.673 #
20)	L4 AR-1242-5	6.516	5.544	383790	817195	14.856	16.452
21)	L5 AR-1248-1	5.591	4.739	415359	827797	16.365	20.122
22)	L5 AR-1248-2	5.867	4.979	245082	366428	6.332	6.085
23)	L5 AR-1248-3	6.072	5.019	339827	771692	8.044	12.525 #
24)	L5 AR-1248-4	6.476	5.191	355622	718320	8.541	9.977
25)	L5 AR-1248-5	6.516	5.587	383790	776291	9.409	11.765 #
26)	L6 AR-1254-1	6.452	5.544	326846	817195	6.997	8.066
27)	L6 AR-1254-2	6.674	5.696	397550	78628	5.778	0.891 #
28)	L6 AR-1254-3	7.041	6.102	376988	167935	5.462	1.215 #
29)	L6 AR-1254-4	7.329	6.333	140120	68656	3.113	0.854 #
30)	L6 AR-1254-5	7.745	6.748	98171	41977	2.089	0.351 #
31)	L7 AR-1260-1	7.226f	6.231	100715	50320	1.841	0.508 #
32)	L7 AR-1260-2	7.461	6.420	40817	82001	0.686	0.709
33)	L7 AR-1260-3	7.828	6.578	84268	80067	2.141	0.720 #
34)	L7 AR-1260-4	8.052	7.047	51572	5595	1.161	0.065 #
35)	L7 AR-1260-5	8.364	7.295	59209	79127	0.740	0.429 #
36)	L8 AR-1262-1	7.828	6.837	84268	18610	1.323	0.323 #
37)	L8 AR-1262-2	8.364	7.047	59209	5595	0.645	0.047 #
38)	L8 AR-1262-3	8.696	7.576	30861	12325	0.480	0.145 #
39)	L8 AR-1262-4	8.787	7.642	33906	23769	1.021	0.157 #
40)	L8 AR-1262-5	0.000	8.143	0	33963	N.D.	0.533 #
41)	L9 AR-1268-1	8.696	7.576	30861	12325	0.272	0.051 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081023\
Data File : PP059298.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Aug 2023 12:49
Operator : YP\AJ
Sample : 03572-03
Misc : AR1232 MDL 25 PPB
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 10 21:45:36 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 09 02:30:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.787	7.642	33906	23769	0.345	0.109 #
43) L9	AR-1268-3	9.014	7.850	24296	40780	0.262	0.209
44) L9	AR-1268-4	0.000	8.143	0	33963	N.D.	0.488 #
45) L9	AR-1268-5	9.864	8.428	60429	161305	0.223	0.311 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081023\
Data File : PP059298.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Aug 2023 12:49
Operator : YP\AJ
Sample : 03572-03
Misc : AR1232 MDL 25 PPB
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 10 21:45:36 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 09 02:30:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.415 min
Delta R.T.: -0.001 min
Response: 20656453
Conc: 16.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.646 min
Delta R.T.: -0.002 min
Response: 35102453
Conc: 17.32 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.206 min
Delta R.T.: -0.006 min
Response: 14847935
Conc: 19.45 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.681 min
Delta R.T.: -0.007 min
Response: 29089228
Conc: 20.68 ng/ml



#3 AR-1016-1


R.T.: 5.591 min
Delta R.T.: -0.002 min
Response: 415359
Conc: 10.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.739 min
Delta R.T.: -0.004 min
Response: 827797
Conc: 12.91 ng/ml




#4 AR-1016-2

R.T.: 5.613 min
Delta R.T.: -0.003 min
Response: 577481
Conc: 10.19 ng/ml



#4 AR-1016-2


R.T.: 4.759 min
Delta R.T.: -0.003 min
Response: 1119368
Conc: 12.32 ng/ml



#5 AR-1016-3


R.T.: 5.676 min
Delta R.T.: -0.003 min
Response: 345574
Conc: 9.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.937 min
Delta R.T.: 0.000 min
Response: 324221
Conc: 6.75 ng/ml




#6 AR-1016-4

R.T.: 5.777 min
Delta R.T.: -0.001 min
Response: 270090
Conc: 9.32 ng/ml



#6 AR-1016-4


R.T.: 4.979 min
Delta R.T.: -0.001 min
Response: 366428
Conc: 8.87 ng/ml



#7 AR-1016-5


R.T.: 6.072 min
Delta R.T.: -0.002 min
Response: 339827
Conc: 11.23 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.191 min
Delta R.T.: -0.004 min
Response: 718320
Conc: 13.81 ng/ml




#8 AR-1221-1

R.T.: 4.625 min
Delta R.T.: -0.002 min
Response: 286709
Conc: 18.20 ng/ml



#8 AR-1221-1


R.T.: 3.862 min
Delta R.T.: -0.003 min
Response: 372584
Conc: 13.73 ng/ml



#9 AR-1221-2


R.T.: 4.722 min
Delta R.T.: 0.009 min
Response: 734511
Conc: 62.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.948 min
Delta R.T.: -0.003 min
Response: 836881
Conc: 42.03 ng/ml




#10 AR-1221-3

R.T.: 4.788 min
Delta R.T.: -0.003 min
Response: 886783
Conc: 25.18 ng/ml



#10 AR-1221-3


R.T.: 4.024 min
Delta R.T.: -0.003 min
Response: 1296075
Conc: 21.77 ng/ml



#11 AR-1232-1


R.T.: 4.788 min
Delta R.T.: -0.003 min
Response: 886783
Conc: 30.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.024 min
Delta R.T.: -0.003 min
Response: 1296075
Conc: 27.32 ng/ml




#12 AR-1232-2

R.T.: 5.322 min
Delta R.T.: -0.002 min
Response: 352954
Conc: 22.64 ng/ml



#12 AR-1232-2


R.T.: 4.759 min
Delta R.T.: -0.003 min
Response: 1119368
Conc: 26.39 ng/ml



#13 AR-1232-3


R.T.: 5.613 min
Delta R.T.: -0.003 min
Response: 577481
Conc: 21.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.937 min
Delta R.T.: 0.000 min
Response: 324221
Conc: 14.61 ng/ml




#14 AR-1232-4

R.T.: 5.777 min
Delta R.T.: 0.000 min
Response: 270090
Conc: 20.41 ng/ml



#14 AR-1232-4


R.T.: 5.019 min
Delta R.T.: -0.004 min
Response: 771692
Conc: 36.55 ng/ml



#15 AR-1232-5


R.T.: 5.867 min
Delta R.T.: -0.002 min
Response: 245082
Conc: 21.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.191 min
Delta R.T.: -0.003 min
Response: 718320
Conc: 31.34 ng/ml




#16 AR-1242-1

R.T.: 5.591 min
Delta R.T.: -0.002 min
Response: 415359
Conc: 12.13 ng/ml



#16 AR-1242-1


R.T.: 4.739 min
Delta R.T.: -0.003 min
Response: 827797
Conc: 14.79 ng/ml



#17 AR-1242-2


R.T.: 5.613 min
Delta R.T.: -0.003 min
Response: 577481
Conc: 11.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.759 min
Delta R.T.: -0.003 min
Response: 1119368
Conc: 14.04 ng/ml




#18 AR-1242-3

R.T.: 5.676 min
Delta R.T.: -0.002 min
Response: 345574
Conc: 11.00 ng/ml



#18 AR-1242-3


R.T.: 4.937 min
Delta R.T.: 0.000 min
Response: 324221
Conc: 7.61 ng/ml



#19 AR-1242-4


R.T.: 5.777 min
Delta R.T.: 0.000 min
Response: 270090
Conc: 10.53 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.019 min
Delta R.T.: -0.003 min
Response: 771692
Conc: 17.67 ng/ml




#20 AR-1242-5

R.T.: 6.516 min
Delta R.T.: -0.002 min
Response: 383790
Conc: 14.86 ng/ml



#20 AR-1242-5


R.T.: 5.544 min
Delta R.T.: -0.004 min
Response: 817195
Conc: 16.45 ng/ml



#21 AR-1248-1


R.T.: 5.591 min
Delta R.T.: -0.001 min
Response: 415359
Conc: 16.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.739 min
Delta R.T.: -0.003 min
Response: 827797
Conc: 20.12 ng/ml




#22 AR-1248-2

R.T.: 5.867 min
Delta R.T.: -0.002 min
Response: 245082
Conc: 6.33 ng/ml



#22 AR-1248-2


R.T.: 4.979 min
Delta R.T.: -0.001 min
Response: 366428
Conc: 6.09 ng/ml



#23 AR-1248-3


R.T.: 6.072 min
Delta R.T.: -0.002 min
Response: 339827
Conc: 8.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.019 min
Delta R.T.: -0.003 min
Response: 771692
Conc: 12.53 ng/ml




#24 AR-1248-4

R.T.: 6.476 min
Delta R.T.: -0.004 min
Response: 355622
Conc: 8.54 ng/ml



#24 AR-1248-4


R.T.: 5.191 min
Delta R.T.: -0.002 min
Response: 718320
Conc: 9.98 ng/ml



#25 AR-1248-5


R.T.: 6.516 min
Delta R.T.: -0.002 min
Response: 383790
Conc: 9.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.587 min
Delta R.T.: -0.003 min
Response: 776291
Conc: 11.76 ng/ml




#26 AR-1254-1

R.T.: 6.452 min
Delta R.T.: -0.001 min
Response: 326846
Conc: 7.00 ng/ml



#26 AR-1254-1


R.T.: 5.544 min
Delta R.T.: -0.004 min
Response: 817195
Conc: 8.07 ng/ml



#27 AR-1254-2


R.T.: 6.674 min
Delta R.T.: 0.000 min
Response: 397550
Conc: 5.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.696 min
Delta R.T.: -0.001 min
Response: 78628
Conc: 0.89 ng/ml




#28 AR-1254-3

R.T.: 7.041 min
Delta R.T.: 0.000 min
Response: 376988
Conc: 5.46 ng/ml



#28 AR-1254-3


R.T.: 6.102 min
Delta R.T.: 0.000 min
Response: 167935
Conc: 1.21 ng/ml



#29 AR-1254-4


R.T.: 7.329 min
Delta R.T.: 0.002 min
Response: 140120
Conc: 3.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.333 min
Delta R.T.: 0.000 min
Response: 68656
Conc: 0.85 ng/ml




#30 AR-1254-5

R.T.: 7.745 min
Delta R.T.: -0.003 min
Response: 98171
Conc: 2.09 ng/ml



#30 AR-1254-5


R.T.: 6.748 min
Delta R.T.: -0.003 min
Response: 41977
Conc: 0.35 ng/ml



#31 AR-1260-1


R.T.: 7.226 min
Delta R.T.: 0.019 min
Response: 100715
Conc: 1.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.231 min
Delta R.T.: -0.002 min
Response: 50320
Conc: 0.51 ng/ml




#32 AR-1260-2

R.T.: 7.461 min
Delta R.T.: -0.002 min
Response: 40817
Conc: 0.69 ng/ml



#32 AR-1260-2


R.T.: 6.420 min
Delta R.T.: -0.003 min
Response: 82001
Conc: 0.71 ng/ml



#33 AR-1260-3


R.T.: 7.828 min
Delta R.T.: 0.002 min
Response: 84268
Conc: 2.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.578 min
Delta R.T.: 0.001 min
Response: 80067
Conc: 0.72 ng/ml




#34 AR-1260-4

R.T.: 8.052 min
Delta R.T.: 0.000 min
Response: 51572
Conc: 1.16 ng/ml



#34 AR-1260-4


R.T.: 7.047 min
Delta R.T.: -0.003 min
Response: 5595
Conc: 0.06 ng/ml



#35 AR-1260-5


R.T.: 8.364 min
Delta R.T.: -0.010 min
Response: 59209
Conc: 0.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.295 min
Delta R.T.: 0.000 min
Response: 79127
Conc: 0.43 ng/ml




#36 AR-1262-1

R.T.: 7.828 min
Delta R.T.: 0.003 min
Response: 84268
Conc: 1.32 ng/ml



#36 AR-1262-1


R.T.: 6.837 min
Delta R.T.: -0.006 min
Response: 18610
Conc: 0.32 ng/ml



#37 AR-1262-2


R.T.: 8.364 min
Delta R.T.: -0.007 min
Response: 59209
Conc: 0.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.047 min
Delta R.T.: -0.003 min
Response: 5595
Conc: 0.05 ng/ml




#38 AR-1262-3

R.T.: 8.696 min
Delta R.T.: 0.007 min
Response: 30861
Conc: 0.48 ng/ml



#38 AR-1262-3


R.T.: 7.576 min
Delta R.T.: -0.002 min
Response: 12325
Conc: 0.14 ng/ml



#39 AR-1262-4


R.T.: 8.787 min
Delta R.T.: 0.009 min
Response: 33906
Conc: 1.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.642 min
Delta R.T.: 0.000 min
Response: 23769
Conc: 0.16 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 9.442 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 8.143 min
Delta R.T.: 0.003 min
Response: 33963
Conc: 0.53 ng/ml



#41 AR-1268-1


R.T.: 8.696 min
Delta R.T.: 0.011 min
Response: 30861
Conc: 0.27 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.576 min
Delta R.T.: -0.001 min
Response: 12325
Conc: 0.05 ng/ml




#42 AR-1268-2

R.T.: 8.787 min
Delta R.T.: 0.006 min
Response: 33906
Conc: 0.34 ng/ml



#42 AR-1268-2


R.T.: 7.642 min
Delta R.T.: 0.000 min
Response: 23769
Conc: 0.11 ng/ml



#43 AR-1268-3


R.T.: 9.014 min
Delta R.T.: 0.002 min
Response: 24296
Conc: 0.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.850 min
Delta R.T.: 0.000 min
Response: 40780
Conc: 0.21 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.442 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 8.143 min
Delta R.T.: 0.004 min
Response: 33963
Conc: 0.49 ng/ml



#45 AR-1268-5

R.T.: 9.864 min
Delta R.T.: 0.000 min
Response: 60429
Conc: 0.22 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.428 min
Delta R.T.: -0.003 min
Response: 161305
Conc: 0.31 ng/ml