

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081221\
 Data File : PP038312.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 12 Aug 2021 19:59
 Operator : AJ\MA
 Sample : M3343-10MS
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 SPLP-AMENDED-COM-5MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 13 03:01:34 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080521.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Aug 06 03:08:47 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.891	3.878	896712	505311	20.178	19.619
2)	SA Decachlor...	10.882	9.141	395955	446437	17.406	17.255
Target Compounds							
3)	L1 AR-1016-1	6.209	5.122	703331	467582	473.594	484.091
4)	L1 AR-1016-2	6.233	5.142	994053	662436	466.753	494.468
5)	L1 AR-1016-3	6.298	5.331	622017	362342	468.069	492.495
6)	L1 AR-1016-4	6.405	5.385	515432	267975	474.736	471.751
7)	L1 AR-1016-5	6.719	5.612	474555	343380	473.217	447.500
8)	L2 AR-1221-1	5.136	4.131	81385	41199	150.146	136.961
9)	L2 AR-1221-2	5.239	4.230	102201	56726	252.901	241.021
10)	L2 AR-1221-3	5.326	4.317	436782	259349	362.582	351.697
11)	L3 AR-1232-1	5.326	4.317	436782	259349	394.921	382.570
12)	L3 AR-1232-2	5.913	5.142	549350	662436	1006.864	1087.958
13)	L3 AR-1232-3	6.233	5.331	994053	362342	1009.982	1115.722
14)	L3 AR-1232-4	6.405	5.429	515432	334334	1031.538	1131.701
15)	L3 AR-1232-5	6.503	5.612	382451	343380	1203.876	926.548
16)	L4 AR-1242-1	6.209	5.122	703331	467582	621.350	648.872
17)	L4 AR-1242-2	6.233	5.142	994053	662436	617.797	662.770
18)	L4 AR-1242-3	6.298	5.331	622017	362342	607.584	654.982
19)	L4 AR-1242-4	6.405	5.429	515432	334334	628.412	636.365
20)	L4 AR-1242-5	7.188	5.990	60760	269178	73.683	416.584 #
21)	L5 AR-1248-1	6.209	5.122	703331	467582	827.767	883.526
22)	L5 AR-1248-2	6.503	5.385	382451	267975	353.766	360.813
23)	L5 AR-1248-3	6.719	5.429	474555	334334	372.384	424.902
24)	L5 AR-1248-4	7.149	5.612	74215	343380	54.968	372.610 #
25)	L5 AR-1248-5	7.188	6.032	60760	44340	45.958	47.098
26)	L6 AR-1254-1	7.117	5.990	323748	269178	248.462	201.201
27)	L6 AR-1254-2	7.346	6.150	334065	254821	176.626	222.338 #
28)	L6 AR-1254-3	7.729	6.568	189597	135915	95.566	71.993
29)	L6 AR-1254-4	8.024	6.808	102670	53691	71.541	44.594 #
30)	L6 AR-1254-5	8.454	7.235	925021	941370	636.519	570.459
31)	L7 AR-1260-1	7.896	6.705	650914	641287	453.541	492.538
32)	L7 AR-1260-2	8.162	6.904	761559	766913	442.342	492.898
33)	L7 AR-1260-3	8.527	7.056	450777	734265	377.338	482.367 #
34)	L7 AR-1260-4	8.758	7.539	573373	495466	402.564	404.994
35)	L7 AR-1260-5	9.082	7.788	1031791	1243976	388.612	425.958
36)	L8 AR-1262-1	8.527	7.235	450777	941370	274.411	1029.924 #
37)	L8 AR-1262-2	9.082	7.788	1031791	1243976	363.046	401.977
38)	L8 AR-1262-3	9.413f	8.073	678126	239239	572.584	189.110 #
39)	L8 AR-1262-4	9.464f	8.134	364829	915191	476.812	386.495
40)	L8 AR-1262-5	10.143	8.634	255476	279825	257.643	249.344
41)	L9 AR-1268-1	9.413f	8.073	678126	239239	207.554	65.927 #
42)	L9 AR-1268-2	9.464f	8.134	364829	915191	119.272	267.880 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081221\
 Data File : PP038312.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 12 Aug 2021 19:59
 Operator : AJ\MA
 Sample : M3343-10MS
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 SPLP-AMENDED-COM-5MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 13 03:01:34 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080521.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Aug 06 03:08:47 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	0.000	8.343	0	17412	N.D.	6.111 #
44) L9	AR-1268-4	10.143	8.634	255476	279825	231.518	221.103
45) L9	AR-1268-5	10.552	8.908	83164	90730	9.909	9.560



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081221\
Data File : PP038312.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 12 Aug 2021 19:59
Operator : AJ\MA
Sample : M3343-10MS
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 13 03:01:34 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080521.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Aug 06 03:08:47 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.891 min
Delta R.T.: -0.003 min
Response: 896712
Conc: 20.18 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#1 Tetrachloro-m-xylene

R.T.: 3.878 min
Delta R.T.: -0.001 min
Response: 505311
Conc: 19.62 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.882 min
Delta R.T.: -0.004 min
Response: 395955
Conc: 17.41 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.141 min
Delta R.T.: -0.008 min
Response: 446437
Conc: 17.25 ng/ml



#3 AR-1016-1


R.T.: 6.209 min
Delta R.T.: -0.003 min
Response: 703331
Conc: 473.59 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#3 AR-1016-1

R.T.: 5.122 min
Delta R.T.: -0.004 min
Response: 467582
Conc: 484.09 ng/ml




#4 AR-1016-2

R.T.: 6.233 min
Delta R.T.: -0.004 min
Response: 994053
Conc: 466.75 ng/ml



#4 AR-1016-2


R.T.: 5.142 min
Delta R.T.: -0.004 min
Response: 662436
Conc: 494.47 ng/ml



#5 AR-1016-3


R.T.: 6.298 min
Delta R.T.: -0.003 min
Response: 622017
Conc: 468.07 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#5 AR-1016-3

R.T.: 5.331 min
Delta R.T.: -0.004 min
Response: 362342
Conc: 492.50 ng/ml




#6 AR-1016-4

R.T.: 6.405 min
Delta R.T.: -0.003 min
Response: 515432
Conc: 474.74 ng/ml



#6 AR-1016-4


R.T.: 5.385 min
Delta R.T.: -0.004 min
Response: 267975
Conc: 471.75 ng/ml



#7 AR-1016-5


R.T.: 6.719 min
Delta R.T.: -0.004 min
Response: 474555
Conc: 473.22 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#7 AR-1016-5

R.T.: 5.612 min
Delta R.T.: -0.004 min
Response: 343380
Conc: 447.50 ng/ml




#8 AR-1221-1

R.T.: 5.136 min
Delta R.T.: -0.007 min
Response: 81385
Conc: 150.15 ng/ml



#8 AR-1221-1


R.T.: 4.131 min
Delta R.T.: -0.003 min
Response: 41199
Conc: 136.96 ng/ml



#9 AR-1221-2


R.T.: 5.239 min
Delta R.T.: -0.003 min
Response: 102201
Conc: 252.90 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#9 AR-1221-2

R.T.: 4.230 min
Delta R.T.: -0.002 min
Response: 56726
Conc: 241.02 ng/ml




#10 AR-1221-3

R.T.: 5.326 min
Delta R.T.: -0.002 min
Response: 436782
Conc: 362.58 ng/ml



#10 AR-1221-3


R.T.: 4.317 min
Delta R.T.: -0.003 min
Response: 259349
Conc: 351.70 ng/ml



#11 AR-1232-1


R.T.: 5.326 min
Delta R.T.: -0.003 min
Response: 436782
Conc: 394.92 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#11 AR-1232-1

R.T.: 4.317 min
Delta R.T.: -0.003 min
Response: 259349
Conc: 382.57 ng/ml




#12 AR-1232-2

R.T.: 5.913 min
Delta R.T.: -0.003 min
Response: 549350
Conc: 1006.86 ng/ml



#12 AR-1232-2


R.T.: 5.142 min
Delta R.T.: -0.004 min
Response: 662436
Conc: 1087.96 ng/ml



#13 AR-1232-3


R.T.: 6.233 min
Delta R.T.: -0.003 min
Response: 994053
Conc: 1009.98 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#13 AR-1232-3

R.T.: 5.331 min
Delta R.T.: -0.004 min
Response: 362342
Conc: 1115.72 ng/ml




#14 AR-1232-4

R.T.: 6.405 min
Delta R.T.: -0.004 min
Response: 515432
Conc: 1031.54 ng/ml



#14 AR-1232-4


R.T.: 5.429 min
Delta R.T.: -0.004 min
Response: 334334
Conc: 1131.70 ng/ml



#15 AR-1232-5


R.T.: 6.503 min
Delta R.T.: -0.003 min
Response: 382451
Conc: 1203.88 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#15 AR-1232-5

R.T.: 5.612 min
Delta R.T.: -0.004 min
Response: 343380
Conc: 926.55 ng/ml




#16 AR-1242-1

R.T.: 6.209 min
Delta R.T.: -0.003 min
Response: 703331
Conc: 621.35 ng/ml



#16 AR-1242-1


R.T.: 5.122 min
Delta R.T.: -0.004 min
Response: 467582
Conc: 648.87 ng/ml



#17 AR-1242-2


R.T.: 6.233 min
Delta R.T.: -0.003 min
Response: 994053
Conc: 617.80 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#17 AR-1242-2

R.T.: 5.142 min
Delta R.T.: -0.004 min
Response: 662436
Conc: 662.77 ng/ml




#18 AR-1242-3

R.T.: 6.298 min
Delta R.T.: -0.003 min
Response: 622017
Conc: 607.58 ng/ml



#18 AR-1242-3


R.T.: 5.331 min
Delta R.T.: -0.004 min
Response: 362342
Conc: 654.98 ng/ml



#19 AR-1242-4


R.T.: 6.405 min
Delta R.T.: -0.004 min
Response: 515432
Conc: 628.41 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#19 AR-1242-4

R.T.: 5.429 min
Delta R.T.: -0.005 min
Response: 334334
Conc: 636.36 ng/ml




#20 AR-1242-5

R.T.: 7.188 min
Delta R.T.: -0.004 min
Response: 60760
Conc: 73.68 ng/ml



#20 AR-1242-5


R.T.: 5.990 min
Delta R.T.: -0.005 min
Response: 269178
Conc: 416.58 ng/ml



#21 AR-1248-1


R.T.: 6.209 min
Delta R.T.: -0.003 min
Response: 703331
Conc: 827.77 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#21 AR-1248-1

R.T.: 5.122 min
Delta R.T.: -0.004 min
Response: 467582
Conc: 883.53 ng/ml




#22 AR-1248-2

R.T.: 6.503 min
Delta R.T.: -0.004 min
Response: 382451
Conc: 353.77 ng/ml



#22 AR-1248-2


R.T.: 5.385 min
Delta R.T.: -0.004 min
Response: 267975
Conc: 360.81 ng/ml



#23 AR-1248-3


R.T.: 6.719 min
Delta R.T.: -0.005 min
Response: 474555
Conc: 372.38 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#23 AR-1248-3

R.T.: 5.429 min
Delta R.T.: -0.004 min
Response: 334334
Conc: 424.90 ng/ml




#24 AR-1248-4

R.T.: 7.149 min
Delta R.T.: -0.003 min
Response: 74215
Conc: 54.97 ng/ml



#24 AR-1248-4


R.T.: 5.612 min
Delta R.T.: -0.004 min
Response: 343380
Conc: 372.61 ng/ml



#25 AR-1248-5


R.T.: 7.188 min
Delta R.T.: -0.005 min
Response: 60760
Conc: 45.96 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#25 AR-1248-5

R.T.: 6.032 min
Delta R.T.: -0.005 min
Response: 44340
Conc: 47.10 ng/ml




#26 AR-1254-1

R.T.: 7.117 min
Delta R.T.: -0.004 min
Response: 323748
Conc: 248.46 ng/ml



#26 AR-1254-1


R.T.: 5.990 min
Delta R.T.: -0.005 min
Response: 269178
Conc: 201.20 ng/ml



#27 AR-1254-2


R.T.: 7.346 min
Delta R.T.: -0.005 min
Response: 334065
Conc: 176.63 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#27 AR-1254-2

R.T.: 6.150 min
Delta R.T.: -0.005 min
Response: 254821
Conc: 222.34 ng/ml




#28 AR-1254-3

R.T.: 7.729 min
Delta R.T.: -0.004 min
Response: 189597
Conc: 95.57 ng/ml



#28 AR-1254-3


R.T.: 6.568 min
Delta R.T.: -0.005 min
Response: 135915
Conc: 71.99 ng/ml



#29 AR-1254-4


R.T.: 8.024 min
Delta R.T.: -0.006 min
Response: 102670
Conc: 71.54 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#29 AR-1254-4

R.T.: 6.808 min
Delta R.T.: -0.005 min
Response: 53691
Conc: 44.59 ng/ml




#30 AR-1254-5

R.T.: 8.454 min
Delta R.T.: -0.004 min
Response: 925021
Conc: 636.52 ng/ml



#30 AR-1254-5


R.T.: 7.235 min
Delta R.T.: -0.007 min
Response: 941370
Conc: 570.46 ng/ml



#31 AR-1260-1


R.T.: 7.896 min
Delta R.T.: -0.003 min
Response: 650914
Conc: 453.54 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#31 AR-1260-1

R.T.: 6.705 min
Delta R.T.: -0.005 min
Response: 641287
Conc: 492.54 ng/ml




#32 AR-1260-2

R.T.: 8.162 min
Delta R.T.: -0.004 min
Response: 761559
Conc: 442.34 ng/ml



#32 AR-1260-2


R.T.: 6.904 min
Delta R.T.: -0.004 min
Response: 766913
Conc: 492.90 ng/ml



#33 AR-1260-3


R.T.: 8.527 min
Delta R.T.: -0.003 min
Response: 450777
Conc: 377.34 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#33 AR-1260-3

R.T.: 7.056 min
Delta R.T.: -0.006 min
Response: 734265
Conc: 482.37 ng/ml




#34 AR-1260-4

R.T.: 8.758 min
Delta R.T.: -0.004 min
Response: 573373
Conc: 402.56 ng/ml



#34 AR-1260-4


R.T.: 7.539 min
Delta R.T.: -0.006 min
Response: 495466
Conc: 404.99 ng/ml



#35 AR-1260-5


R.T.: 9.082 min
Delta R.T.: -0.003 min
Response: 1031791
Conc: 388.61 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#35 AR-1260-5

R.T.: 7.788 min
Delta R.T.: -0.006 min
Response: 1243976
Conc: 425.96 ng/ml




#36 AR-1262-1

R.T.: 8.527 min
Delta R.T.: -0.004 min
Response: 450777
Conc: 274.41 ng/ml



#36 AR-1262-1


R.T.: 7.235 min
Delta R.T.: -0.005 min
Response: 941370
Conc: 1029.92 ng/ml



#37 AR-1262-2


R.T.: 9.082 min
Delta R.T.: -0.004 min
Response: 1031791
Conc: 363.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#37 AR-1262-2

R.T.: 7.788 min
Delta R.T.: -0.006 min
Response: 1243976
Conc: 401.98 ng/ml




#38 AR-1262-3

R.T.: 9.413 min
Delta R.T.: 0.020 min
Response: 678126
Conc: 572.58 ng/ml



#38 AR-1262-3


R.T.: 8.073 min
Delta R.T.: -0.006 min
Response: 239239
Conc: 189.11 ng/ml



#39 AR-1262-4


R.T.: 9.464 min
Delta R.T.: -0.023 min
Response: 364829
Conc: 476.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#39 AR-1262-4

R.T.: 8.134 min
Delta R.T.: -0.009 min
Response: 915191
Conc: 386.49 ng/ml




#40 AR-1262-5

R.T.: 10.143 min
Delta R.T.: -0.003 min
Response: 255476
Conc: 257.64 ng/ml



#40 AR-1262-5


R.T.: 8.634 min
Delta R.T.: -0.007 min
Response: 279825
Conc: 249.34 ng/ml



#41 AR-1268-1


R.T.: 9.413 min
Delta R.T.: 0.019 min
Response: 678126
Conc: 207.55 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#41 AR-1268-1

R.T.: 8.073 min
Delta R.T.: -0.007 min
Response: 239239
Conc: 65.93 ng/ml




#42 AR-1268-2

R.T.: 9.464 min
Delta R.T.: -0.026 min
Response: 364829
Conc: 119.27 ng/ml



#42 AR-1268-2


R.T.: 8.134 min
Delta R.T.: -0.010 min
Response: 915191
Conc: 267.88 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 9.713 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS




#43 AR-1268-3

R.T.: 8.343 min
Delta R.T.: -0.008 min
Response: 17412
Conc: 6.11 ng/ml




#44 AR-1268-4

R.T.: 10.143 min
Delta R.T.: -0.005 min
Response: 255476
Conc: 231.52 ng/ml



#44 AR-1268-4


R.T.: 8.634 min
Delta R.T.: -0.007 min
Response: 279825
Conc: 221.10 ng/ml



#45 AR-1268-5

R.T.: 10.552 min
Delta R.T.: -0.005 min
Response: 83164
Conc: 9.91 ng/ml

Instrument :
ECD_P
ClientSampleId :
SPLP-AMENDED-COM-5MS



#45 AR-1268-5

R.T.: 8.908 min
Delta R.T.: -0.007 min
Response: 90730
Conc: 9.56 ng/ml