

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081523\
 Data File : PP059363.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Aug 2023 16:15
 Operator : YP\AJ
 Sample : 04016-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 16 00:08:05 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 09 02:30:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.414	3.645	24194718	41080173	19.718	20.275
2)	SA Decachlor...	10.206	8.678	16656134	29797240	21.823	21.181
Target Compounds							
3)	L1 AR-1016-1	5.577f	4.744	126300	22039	3.215	0.344 #
4)	L1 AR-1016-2	5.625	4.758	66200	44422	1.168	0.489 #
5)	L1 AR-1016-3	5.685	4.940	36634	166736	1.021	3.470 #
6)	L1 AR-1016-4	0.000	4.977	0	16256	N.D.	0.394 #
7)	L1 AR-1016-5	6.079	5.208	221295	9669	7.312	0.186 #
8)	L2 AR-1221-1	4.622	3.866	210766	27822	13.378	1.025 #
9)	L2 AR-1221-2	4.722	3.946	342252	791985	28.982	39.779 #
10)	L2 AR-1221-3	4.789	4.027	10818	43232	0.307	0.726 #
11)	L3 AR-1232-1	4.789	4.027	10818	43232	0.368	0.911 #
12)	L3 AR-1232-2	5.329	4.758	33615	44422	2.157	1.047 #
13)	L3 AR-1232-3	5.625	4.940	66200	166736	2.507	7.515 #
14)	L3 AR-1232-4	0.000	5.021	0	10778	N.D.	0.510 #
15)	L3 AR-1232-5	0.000	5.180	0	56662	N.D.	2.472 #
16)	L4 AR-1242-1	5.577f	4.744	126300	22039	3.690	0.394 #
17)	L4 AR-1242-2	5.625	4.758	66200	44422	1.349	0.557 #
18)	L4 AR-1242-3	5.685	4.940	36634	166736	1.166	3.912 #
19)	L4 AR-1242-4	0.000	5.021	0	10778	N.D.	0.247 #
20)	L4 AR-1242-5	6.514	5.541	181983	114052	7.044	2.296 #
21)	L5 AR-1248-1	5.577f	4.744	126300	22039	4.976	0.536 #
22)	L5 AR-1248-2	0.000	4.977	0	16256	N.D.	0.270 #
23)	L5 AR-1248-3	6.079	5.021	221295	10778	5.238	0.175 #
24)	L5 AR-1248-4	6.489	5.180	376551	56662	9.044	0.787 #
25)	L5 AR-1248-5	6.514	5.592	181983	24398	4.461	0.370 #
26)	L6 AR-1254-1	6.454	5.541	357523	114052	7.653	1.126 #
27)	L6 AR-1254-2	0.000	5.697	0	70896	N.D.	0.803 #
28)	L6 AR-1254-3	7.043	6.101	499767	16021	7.241	0.116 #
29)	L6 AR-1254-4	0.000	6.332	0	104527	N.D.	1.300 #
30)	L6 AR-1254-5	7.766f	6.744	2626193	5685646	55.892	47.544
31)	L7 AR-1260-1	7.225f	6.235	20100784	73138	367.411	0.738 #
32)	L7 AR-1260-2	7.451	6.425	659000	115303	11.068	0.996 #
33)	L7 AR-1260-3	7.822	6.574	294283	39864	7.478	0.358 #
34)	L7 AR-1260-4	8.029f	7.061	373529	91636	8.410	1.057 #
35)	L7 AR-1260-5	8.394f	7.293	748949	48508	9.365	0.263 #
36)	L8 AR-1262-1	7.822	6.839	294283	216950	4.620	3.771
37)	L8 AR-1262-2	8.394f	7.061	748949	91636	8.155	0.777 #
38)	L8 AR-1262-3	8.689	7.576	194144	32887	3.017	0.386 #
39)	L8 AR-1262-4	8.772	7.631	214886	458863	6.471	3.038 #
40)	L8 AR-1262-5	0.000	8.142	0	925225	N.D.	14.507 #
41)	L9 AR-1268-1	8.689	7.576	194144	32887	1.709	0.135 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081523\
 Data File : PP059363.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Aug 2023 16:15
 Operator : YP\AJ
 Sample : 04016-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 16 00:08:05 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 09 02:30:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.772	7.631	214886	458863	2.183	2.095
43) L9	AR-1268-3	8.995f	0.000	593500	0	6.402	N.D. #
44) L9	AR-1268-4	0.000	8.142	0	925225	N.D.	13.295 #
45) L9	AR-1268-5	9.865	8.424	118214	341481	0.435	0.659 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081523\
Data File : PP059363.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Aug 2023 16:15
Operator : YP\AJ
Sample : 04016-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 16 00:08:05 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 09 02:30:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.414 min
Delta R.T.: -0.002 min
Response: 24194718
Conc: 19.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.645 min
Delta R.T.: -0.004 min
Response: 41080173
Conc: 20.28 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.206 min
Delta R.T.: -0.005 min
Response: 16656134
Conc: 21.82 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.678 min
Delta R.T.: -0.011 min
Response: 29797240
Conc: 21.18 ng/ml



#3 AR-1016-1


R.T.: 5.577 min
Delta R.T.: -0.017 min
Response: 126300
Conc: 3.21 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.744 min
Delta R.T.: 0.001 min
Response: 22039
Conc: 0.34 ng/ml




#4 AR-1016-2

R.T.: 5.625 min
Delta R.T.: 0.009 min
Response: 66200
Conc: 1.17 ng/ml



#4 AR-1016-2


R.T.: 4.758 min
Delta R.T.: -0.003 min
Response: 44422
Conc: 0.49 ng/ml



#5 AR-1016-3


R.T.: 5.685 min
Delta R.T.: 0.006 min
Response: 36634
Conc: 1.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.940 min
Delta R.T.: 0.003 min
Response: 166736
Conc: 3.47 ng/ml




#6 AR-1016-4

R.T.: 0.000 min
Exp R.T. : 5.778 min
Response: 0
Conc: N.D.



#6 AR-1016-4


R.T.: 4.977 min
Delta R.T.: -0.003 min
Response: 16256
Conc: 0.39 ng/ml



#7 AR-1016-5


R.T.: 6.079 min
Delta R.T.: 0.004 min
Response: 221295
Conc: 7.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.208 min
Delta R.T.: 0.013 min
Response: 9669
Conc: 0.19 ng/ml




#8 AR-1221-1

R.T.: 4.622 min
Delta R.T.: -0.004 min
Response: 210766
Conc: 13.38 ng/ml



#8 AR-1221-1


R.T.: 3.866 min
Delta R.T.: 0.001 min
Response: 27822
Conc: 1.02 ng/ml



#9 AR-1221-2


R.T.: 4.722 min
Delta R.T.: 0.008 min
Response: 342252
Conc: 28.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.946 min
Delta R.T.: -0.004 min
Response: 791985
Conc: 39.78 ng/ml




#10 AR-1221-3

R.T.: 4.789 min
Delta R.T.: -0.001 min
Response: 10818
Conc: 0.31 ng/ml



#10 AR-1221-3


R.T.: 4.027 min
Delta R.T.: 0.000 min
Response: 43232
Conc: 0.73 ng/ml



#11 AR-1232-1


R.T.: 4.789 min
Delta R.T.: -0.001 min
Response: 10818
Conc: 0.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.027 min
Delta R.T.: 0.000 min
Response: 43232
Conc: 0.91 ng/ml




#12 AR-1232-2

R.T.: 5.329 min
Delta R.T.: 0.005 min
Response: 33615
Conc: 2.16 ng/ml



#12 AR-1232-2


R.T.: 4.758 min
Delta R.T.: -0.003 min
Response: 44422
Conc: 1.05 ng/ml



#13 AR-1232-3


R.T.: 5.625 min
Delta R.T.: 0.009 min
Response: 66200
Conc: 2.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.940 min
Delta R.T.: 0.003 min
Response: 166736
Conc: 7.51 ng/ml




#14 AR-1232-4

R.T.: 0.000 min
Exp R.T. : 5.778 min
Response: 0
Conc: N.D.



#14 AR-1232-4


R.T.: 5.021 min
Delta R.T.: -0.002 min
Response: 10778
Conc: 0.51 ng/ml



#15 AR-1232-5


R.T.: 0.000 min
Exp R.T.: 5.869 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.180 min
Delta R.T.: -0.014 min
Response: 56662
Conc: 2.47 ng/ml




#16 AR-1242-1

R.T.: 5.577 min
Delta R.T.: -0.017 min
Response: 126300
Conc: 3.69 ng/ml



#16 AR-1242-1


R.T.: 4.744 min
Delta R.T.: 0.002 min
Response: 22039
Conc: 0.39 ng/ml



#17 AR-1242-2


R.T.: 5.625 min
Delta R.T.: 0.009 min
Response: 66200
Conc: 1.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.758 min
Delta R.T.: -0.003 min
Response: 44422
Conc: 0.56 ng/ml




#18 AR-1242-3

R.T.: 5.685 min
Delta R.T.: 0.007 min
Response: 36634
Conc: 1.17 ng/ml



#18 AR-1242-3


R.T.: 4.940 min
Delta R.T.: 0.003 min
Response: 166736
Conc: 3.91 ng/ml



#19 AR-1242-4


R.T.: 0.000 min
Exp R.T.: 5.777 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.021 min
Delta R.T.: 0.000 min
Response: 10778
Conc: 0.25 ng/ml




#20 AR-1242-5

R.T.: 6.514 min
Delta R.T.: -0.005 min
Response: 181983
Conc: 7.04 ng/ml



#20 AR-1242-5


R.T.: 5.541 min
Delta R.T.: -0.007 min
Response: 114052
Conc: 2.30 ng/ml



#21 AR-1248-1


R.T.: 5.577 min
Delta R.T.: -0.016 min
Response: 126300
Conc: 4.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.744 min
Delta R.T.: 0.002 min
Response: 22039
Conc: 0.54 ng/ml




#22 AR-1248-2

R.T.: 0.000 min
Exp R.T. : 5.869 min
Response: 0
Conc: N.D.



#22 AR-1248-2


R.T.: 4.977 min
Delta R.T.: -0.003 min
Response: 16256
Conc: 0.27 ng/ml



#23 AR-1248-3


R.T.: 6.079 min
Delta R.T.: 0.005 min
Response: 221295
Conc: 5.24 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.021 min
Delta R.T.: 0.000 min
Response: 10778
Conc: 0.17 ng/ml




#24 AR-1248-4

R.T.: 6.489 min
Delta R.T.: 0.009 min
Response: 376551
Conc: 9.04 ng/ml



#24 AR-1248-4


R.T.: 5.180 min
Delta R.T.: -0.013 min
Response: 56662
Conc: 0.79 ng/ml



#25 AR-1248-5


R.T.: 6.514 min
Delta R.T.: -0.005 min
Response: 181983
Conc: 4.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.592 min
Delta R.T.: 0.002 min
Response: 24398
Conc: 0.37 ng/ml




#26 AR-1254-1

R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 357523
Conc: 7.65 ng/ml



#26 AR-1254-1


R.T.: 5.541 min
Delta R.T.: -0.007 min
Response: 114052
Conc: 1.13 ng/ml



#27 AR-1254-2


R.T.: 0.000 min
Exp R.T.: 6.673 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.697 min
Delta R.T.: 0.000 min
Response: 70896
Conc: 0.80 ng/ml




#28 AR-1254-3

R.T.: 7.043 min
Delta R.T.: 0.002 min
Response: 499767
Conc: 7.24 ng/ml



#28 AR-1254-3


R.T.: 6.101 min
Delta R.T.: -0.001 min
Response: 16021
Conc: 0.12 ng/ml



#29 AR-1254-4


R.T.: 0.000 min
Exp R.T.: 7.328 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.332 min
Delta R.T.: 0.000 min
Response: 104527
Conc: 1.30 ng/ml




#30 AR-1254-5

R.T.: 7.766 min
Delta R.T.: 0.017 min
Response: 2626193
Conc: 55.89 ng/ml



#30 AR-1254-5


R.T.: 6.744 min
Delta R.T.: -0.007 min
Response: 5685646
Conc: 47.54 ng/ml



#31 AR-1260-1


R.T.: 7.225 min
Delta R.T.: 0.018 min
Response: 20100784
Conc: 367.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.235 min
Delta R.T.: 0.002 min
Response: 73138
Conc: 0.74 ng/ml




#32 AR-1260-2

R.T.: 7.451 min
Delta R.T.: -0.013 min
Response: 659000
Conc: 11.07 ng/ml



#32 AR-1260-2


R.T.: 6.425 min
Delta R.T.: 0.002 min
Response: 115303
Conc: 1.00 ng/ml



#33 AR-1260-3


R.T.: 7.822 min
Delta R.T.: -0.003 min
Response: 294283
Conc: 7.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.574 min
Delta R.T.: -0.003 min
Response: 39864
Conc: 0.36 ng/ml




#34 AR-1260-4

R.T.: 8.029 min
Delta R.T.: -0.023 min
Response: 373529
Conc: 8.41 ng/ml



#34 AR-1260-4


R.T.: 7.061 min
Delta R.T.: 0.011 min
Response: 91636
Conc: 1.06 ng/ml



#35 AR-1260-5


R.T.: 8.394 min
Delta R.T.: 0.021 min
Response: 748949
Conc: 9.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.293 min
Delta R.T.: 0.000 min
Response: 48508
Conc: 0.26 ng/ml




#36 AR-1262-1

R.T.: 7.822 min
Delta R.T.: -0.003 min
Response: 294283
Conc: 4.62 ng/ml



#36 AR-1262-1


R.T.: 6.839 min
Delta R.T.: -0.004 min
Response: 216950
Conc: 3.77 ng/ml



#37 AR-1262-2


R.T.: 8.394 min
Delta R.T.: 0.023 min
Response: 748949
Conc: 8.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.061 min
Delta R.T.: 0.011 min
Response: 91636
Conc: 0.78 ng/ml




#38 AR-1262-3

R.T.: 8.689 min
Delta R.T.: 0.000 min
Response: 194144
Conc: 3.02 ng/ml



#38 AR-1262-3


R.T.: 7.576 min
Delta R.T.: -0.002 min
Response: 32887
Conc: 0.39 ng/ml



#39 AR-1262-4


R.T.: 8.772 min
Delta R.T.: -0.005 min
Response: 214886
Conc: 6.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.631 min
Delta R.T.: -0.010 min
Response: 458863
Conc: 3.04 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 9.442 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 8.142 min
Delta R.T.: 0.002 min
Response: 925225
Conc: 14.51 ng/ml



#41 AR-1268-1


R.T.: 8.689 min
Delta R.T.: 0.004 min
Response: 194144
Conc: 1.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.576 min
Delta R.T.: -0.001 min
Response: 32887
Conc: 0.13 ng/ml




#42 AR-1268-2

R.T.: 8.772 min
Delta R.T.: -0.009 min
Response: 214886
Conc: 2.18 ng/ml



#42 AR-1268-2


R.T.: 7.631 min
Delta R.T.: -0.011 min
Response: 458863
Conc: 2.10 ng/ml



#43 AR-1268-3


R.T.: 8.995 min
Delta R.T.: -0.016 min
Response: 593500
Conc: 6.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.850 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.442 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 8.142 min
Delta R.T.: 0.003 min
Response: 925225
Conc: 13.30 ng/ml



#45 AR-1268-5

R.T.: 9.865 min
Delta R.T.: 0.000 min
Response: 118214
Conc: 0.44 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.424 min
Delta R.T.: -0.006 min
Response: 341481
Conc: 0.66 ng/ml