

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081723\
 Data File : PP059386.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Aug 2023 17:11
 Operator : YP\AJ
 Sample : 04056-07
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 P001-SS011-0002-01

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 18 01:20:58 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 09 02:30:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.414	3.644	20928052	36193589	17.056	17.863
2)	SA Decachlor...	10.203	8.676	10310078	18226227	13.508	12.956
Target Compounds							
3)	L1 AR-1016-1	5.597	4.745	99419	669061	2.530	10.432 #
4)	L1 AR-1016-2	5.617	4.760	248383	171042	4.382	1.883 #
5)	L1 AR-1016-3	5.678	4.936	100322	1197516	2.796	24.924 #
6)	L1 AR-1016-4	5.778	4.982	-41679	890743	N.D.	21.572 #
7)	L1 AR-1016-5	6.070	5.177f	986012	162223	32.581	3.118 #
8)	L2 AR-1221-1	4.622	3.869	6133251	58684	389.311	2.162 #
9)	L2 AR-1221-2	4.721	3.931f	458601	5320859	38.835	267.248 #
10)	L2 AR-1221-3	4.783	4.018	51038	1550621	1.449	26.046 #
11)	L3 AR-1232-1	4.783	4.018	51038	1550621	1.736	32.680 #
12)	L3 AR-1232-2	5.337	4.760	1240068	171042	79.558	4.032 #
13)	L3 AR-1232-3	5.617	4.936	248383	1197516	9.406	53.972 #
14)	L3 AR-1232-4	5.778	5.022	-41679	407134	N.D.	19.282 #
15)	L3 AR-1232-5	5.875	5.177f	318476	162223	27.901	7.077 #
16)	L4 AR-1242-1	5.597	4.745	99419	669061	2.904	11.955 #
17)	L4 AR-1242-2	5.617	4.760	248383	171042	5.062	2.145 #
18)	L4 AR-1242-3	5.678	4.936	100322	1197516	3.193	28.098 #
19)	L4 AR-1242-4	5.778	5.022	-41679	407134	N.D.	9.324 #
20)	L4 AR-1242-5	6.514	5.540	156468	2219013	6.057	44.673 #
21)	L5 AR-1248-1	5.597	4.745	99419	669061	3.917	16.264 #
22)	L5 AR-1248-2	5.875	4.982	318476	890743	8.228	14.792 #
23)	L5 AR-1248-3	6.070	5.022	986012	407134	23.340	6.608 #
24)	L5 AR-1248-4	6.489	5.177f	213574	162223	5.130	2.253 #
25)	L5 AR-1248-5	6.514	5.593	156468	1145051	3.836	17.353 #
26)	L6 AR-1254-1	6.447	5.540	535456	2219013	11.462	21.902 #
27)	L6 AR-1254-2	6.668	5.696	1569589	716736	22.811	8.119 #
28)	L6 AR-1254-3	7.040	6.094	2013469	3860747	29.172	27.927
29)	L6 AR-1254-4	7.326	6.340	300808	235587	6.682	2.931 #
30)	L6 AR-1254-5	7.743	6.744	959990	2543654	20.431	21.270
31)	L7 AR-1260-1	7.204	6.225	1462462	4202820	26.732	42.436 #
32)	L7 AR-1260-2	7.455	6.414	318126	4004744	5.343	34.610 #
33)	L7 AR-1260-3	7.824	6.567	131125	2648914	3.332	23.814 #
34)	L7 AR-1260-4	8.029f	7.055	1277185	41503	28.757	0.479 #
35)	L7 AR-1260-5	8.364	7.288	174525	1338936	2.182	7.264 #
36)	L8 AR-1262-1	7.824	6.836	131125	345758	2.059	6.010 #
37)	L8 AR-1262-2	8.364	7.055	174525	41503	1.900	0.352 #
38)	L8 AR-1262-3	8.676	7.588	16223	110260	0.252	1.296 #
39)	L8 AR-1262-4	8.772	7.634	235682	1104655	7.097	7.313
40)	L8 AR-1262-5	9.440	8.141	26429	35077	0.886	0.550 #
41)	L9 AR-1268-1	8.676	7.588	16223	110260	0.143	0.452 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081723\
Data File : PP059386.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Aug 2023 17:11
Operator : YP\AJ
Sample : 04056-07
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 18 01:20:58 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 09 02:30:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.772	7.634	235682	1104655	2.395	5.044 #
43) L9	AR-1268-3	9.013	7.844	10861	41724	0.117	0.213 #
44) L9	AR-1268-4	9.440	8.141	26429	35077	0.828	0.504 #
45) L9	AR-1268-5	9.864	8.433	65828	15545	0.242	0.030 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 4.414 min
Delta R.T.: -0.002 min
Response: 20928052
Conc: 17.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#1 Tetrachloro-m-xylene

R.T.: 3.644 min
Delta R.T.: -0.005 min
Response: 36193589
Conc: 17.86 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.203 min
Delta R.T.: -0.009 min
Response: 10310078
Conc: 13.51 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.676 min
Delta R.T.: -0.013 min
Response: 18226227
Conc: 12.96 ng/ml



#3 AR-1016-1


R.T.: 5.597 min
Delta R.T.: 0.004 min
Response: 99419
Conc: 2.53 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#3 AR-1016-1

R.T.: 4.745 min
Delta R.T.: 0.002 min
Response: 669061
Conc: 10.43 ng/ml




#4 AR-1016-2

R.T.: 5.617 min
Delta R.T.: 0.001 min
Response: 248383
Conc: 4.38 ng/ml



#4 AR-1016-2


R.T.: 4.760 min
Delta R.T.: -0.001 min
Response: 171042
Conc: 1.88 ng/ml



#5 AR-1016-3


R.T.: 5.678 min
Delta R.T.: -0.001 min
Response: 100322
Conc: 2.80 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#5 AR-1016-3

R.T.: 4.936 min
Delta R.T.: -0.002 min
Response: 1197516
Conc: 24.92 ng/ml




#6 AR-1016-4

R.T.: 5.778 min
Delta R.T.: 0.000 min
Response: -41679
Conc: N.D.



#6 AR-1016-4


R.T.: 4.982 min
Delta R.T.: 0.002 min
Response: 890743
Conc: 21.57 ng/ml



#7 AR-1016-5


R.T.: 6.070 min
Delta R.T.: -0.005 min
Response: 986012
Conc: 32.58 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#7 AR-1016-5

R.T.: 5.177 min
Delta R.T.: -0.017 min
Response: 162223
Conc: 3.12 ng/ml




#8 AR-1221-1

R.T.: 4.622 min
Delta R.T.: -0.004 min
Response: 6133251
Conc: 389.31 ng/ml



#8 AR-1221-1


R.T.: 3.869 min
Delta R.T.: 0.004 min
Response: 58684
Conc: 2.16 ng/ml



#9 AR-1221-2


R.T.: 4.721 min
Delta R.T.: 0.008 min
Response: 458601
Conc: 38.84 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#9 AR-1221-2

R.T.: 3.931 min
Delta R.T.: -0.019 min
Response: 5320859
Conc: 267.25 ng/ml




#10 AR-1221-3

R.T.: 4.783 min
Delta R.T.: -0.007 min
Response: 51038
Conc: 1.45 ng/ml



#10 AR-1221-3


R.T.: 4.018 min
Delta R.T.: -0.009 min
Response: 1550621
Conc: 26.05 ng/ml



#11 AR-1232-1


R.T.: 4.783 min
Delta R.T.: -0.007 min
Response: 51038
Conc: 1.74 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#11 AR-1232-1

R.T.: 4.018 min
Delta R.T.: -0.009 min
Response: 1550621
Conc: 32.68 ng/ml




#12 AR-1232-2

R.T.: 5.337 min
Delta R.T.: 0.013 min
Response: 1240068
Conc: 79.56 ng/ml



#12 AR-1232-2


R.T.: 4.760 min
Delta R.T.: -0.001 min
Response: 171042
Conc: 4.03 ng/ml



#13 AR-1232-3


R.T.: 5.617 min
Delta R.T.: 0.000 min
Response: 248383
Conc: 9.41 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#13 AR-1232-3

R.T.: 4.936 min
Delta R.T.: -0.001 min
Response: 1197516
Conc: 53.97 ng/ml




#14 AR-1232-4

R.T.: 5.778 min
Delta R.T.: 0.000 min
Response: -41679
Conc: N.D.



#14 AR-1232-4


R.T.: 5.022 min
Delta R.T.: 0.000 min
Response: 407134
Conc: 19.28 ng/ml



#15 AR-1232-5


R.T.: 5.875 min
Delta R.T.: 0.006 min
Response: 318476
Conc: 27.90 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#15 AR-1232-5

R.T.: 5.177 min
Delta R.T.: -0.016 min
Response: 162223
Conc: 7.08 ng/ml




#16 AR-1242-1

R.T.: 5.597 min
Delta R.T.: 0.004 min
Response: 99419
Conc: 2.90 ng/ml



#16 AR-1242-1


R.T.: 4.745 min
Delta R.T.: 0.003 min
Response: 669061
Conc: 11.96 ng/ml



#17 AR-1242-2


R.T.: 5.617 min
Delta R.T.: 0.001 min
Response: 248383
Conc: 5.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#17 AR-1242-2

R.T.: 4.760 min
Delta R.T.: -0.001 min
Response: 171042
Conc: 2.15 ng/ml




#18 AR-1242-3

R.T.: 5.678 min
Delta R.T.: -0.001 min
Response: 100322
Conc: 3.19 ng/ml



#18 AR-1242-3


R.T.: 4.936 min
Delta R.T.: 0.000 min
Response: 1197516
Conc: 28.10 ng/ml



#19 AR-1242-4


R.T.: 5.778 min
Delta R.T.: 0.000 min
Response: -41679
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#19 AR-1242-4

R.T.: 5.022 min
Delta R.T.: 0.000 min
Response: 407134
Conc: 9.32 ng/ml




#20 AR-1242-5

R.T.: 6.514 min
Delta R.T.: -0.004 min
Response: 156468
Conc: 6.06 ng/ml



#20 AR-1242-5


R.T.: 5.540 min
Delta R.T.: -0.007 min
Response: 2219013
Conc: 44.67 ng/ml



#21 AR-1248-1


R.T.: 5.597 min
Delta R.T.: 0.004 min
Response: 99419
Conc: 3.92 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#21 AR-1248-1

R.T.: 4.745 min
Delta R.T.: 0.003 min
Response: 669061
Conc: 16.26 ng/ml




#22 AR-1248-2

R.T.: 5.875 min
Delta R.T.: 0.006 min
Response: 318476
Conc: 8.23 ng/ml



#22 AR-1248-2


R.T.: 4.982 min
Delta R.T.: 0.002 min
Response: 890743
Conc: 14.79 ng/ml



#23 AR-1248-3


R.T.: 6.070 min
Delta R.T.: -0.004 min
Response: 986012
Conc: 23.34 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#23 AR-1248-3

R.T.: 5.022 min
Delta R.T.: 0.000 min
Response: 407134
Conc: 6.61 ng/ml




#24 AR-1248-4

R.T.: 6.489 min
Delta R.T.: 0.009 min
Response: 213574
Conc: 5.13 ng/ml



#24 AR-1248-4


R.T.: 5.177 min
Delta R.T.: -0.016 min
Response: 162223
Conc: 2.25 ng/ml



#25 AR-1248-5


R.T.: 6.514 min
Delta R.T.: -0.004 min
Response: 156468
Conc: 3.84 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#25 AR-1248-5

R.T.: 5.593 min
Delta R.T.: 0.003 min
Response: 1145051
Conc: 17.35 ng/ml




#26 AR-1254-1

R.T.: 6.447 min
Delta R.T.: -0.007 min
Response: 535456
Conc: 11.46 ng/ml



#26 AR-1254-1


R.T.: 5.540 min
Delta R.T.: -0.008 min
Response: 2219013
Conc: 21.90 ng/ml



#27 AR-1254-2


R.T.: 6.668 min
Delta R.T.: -0.005 min
Response: 1569589
Conc: 22.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#27 AR-1254-2

R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 716736
Conc: 8.12 ng/ml




#28 AR-1254-3

R.T.: 7.040 min
Delta R.T.: 0.000 min
Response: 2013469
Conc: 29.17 ng/ml



#28 AR-1254-3


R.T.: 6.094 min
Delta R.T.: -0.009 min
Response: 3860747
Conc: 27.93 ng/ml



#29 AR-1254-4


R.T.: 7.326 min
Delta R.T.: -0.002 min
Response: 300808
Conc: 6.68 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#29 AR-1254-4

R.T.: 6.340 min
Delta R.T.: 0.008 min
Response: 235587
Conc: 2.93 ng/ml




#30 AR-1254-5

R.T.: 7.743 min
Delta R.T.: -0.005 min
Response: 959990
Conc: 20.43 ng/ml



#30 AR-1254-5


R.T.: 6.744 min
Delta R.T.: -0.008 min
Response: 2543654
Conc: 21.27 ng/ml



#31 AR-1260-1


R.T.: 7.204 min
Delta R.T.: -0.002 min
Response: 1462462
Conc: 26.73 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#31 AR-1260-1

R.T.: 6.225 min
Delta R.T.: -0.008 min
Response: 4202820
Conc: 42.44 ng/ml




#32 AR-1260-2

R.T.: 7.455 min
Delta R.T.: -0.009 min
Response: 318126
Conc: 5.34 ng/ml



#32 AR-1260-2


R.T.: 6.414 min
Delta R.T.: -0.009 min
Response: 4004744
Conc: 34.61 ng/ml



#33 AR-1260-3


R.T.: 7.824 min
Delta R.T.: -0.002 min
Response: 131125
Conc: 3.33 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#33 AR-1260-3

R.T.: 6.567 min
Delta R.T.: -0.010 min
Response: 2648914
Conc: 23.81 ng/ml




#34 AR-1260-4

R.T.: 8.029 min
Delta R.T.: -0.022 min
Response: 1277185
Conc: 28.76 ng/ml



#34 AR-1260-4


R.T.: 7.055 min
Delta R.T.: 0.005 min
Response: 41503
Conc: 0.48 ng/ml



#35 AR-1260-5


R.T.: 8.364 min
Delta R.T.: -0.010 min
Response: 174525
Conc: 2.18 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#35 AR-1260-5

R.T.: 7.288 min
Delta R.T.: -0.006 min
Response: 1338936
Conc: 7.26 ng/ml




#36 AR-1262-1

R.T.: 7.824 min
Delta R.T.: -0.001 min
Response: 131125
Conc: 2.06 ng/ml



#36 AR-1262-1


R.T.: 6.836 min
Delta R.T.: -0.007 min
Response: 345758
Conc: 6.01 ng/ml



#37 AR-1262-2


R.T.: 8.364 min
Delta R.T.: -0.007 min
Response: 174525
Conc: 1.90 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#37 AR-1262-2

R.T.: 7.055 min
Delta R.T.: 0.005 min
Response: 41503
Conc: 0.35 ng/ml




#38 AR-1262-3

R.T.: 8.676 min
Delta R.T.: -0.013 min
Response: 16223
Conc: 0.25 ng/ml



#38 AR-1262-3


R.T.: 7.588 min
Delta R.T.: 0.011 min
Response: 110260
Conc: 1.30 ng/ml



#39 AR-1262-4


R.T.: 8.772 min
Delta R.T.: -0.005 min
Response: 235682
Conc: 7.10 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#39 AR-1262-4

R.T.: 7.634 min
Delta R.T.: -0.007 min
Response: 1104655
Conc: 7.31 ng/ml




#40 AR-1262-5

R.T.: 9.440 min
Delta R.T.: -0.002 min
Response: 26429
Conc: 0.89 ng/ml



#40 AR-1262-5


R.T.: 8.141 min
Delta R.T.: 0.002 min
Response: 35077
Conc: 0.55 ng/ml



#41 AR-1268-1


R.T.: 8.676 min
Delta R.T.: -0.009 min
Response: 16223
Conc: 0.14 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#41 AR-1268-1

R.T.: 7.588 min
Delta R.T.: 0.011 min
Response: 110260
Conc: 0.45 ng/ml




#42 AR-1268-2

R.T.: 8.772 min
Delta R.T.: -0.009 min
Response: 235682
Conc: 2.39 ng/ml



#42 AR-1268-2


R.T.: 7.634 min
Delta R.T.: -0.008 min
Response: 1104655
Conc: 5.04 ng/ml



#43 AR-1268-3


R.T.: 9.013 min
Delta R.T.: 0.002 min
Response: 10861
Conc: 0.12 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01




#43 AR-1268-3

R.T.: 7.844 min
Delta R.T.: -0.005 min
Response: 41724
Conc: 0.21 ng/ml




#44 AR-1268-4

R.T.: 9.440 min
Delta R.T.: -0.002 min
Response: 26429
Conc: 0.83 ng/ml



#44 AR-1268-4


R.T.: 8.141 min
Delta R.T.: 0.002 min
Response: 35077
Conc: 0.50 ng/ml



#45 AR-1268-5

R.T.: 9.864 min
Delta R.T.: 0.000 min
Response: 65828
Conc: 0.24 ng/ml

Instrument :
ECD_P
ClientSampleId :
P001-SS011-0002-01



#45 AR-1268-5

R.T.: 8.433 min
Delta R.T.: 0.002 min
Response: 15545
Conc: 0.03 ng/ml