

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081823\
 Data File : PP059413.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Aug 2023 15:54
 Operator : YP\AJ
 Sample : PB154923BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 19 00:22:55 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 09 02:30:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.419	3.644	23480792	42227663	19.136	20.841
2)	SA Decachlor...	10.218	8.682	19852226	32139870	26.011	22.846
Target Compounds							
3)	L1 AR-1016-1	5.599	4.739	21340	23882	0.543	0.372 #
4)	L1 AR-1016-2	5.618	4.763	2993	29172	0.053	0.321 #
5)	L1 AR-1016-3	5.672	4.935	574844	10716	16.024	0.223 #
6)	L1 AR-1016-4	5.781	4.979	12201	13992	0.421	0.339
7)	L1 AR-1016-5	6.082	5.198	14329	16388	0.473	0.315 #
8)	L2 AR-1221-1	4.601f	3.856	119384	32335	7.578	1.191 #
9)	L2 AR-1221-2	4.729f	3.945	486184	732151	41.171	36.773
10)	L2 AR-1221-3	4.797	4.031	21493	38971	0.610	0.655
11)	L3 AR-1232-1	4.797	4.031	21493	38971	0.731	0.821
12)	L3 AR-1232-2	5.324	4.763	11720	29172	0.752	0.688
13)	L3 AR-1232-3	5.618	4.935	2993	10716	0.113	0.483 #
14)	L3 AR-1232-4	5.781	5.025	12201	17840	0.922	0.845
15)	L3 AR-1232-5	5.868	5.198	21667	16388	1.898	0.715 #
16)	L4 AR-1242-1	5.599	4.739	21340	23882	0.623	0.427 #
17)	L4 AR-1242-2	5.618	4.763	2993	29172	0.061	0.366 #
18)	L4 AR-1242-3	5.672	4.935	574844	10716	18.296	0.251 #
19)	L4 AR-1242-4	5.781	5.019	12201	10239	0.476	0.234 #
20)	L4 AR-1242-5	6.518	5.545	18377	38907	0.711	0.783
21)	L5 AR-1248-1	5.599	4.739	21340	23882	0.841	0.581 #
22)	L5 AR-1248-2	5.868	4.979	21667	13992	0.560	0.232 #
23)	L5 AR-1248-3	6.067	5.019	14653	10239	0.347	0.166 #
24)	L5 AR-1248-4	6.481	5.198	95341	16388	2.290	0.228 #
25)	L5 AR-1248-5	6.518	5.583	18377	35863	0.451	0.543
26)	L6 AR-1254-1	6.432f	5.545	14858	38907	0.318	0.384
27)	L6 AR-1254-2	6.679	5.696	81851	43564	1.190	0.493 #
28)	L6 AR-1254-3	7.041	6.101	234770	15226	3.401	0.110 #
29)	L6 AR-1254-4	7.343f	6.333	47471	23279	1.055	0.290 #
30)	L6 AR-1254-5	7.752	6.753	11139	9572	0.237	0.080 #
31)	L7 AR-1260-1	7.213	6.236	55907	34938	1.022	0.353 #
32)	L7 AR-1260-2	7.463	6.425	29096	28698	0.489	0.248 #
33)	L7 AR-1260-3	7.809	6.574	57436	61975	1.459	0.557 #
34)	L7 AR-1260-4	8.045	7.051	44532	7310	1.003	0.084 #
35)	L7 AR-1260-5	8.366	7.293	56372	14436	0.705	0.078 #
36)	L8 AR-1262-1	7.809f	6.847	57436	17322	0.902	0.301 #
37)	L8 AR-1262-2	8.366	7.051	56372	7310	0.614	0.062 #
38)	L8 AR-1262-3	8.681	7.578	22512	20723	0.350	0.244 #
39)	L8 AR-1262-4	8.781	7.640	21403	32462	0.645	0.215 #
40)	L8 AR-1262-5	9.438	8.137	17286	15757	0.579	0.247 #
41)	L9 AR-1268-1	8.681	7.578	22512	20723	0.198	0.085 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081823\
 Data File : PP059413.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Aug 2023 15:54
 Operator : YP\AJ
 Sample : PB154923BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 19 00:22:55 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 09 02:30:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.781	7.640	21403	32462	0.217	0.148 #
43) L9	AR-1268-3	9.011	7.852	37860	20292	0.408	0.104 #
44) L9	AR-1268-4	9.438	8.137	17286	15757	0.542	0.226 #
45) L9	AR-1268-5	9.865	8.431	51581	137743	0.190	0.266 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081823\
Data File : PP059413.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Aug 2023 15:54
Operator : YP\AJ
Sample : PB154923BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 19 00:22:55 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 09 02:30:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.419 min
Delta R.T.: 0.003 min
Response: 23480792
Conc: 19.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.644 min
Delta R.T.: -0.004 min
Response: 42227663
Conc: 20.84 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.218 min
Delta R.T.: 0.006 min
Response: 19852226
Conc: 26.01 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.682 min
Delta R.T.: -0.007 min
Response: 32139870
Conc: 22.85 ng/ml



#3 AR-1016-1


R.T.: 5.599 min
Delta R.T.: 0.005 min
Response: 21340
Conc: 0.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.739 min
Delta R.T.: -0.004 min
Response: 23882
Conc: 0.37 ng/ml




#4 AR-1016-2

R.T.: 5.618 min
Delta R.T.: 0.002 min
Response: 2993
Conc: 0.05 ng/ml



#4 AR-1016-2


R.T.: 4.763 min
Delta R.T.: 0.001 min
Response: 29172
Conc: 0.32 ng/ml



#5 AR-1016-3


R.T.: 5.672 min
Delta R.T.: -0.006 min
Response: 574844
Conc: 16.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.935 min
Delta R.T.: -0.002 min
Response: 10716
Conc: 0.22 ng/ml




#6 AR-1016-4

R.T.: 5.781 min
Delta R.T.: 0.004 min
Response: 12201
Conc: 0.42 ng/ml



#6 AR-1016-4


R.T.: 4.979 min
Delta R.T.: -0.002 min
Response: 13992
Conc: 0.34 ng/ml



#7 AR-1016-5


R.T.: 6.082 min
Delta R.T.: 0.008 min
Response: 14329
Conc: 0.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.198 min
Delta R.T.: 0.003 min
Response: 16388
Conc: 0.31 ng/ml




#8 AR-1221-1

R.T.: 4.601 min
Delta R.T.: -0.025 min
Response: 119384
Conc: 7.58 ng/ml



#8 AR-1221-1


R.T.: 3.856 min
Delta R.T.: -0.009 min
Response: 32335
Conc: 1.19 ng/ml



#9 AR-1221-2


R.T.: 4.729 min
Delta R.T.: 0.016 min
Response: 486184
Conc: 41.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.945 min
Delta R.T.: -0.006 min
Response: 732151
Conc: 36.77 ng/ml




#10 AR-1221-3

R.T.: 4.797 min
Delta R.T.: 0.007 min
Response: 21493
Conc: 0.61 ng/ml



#10 AR-1221-3


R.T.: 4.031 min
Delta R.T.: 0.004 min
Response: 38971
Conc: 0.65 ng/ml



#11 AR-1232-1


R.T.: 4.797 min
Delta R.T.: 0.007 min
Response: 21493
Conc: 0.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.031 min
Delta R.T.: 0.004 min
Response: 38971
Conc: 0.82 ng/ml




#12 AR-1232-2

R.T.: 5.324 min
Delta R.T.: 0.000 min
Response: 11720
Conc: 0.75 ng/ml



#12 AR-1232-2


R.T.: 4.763 min
Delta R.T.: 0.002 min
Response: 29172
Conc: 0.69 ng/ml



#13 AR-1232-3


R.T.: 5.618 min
Delta R.T.: 0.002 min
Response: 2993
Conc: 0.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.935 min
Delta R.T.: -0.002 min
Response: 10716
Conc: 0.48 ng/ml




#14 AR-1232-4

R.T.: 5.781 min
Delta R.T.: 0.004 min
Response: 12201
Conc: 0.92 ng/ml



#14 AR-1232-4


R.T.: 5.025 min
Delta R.T.: 0.002 min
Response: 17840
Conc: 0.84 ng/ml



#15 AR-1232-5


R.T.: 5.868 min
Delta R.T.: -0.002 min
Response: 21667
Conc: 1.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.198 min
Delta R.T.: 0.004 min
Response: 16388
Conc: 0.71 ng/ml




#16 AR-1242-1

R.T.: 5.599 min
Delta R.T.: 0.005 min
Response: 21340
Conc: 0.62 ng/ml



#16 AR-1242-1


R.T.: 4.739 min
Delta R.T.: -0.003 min
Response: 23882
Conc: 0.43 ng/ml



#17 AR-1242-2


R.T.: 5.618 min
Delta R.T.: 0.002 min
Response: 2993
Conc: 0.06 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.763 min
Delta R.T.: 0.002 min
Response: 29172
Conc: 0.37 ng/ml




#18 AR-1242-3

R.T.: 5.672 min
Delta R.T.: -0.006 min
Response: 574844
Conc: 18.30 ng/ml



#18 AR-1242-3


R.T.: 4.935 min
Delta R.T.: -0.002 min
Response: 10716
Conc: 0.25 ng/ml



#19 AR-1242-4


R.T.: 5.781 min
Delta R.T.: 0.004 min
Response: 12201
Conc: 0.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.019 min
Delta R.T.: -0.002 min
Response: 10239
Conc: 0.23 ng/ml




#20 AR-1242-5

R.T.: 6.518 min
Delta R.T.: 0.000 min
Response: 18377
Conc: 0.71 ng/ml



#20 AR-1242-5


R.T.: 5.545 min
Delta R.T.: -0.003 min
Response: 38907
Conc: 0.78 ng/ml



#21 AR-1248-1


R.T.: 5.599 min
Delta R.T.: 0.006 min
Response: 21340
Conc: 0.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.739 min
Delta R.T.: -0.003 min
Response: 23882
Conc: 0.58 ng/ml




#22 AR-1248-2

R.T.: 5.868 min
Delta R.T.: -0.001 min
Response: 21667
Conc: 0.56 ng/ml



#22 AR-1248-2


R.T.: 4.979 min
Delta R.T.: -0.001 min
Response: 13992
Conc: 0.23 ng/ml



#23 AR-1248-3


R.T.: 6.067 min
Delta R.T.: -0.007 min
Response: 14653
Conc: 0.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.019 min
Delta R.T.: -0.002 min
Response: 10239
Conc: 0.17 ng/ml




#24 AR-1248-4

R.T.: 6.481 min
Delta R.T.: 0.001 min
Response: 95341
Conc: 2.29 ng/ml



#24 AR-1248-4


R.T.: 5.198 min
Delta R.T.: 0.004 min
Response: 16388
Conc: 0.23 ng/ml



#25 AR-1248-5


R.T.: 6.518 min
Delta R.T.: -0.001 min
Response: 18377
Conc: 0.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.583 min
Delta R.T.: -0.007 min
Response: 35863
Conc: 0.54 ng/ml




#26 AR-1254-1

R.T.: 6.432 min
Delta R.T.: -0.021 min
Response: 14858
Conc: 0.32 ng/ml



#26 AR-1254-1


R.T.: 5.545 min
Delta R.T.: -0.003 min
Response: 38907
Conc: 0.38 ng/ml



#27 AR-1254-2


R.T.: 6.679 min
Delta R.T.: 0.006 min
Response: 81851
Conc: 1.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 43564
Conc: 0.49 ng/ml




#28 AR-1254-3

R.T.: 7.041 min
Delta R.T.: 0.000 min
Response: 234770
Conc: 3.40 ng/ml



#28 AR-1254-3


R.T.: 6.101 min
Delta R.T.: -0.002 min
Response: 15226
Conc: 0.11 ng/ml



#29 AR-1254-4


R.T.: 7.343 min
Delta R.T.: 0.015 min
Response: 47471
Conc: 1.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.333 min
Delta R.T.: 0.000 min
Response: 23279
Conc: 0.29 ng/ml




#30 AR-1254-5

R.T.: 7.752 min
Delta R.T.: 0.004 min
Response: 11139
Conc: 0.24 ng/ml



#30 AR-1254-5


R.T.: 6.753 min
Delta R.T.: 0.001 min
Response: 9572
Conc: 0.08 ng/ml



#31 AR-1260-1


R.T.: 7.213 min
Delta R.T.: 0.006 min
Response: 55907
Conc: 1.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.236 min
Delta R.T.: 0.003 min
Response: 34938
Conc: 0.35 ng/ml




#32 AR-1260-2

R.T.: 7.463 min
Delta R.T.: 0.000 min
Response: 29096
Conc: 0.49 ng/ml



#32 AR-1260-2


R.T.: 6.425 min
Delta R.T.: 0.002 min
Response: 28698
Conc: 0.25 ng/ml



#33 AR-1260-3


R.T.: 7.809 min
Delta R.T.: -0.016 min
Response: 57436
Conc: 1.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.574 min
Delta R.T.: -0.002 min
Response: 61975
Conc: 0.56 ng/ml




#34 AR-1260-4

R.T.: 8.045 min
Delta R.T.: -0.007 min
Response: 44532
Conc: 1.00 ng/ml



#34 AR-1260-4


R.T.: 7.051 min
Delta R.T.: 0.001 min
Response: 7310
Conc: 0.08 ng/ml



#35 AR-1260-5


R.T.: 8.366 min
Delta R.T.: -0.008 min
Response: 56372
Conc: 0.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.293 min
Delta R.T.: 0.000 min
Response: 14436
Conc: 0.08 ng/ml




#36 AR-1262-1

R.T.: 7.809 min
Delta R.T.: -0.016 min
Response: 57436
Conc: 0.90 ng/ml



#36 AR-1262-1


R.T.: 6.847 min
Delta R.T.: 0.004 min
Response: 17322
Conc: 0.30 ng/ml



#37 AR-1262-2


R.T.: 8.366 min
Delta R.T.: -0.006 min
Response: 56372
Conc: 0.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.051 min
Delta R.T.: 0.001 min
Response: 7310
Conc: 0.06 ng/ml




#38 AR-1262-3

R.T.: 8.681 min
Delta R.T.: -0.008 min
Response: 22512
Conc: 0.35 ng/ml



#38 AR-1262-3


R.T.: 7.578 min
Delta R.T.: 0.000 min
Response: 20723
Conc: 0.24 ng/ml



#39 AR-1262-4


R.T.: 8.781 min
Delta R.T.: 0.004 min
Response: 21403
Conc: 0.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.640 min
Delta R.T.: -0.002 min
Response: 32462
Conc: 0.21 ng/ml




#40 AR-1262-5

R.T.: 9.438 min
Delta R.T.: -0.004 min
Response: 17286
Conc: 0.58 ng/ml



#40 AR-1262-5


R.T.: 8.137 min
Delta R.T.: -0.002 min
Response: 15757
Conc: 0.25 ng/ml



#41 AR-1268-1


R.T.: 8.681 min
Delta R.T.: -0.005 min
Response: 22512
Conc: 0.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.578 min
Delta R.T.: 0.000 min
Response: 20723
Conc: 0.08 ng/ml




#42 AR-1268-2

R.T.: 8.781 min
Delta R.T.: 0.000 min
Response: 21403
Conc: 0.22 ng/ml



#42 AR-1268-2


R.T.: 7.640 min
Delta R.T.: -0.002 min
Response: 32462
Conc: 0.15 ng/ml



#43 AR-1268-3


R.T.: 9.011 min
Delta R.T.: 0.000 min
Response: 37860
Conc: 0.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.852 min
Delta R.T.: 0.002 min
Response: 20292
Conc: 0.10 ng/ml




#44 AR-1268-4

R.T.: 9.438 min
Delta R.T.: -0.004 min
Response: 17286
Conc: 0.54 ng/ml



#44 AR-1268-4


R.T.: 8.137 min
Delta R.T.: -0.002 min
Response: 15757
Conc: 0.23 ng/ml



#45 AR-1268-5

R.T.: 9.865 min
Delta R.T.: 0.000 min
Response: 51581
Conc: 0.19 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.431 min
Delta R.T.: 0.000 min
Response: 137743
Conc: 0.27 ng/ml