

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081823\
 Data File : PP059426.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Aug 2023 19:26
 Operator : YP\AJ
 Sample : 04086-12
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 19 00:34:31 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 09 02:30:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.412	3.643	21816361	37874343	17.780	18.693
2)	SA Decachlor...	10.204	8.676	13628071	21987358	17.856	15.629
Target Compounds							
3)	L1 AR-1016-1	5.579	4.743	54991	167668	1.400	2.614 #
4)	L1 AR-1016-2	5.613	4.765	87444	220444	1.543	2.427 #
5)	L1 AR-1016-3	5.666	4.937	342370	1042654	9.544	21.700 #
6)	L1 AR-1016-4	5.800f	4.981	11513	317789	0.397	7.696 #
7)	L1 AR-1016-5	6.073	5.192	61118	6337	2.020	0.122 #
8)	L2 AR-1221-1	4.621	3.864	1153351	71015	73.209	2.616 #
9)	L2 AR-1221-2	4.720	3.943	307049	1375690	26.001	69.096 #
10)	L2 AR-1221-3	4.795	4.006f	75119	1477784	2.133	24.823 #
11)	L3 AR-1232-1	4.795	4.006f	75119	1477784	2.555	31.145 #
12)	L3 AR-1232-2	5.345f	4.759	223449	256696	14.336	6.051 #
13)	L3 AR-1232-3	5.613	4.937	87444	1042654	3.312	46.992 #
14)	L3 AR-1232-4	5.800f	5.024	11513	215653	0.870	10.214 #
15)	L3 AR-1232-5	5.866	5.192	20651	6337	1.809	0.276 #
16)	L4 AR-1242-1	5.579	4.743	54991	167668	1.606	2.996 #
17)	L4 AR-1242-2	5.613	4.759	87444	256696	1.782	3.219 #
18)	L4 AR-1242-3	5.666	4.937	342370	1042654	10.897	24.464 #
19)	L4 AR-1242-4	5.800f	5.024	11513	215653	0.449	4.939 #
20)	L4 AR-1242-5	6.519	5.544	53736	156267	2.080	3.146 #
21)	L5 AR-1248-1	5.579	4.743	54991	167668	2.167	4.076 #
22)	L5 AR-1248-2	5.866	4.981	20651	317789	0.534	5.277 #
23)	L5 AR-1248-3	6.073	5.024	61118	215653	1.447	3.500 #
24)	L5 AR-1248-4	6.485	5.192	458485	6337	11.012	0.088 #
25)	L5 AR-1248-5	6.519	5.587	53736	48886	1.317	0.741 #
26)	L6 AR-1254-1	6.445	5.544	303507	156267	6.497	1.542 #
27)	L6 AR-1254-2	6.685	5.693	269533	26029	3.917	0.295 #
28)	L6 AR-1254-3	7.038	6.103	264618	40045	3.834	0.290 #
29)	L6 AR-1254-4	7.327	6.330	68470	52045	1.521	0.647 #
30)	L6 AR-1254-5	7.740	6.742	365171	1544076	7.772	12.912 #
31)	L7 AR-1260-1	7.204	6.232	157235	59597	2.874	0.602 #
32)	L7 AR-1260-2	7.456	6.418	643337	1328511	10.805	11.481
33)	L7 AR-1260-3	7.818	6.566	139188	635861	3.537	5.716 #
34)	L7 AR-1260-4	8.029f	7.063	553587	43202	12.464	0.498 #
35)	L7 AR-1260-5	8.366	7.302	123466	22483	1.544	0.122 #
36)	L8 AR-1262-1	7.818	6.851	139188	29611	2.185	0.515 #
37)	L8 AR-1262-2	8.366	7.063	123466	43202	1.344	0.366 #
38)	L8 AR-1262-3	8.702	7.589	18808	117814	0.292	1.384 #
39)	L8 AR-1262-4	8.776	7.631	290450	480398	8.747	3.180 #
40)	L8 AR-1262-5	9.438	8.133	14195	110969	0.476	1.740 #
41)	L9 AR-1268-1	8.702f	7.589	18808	117814	0.166	0.483 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081823\
 Data File : PP059426.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Aug 2023 19:26
 Operator : YP\AJ
 Sample : 04086-12
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 19 00:34:31 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 09 02:30:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.776	7.652	290450	438724	2.951	2.003 #
43) L9	AR-1268-3	9.014	7.851	43392	8746	0.468	0.045 #
44) L9	AR-1268-4	9.438	8.133	14195	110969	0.445	1.595 #
45) L9	AR-1268-5	9.859	8.426	84187	87448	0.310	0.169 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP081823\
Data File : PP059426.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Aug 2023 19:26
Operator : YP\AJ
Sample : 04086-12
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 19 00:34:31 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP080823.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 09 02:30:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.412 min
Delta R.T.: -0.004 min
Response: 21816361
Conc: 17.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.643 min
Delta R.T.: -0.006 min
Response: 37874343
Conc: 18.69 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.204 min
Delta R.T.: -0.008 min
Response: 13628071
Conc: 17.86 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.676 min
Delta R.T.: -0.012 min
Response: 21987358
Conc: 15.63 ng/ml



#3 AR-1016-1


R.T.: 5.579 min
Delta R.T.: -0.014 min
Response: 54991
Conc: 1.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.743 min
Delta R.T.: 0.000 min
Response: 167668
Conc: 2.61 ng/ml




#4 AR-1016-2

R.T.: 5.613 min
Delta R.T.: -0.003 min
Response: 87444
Conc: 1.54 ng/ml



#4 AR-1016-2


R.T.: 4.765 min
Delta R.T.: 0.003 min
Response: 220444
Conc: 2.43 ng/ml



#5 AR-1016-3


R.T.: 5.666 min
Delta R.T.: -0.013 min
Response: 342370
Conc: 9.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.937 min
Delta R.T.: -0.001 min
Response: 1042654
Conc: 21.70 ng/ml




#6 AR-1016-4

R.T.: 5.800 min
Delta R.T.: 0.022 min
Response: 11513
Conc: 0.40 ng/ml



#6 AR-1016-4


R.T.: 4.981 min
Delta R.T.: 0.000 min
Response: 317789
Conc: 7.70 ng/ml



#7 AR-1016-5


R.T.: 6.073 min
Delta R.T.: -0.002 min
Response: 61118
Conc: 2.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.192 min
Delta R.T.: -0.003 min
Response: 6337
Conc: 0.12 ng/ml




#8 AR-1221-1

R.T.: 4.621 min
Delta R.T.: -0.005 min
Response: 1153351
Conc: 73.21 ng/ml



#8 AR-1221-1


R.T.: 3.864 min
Delta R.T.: -0.001 min
Response: 71015
Conc: 2.62 ng/ml



#9 AR-1221-2


R.T.: 4.720 min
Delta R.T.: 0.007 min
Response: 307049
Conc: 26.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.943 min
Delta R.T.: -0.007 min
Response: 1375690
Conc: 69.10 ng/ml




#10 AR-1221-3

R.T.: 4.795 min
Delta R.T.: 0.004 min
Response: 75119
Conc: 2.13 ng/ml



#10 AR-1221-3


R.T.: 4.006 min
Delta R.T.: -0.021 min
Response: 1477784
Conc: 24.82 ng/ml



#11 AR-1232-1


R.T.: 4.795 min
Delta R.T.: 0.004 min
Response: 75119
Conc: 2.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.006 min
Delta R.T.: -0.021 min
Response: 1477784
Conc: 31.15 ng/ml




#12 AR-1232-2

R.T.: 5.345 min
Delta R.T.: 0.022 min
Response: 223449
Conc: 14.34 ng/ml



#12 AR-1232-2


R.T.: 4.759 min
Delta R.T.: -0.003 min
Response: 256696
Conc: 6.05 ng/ml



#13 AR-1232-3


R.T.: 5.613 min
Delta R.T.: -0.003 min
Response: 87444
Conc: 3.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.937 min
Delta R.T.: 0.000 min
Response: 1042654
Conc: 46.99 ng/ml




#14 AR-1232-4

R.T.: 5.800 min
Delta R.T.: 0.022 min
Response: 11513
Conc: 0.87 ng/ml



#14 AR-1232-4


R.T.: 5.024 min
Delta R.T.: 0.002 min
Response: 215653
Conc: 10.21 ng/ml



#15 AR-1232-5


R.T.: 5.866 min
Delta R.T.: -0.003 min
Response: 20651
Conc: 1.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.192 min
Delta R.T.: -0.002 min
Response: 6337
Conc: 0.28 ng/ml




#16 AR-1242-1

R.T.: 5.579 min
Delta R.T.: -0.014 min
Response: 54991
Conc: 1.61 ng/ml



#16 AR-1242-1


R.T.: 4.743 min
Delta R.T.: 0.000 min
Response: 167668
Conc: 3.00 ng/ml



#17 AR-1242-2


R.T.: 5.613 min
Delta R.T.: -0.003 min
Response: 87444
Conc: 1.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.759 min
Delta R.T.: -0.003 min
Response: 256696
Conc: 3.22 ng/ml




#18 AR-1242-3

R.T.: 5.666 min
Delta R.T.: -0.012 min
Response: 342370
Conc: 10.90 ng/ml



#18 AR-1242-3


R.T.: 4.937 min
Delta R.T.: 0.000 min
Response: 1042654
Conc: 24.46 ng/ml



#19 AR-1242-4


R.T.: 5.800 min
Delta R.T.: 0.022 min
Response: 11513
Conc: 0.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.024 min
Delta R.T.: 0.003 min
Response: 215653
Conc: 4.94 ng/ml




#20 AR-1242-5

R.T.: 6.519 min
Delta R.T.: 0.000 min
Response: 53736
Conc: 2.08 ng/ml



#20 AR-1242-5


R.T.: 5.544 min
Delta R.T.: -0.004 min
Response: 156267
Conc: 3.15 ng/ml



#21 AR-1248-1


R.T.: 5.579 min
Delta R.T.: -0.014 min
Response: 54991
Conc: 2.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.743 min
Delta R.T.: 0.000 min
Response: 167668
Conc: 4.08 ng/ml




#22 AR-1248-2

R.T.: 5.866 min
Delta R.T.: -0.003 min
Response: 20651
Conc: 0.53 ng/ml



#22 AR-1248-2


R.T.: 4.981 min
Delta R.T.: 0.000 min
Response: 317789
Conc: 5.28 ng/ml



#23 AR-1248-3


R.T.: 6.073 min
Delta R.T.: -0.001 min
Response: 61118
Conc: 1.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.024 min
Delta R.T.: 0.003 min
Response: 215653
Conc: 3.50 ng/ml




#24 AR-1248-4

R.T.: 6.485 min
Delta R.T.: 0.005 min
Response: 458485
Conc: 11.01 ng/ml



#24 AR-1248-4


R.T.: 5.192 min
Delta R.T.: -0.002 min
Response: 6337
Conc: 0.09 ng/ml



#25 AR-1248-5


R.T.: 6.519 min
Delta R.T.: 0.000 min
Response: 53736
Conc: 1.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.587 min
Delta R.T.: -0.002 min
Response: 48886
Conc: 0.74 ng/ml




#26 AR-1254-1

R.T.: 6.445 min
Delta R.T.: -0.008 min
Response: 303507
Conc: 6.50 ng/ml



#26 AR-1254-1


R.T.: 5.544 min
Delta R.T.: -0.004 min
Response: 156267
Conc: 1.54 ng/ml



#27 AR-1254-2


R.T.: 6.685 min
Delta R.T.: 0.011 min
Response: 269533
Conc: 3.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.693 min
Delta R.T.: -0.004 min
Response: 26029
Conc: 0.29 ng/ml




#28 AR-1254-3

R.T.: 7.038 min
Delta R.T.: -0.002 min
Response: 264618
Conc: 3.83 ng/ml



#28 AR-1254-3


R.T.: 6.103 min
Delta R.T.: 0.000 min
Response: 40045
Conc: 0.29 ng/ml



#29 AR-1254-4


R.T.: 7.327 min
Delta R.T.: -0.001 min
Response: 68470
Conc: 1.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.330 min
Delta R.T.: -0.003 min
Response: 52045
Conc: 0.65 ng/ml




#30 AR-1254-5

R.T.: 7.740 min
Delta R.T.: -0.009 min
Response: 365171
Conc: 7.77 ng/ml



#30 AR-1254-5


R.T.: 6.742 min
Delta R.T.: -0.010 min
Response: 1544076
Conc: 12.91 ng/ml



#31 AR-1260-1


R.T.: 7.204 min
Delta R.T.: -0.003 min
Response: 157235
Conc: 2.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.232 min
Delta R.T.: -0.001 min
Response: 59597
Conc: 0.60 ng/ml




#32 AR-1260-2

R.T.: 7.456 min
Delta R.T.: -0.008 min
Response: 643337
Conc: 10.81 ng/ml



#32 AR-1260-2


R.T.: 6.418 min
Delta R.T.: -0.006 min
Response: 1328511
Conc: 11.48 ng/ml



#33 AR-1260-3


R.T.: 7.818 min
Delta R.T.: -0.008 min
Response: 139188
Conc: 3.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.566 min
Delta R.T.: -0.010 min
Response: 635861
Conc: 5.72 ng/ml




#34 AR-1260-4

R.T.: 8.029 min
Delta R.T.: -0.022 min
Response: 553587
Conc: 12.46 ng/ml



#34 AR-1260-4


R.T.: 7.063 min
Delta R.T.: 0.012 min
Response: 43202
Conc: 0.50 ng/ml



#35 AR-1260-5


R.T.: 8.366 min
Delta R.T.: -0.008 min
Response: 123466
Conc: 1.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.302 min
Delta R.T.: 0.008 min
Response: 22483
Conc: 0.12 ng/ml




#36 AR-1262-1

R.T.: 7.818 min
Delta R.T.: -0.007 min
Response: 139188
Conc: 2.19 ng/ml



#36 AR-1262-1


R.T.: 6.851 min
Delta R.T.: 0.008 min
Response: 29611
Conc: 0.51 ng/ml



#37 AR-1262-2


R.T.: 8.366 min
Delta R.T.: -0.006 min
Response: 123466
Conc: 1.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.063 min
Delta R.T.: 0.013 min
Response: 43202
Conc: 0.37 ng/ml




#38 AR-1262-3

R.T.: 8.702 min
Delta R.T.: 0.013 min
Response: 18808
Conc: 0.29 ng/ml



#38 AR-1262-3


R.T.: 7.589 min
Delta R.T.: 0.012 min
Response: 117814
Conc: 1.38 ng/ml



#39 AR-1262-4


R.T.: 8.776 min
Delta R.T.: -0.002 min
Response: 290450
Conc: 8.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.631 min
Delta R.T.: -0.010 min
Response: 480398
Conc: 3.18 ng/ml




#40 AR-1262-5

R.T.: 9.438 min
Delta R.T.: -0.004 min
Response: 14195
Conc: 0.48 ng/ml



#40 AR-1262-5


R.T.: 8.133 min
Delta R.T.: -0.006 min
Response: 110969
Conc: 1.74 ng/ml



#41 AR-1268-1


R.T.: 8.702 min
Delta R.T.: 0.016 min
Response: 18808
Conc: 0.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.589 min
Delta R.T.: 0.012 min
Response: 117814
Conc: 0.48 ng/ml




#42 AR-1268-2

R.T.: 8.776 min
Delta R.T.: -0.005 min
Response: 290450
Conc: 2.95 ng/ml



#42 AR-1268-2


R.T.: 7.652 min
Delta R.T.: 0.010 min
Response: 438724
Conc: 2.00 ng/ml



#43 AR-1268-3


R.T.: 9.014 min
Delta R.T.: 0.003 min
Response: 43392
Conc: 0.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.851 min
Delta R.T.: 0.002 min
Response: 8746
Conc: 0.04 ng/ml




#44 AR-1268-4

R.T.: 9.438 min
Delta R.T.: -0.004 min
Response: 14195
Conc: 0.44 ng/ml



#44 AR-1268-4


R.T.: 8.133 min
Delta R.T.: -0.006 min
Response: 110969
Conc: 1.59 ng/ml



#45 AR-1268-5

R.T.: 9.859 min
Delta R.T.: -0.005 min
Response: 84187
Conc: 0.31 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.426 min
Delta R.T.: -0.004 min
Response: 87448
Conc: 0.17 ng/ml