

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP082523\
 Data File : PP059586.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Aug 2023 22:31
 Operator : YP\AJ
 Sample : 04168-02 10X
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 26 00:04:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP082323.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Aug 24 01:16:04 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.411	3.639	2107657	3063082	1.783	1.585
2)	SA Decachlor...	10.198	8.666	2593490	3908809	3.317	2.832
Target Compounds							
3)	L1 AR-1016-1	5.569f	4.727	664975	264716	17.296	4.457 #
4)	L1 AR-1016-2	5.613	4.745	300498	162522	5.395	1.856 #
5)	L1 AR-1016-3	5.645f	4.924	65234	192297	1.851	4.275 #
6)	L1 AR-1016-4	5.769	4.981	159019	351797	5.588	9.047 #
7)	L1 AR-1016-5	6.073	5.192	100389	1128839	3.307	22.408 #
8)	L2 AR-1221-1	4.619	3.851	285005	146418	19.261	6.298 #
9)	L2 AR-1221-2	4.725f	3.959f	675207	116686	61.724	7.019 #
10)	L2 AR-1221-3	4.785	4.010	59969	336087	1.772	6.517 #
11)	L3 AR-1232-1	4.785	4.010	59969	336087	2.132	8.041 #
12)	L3 AR-1232-2	5.342f	4.745	323824	162522	21.284	4.070 #
13)	L3 AR-1232-3	5.613	4.924	300498	192297	11.681	9.546
14)	L3 AR-1232-4	5.769	4.999	159019	836620	12.503	42.793 #
15)	L3 AR-1232-5	5.862	5.192	231283	1128839	21.060	52.473 #
16)	L4 AR-1242-1	5.569f	4.727	664975	264716	19.772	5.157 #
17)	L4 AR-1242-2	5.613	4.745	300498	162522	6.164	2.141 #
18)	L4 AR-1242-3	5.645f	4.924	65234	192297	2.105	4.970 #
19)	L4 AR-1242-4	5.769	4.999	159019	836620	6.380	20.508 #
20)	L4 AR-1242-5	6.514	5.534	446954	923785	17.235	19.684
21)	L5 AR-1248-1	5.569f	4.727	664975	264716	26.879	6.731 #
22)	L5 AR-1248-2	5.862	4.981	231283	351797	6.013	5.913
23)	L5 AR-1248-3	6.073	4.999	100389	836620	2.376	13.679 #
24)	L5 AR-1248-4	6.476	5.192	748254	1128839	17.226	15.463
25)	L5 AR-1248-5	6.514	5.576	446954	2518915	10.563	38.677 #
26)	L6 AR-1254-1	6.445	5.534	416315	923785	8.582	9.001
27)	L6 AR-1254-2	0.000	5.682	0	96331	N.D.	1.099 #
28)	L6 AR-1254-3	7.016f	6.100	2652288	3881669	37.398	27.682 #
29)	L6 AR-1254-4	7.312	6.318	265649	746098	6.005	9.409 #
30)	L6 AR-1254-5	7.736	6.744	102705	2082408	2.242	17.303 #
31)	L7 AR-1260-1	7.227f	6.216	342190	2047828	6.115	21.174 #
32)	L7 AR-1260-2	7.484f	6.415	1098222	1688279	18.859	15.265
33)	L7 AR-1260-3	7.828	6.576	383032	1180735	9.745	11.139
34)	L7 AR-1260-4	8.046	7.022	492306	241137	11.372	2.877 #
35)	L7 AR-1260-5	8.370	7.278	629801	318618	8.418	1.823 #
36)	L8 AR-1262-1	7.828	6.819	383032	456354	6.558	8.291 #
37)	L8 AR-1262-2	8.370	7.022f	629801	241137	7.478	2.128 #
39)	L8 AR-1262-4	8.772	7.619	20316	727007	0.417	4.922 #
40)	L8 AR-1262-5	9.438	8.119	68469	53193	2.344	0.863 #
42)	L9 AR-1268-2	8.772	7.619	20316	727007	0.207	3.456 #
43)	L9 AR-1268-3	9.005	7.833	359884	319858	3.939	1.662 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP082523\
 Data File : PP059586.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Aug 2023 22:31
 Operator : YP\AJ
 Sample : 04168-02 10X
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 26 00:04:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP082323.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Aug 24 01:16:04 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44) L9	AR-1268-4	9.438	8.119	68469	53193	2.140	0.769 #
45) L9	AR-1268-5	9.853	8.414	62396	55114	0.254	0.108 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP082523\
Data File : PP059586.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Aug 2023 22:31
Operator : YP\AJ
Sample : 04168-02 10X
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 26 00:04:27 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP082323.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Aug 24 01:16:04 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.411 min
Delta R.T.: 0.000 min
Response: 2107657
Conc: 1.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.639 min
Delta R.T.: -0.002 min
Response: 3063082
Conc: 1.59 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.198 min
Delta R.T.: 0.003 min
Response: 2593490
Conc: 3.32 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.666 min
Delta R.T.: -0.005 min
Response: 3908809
Conc: 2.83 ng/ml



#3 AR-1016-1


R.T.: 5.569 min
Delta R.T.: -0.018 min
Response: 664975
Conc: 17.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.727 min
Delta R.T.: -0.005 min
Response: 264716
Conc: 4.46 ng/ml




#4 AR-1016-2

R.T.: 5.613 min
Delta R.T.: 0.003 min
Response: 300498
Conc: 5.39 ng/ml



#4 AR-1016-2


R.T.: 4.745 min
Delta R.T.: -0.006 min
Response: 162522
Conc: 1.86 ng/ml



#5 AR-1016-3


R.T.: 5.645 min
Delta R.T.: -0.027 min
Response: 65234
Conc: 1.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.924 min
Delta R.T.: -0.002 min
Response: 192297
Conc: 4.27 ng/ml




#6 AR-1016-4

R.T.: 5.769 min
Delta R.T.: -0.002 min
Response: 159019
Conc: 5.59 ng/ml



#6 AR-1016-4


R.T.: 4.981 min
Delta R.T.: 0.012 min
Response: 351797
Conc: 9.05 ng/ml



#7 AR-1016-5


R.T.: 6.073 min
Delta R.T.: 0.005 min
Response: 100389
Conc: 3.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.192 min
Delta R.T.: 0.009 min
Response: 1128839
Conc: 22.41 ng/ml




#8 AR-1221-1

R.T.: 4.619 min
Delta R.T.: -0.001 min
Response: 285005
Conc: 19.26 ng/ml



#8 AR-1221-1


R.T.: 3.851 min
Delta R.T.: -0.006 min
Response: 146418
Conc: 6.30 ng/ml



#9 AR-1221-2


R.T.: 4.725 min
Delta R.T.: 0.017 min
Response: 675207
Conc: 61.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.959 min
Delta R.T.: 0.018 min
Response: 116686
Conc: 7.02 ng/ml




#10 AR-1221-3

R.T.: 4.785 min
Delta R.T.: 0.000 min
Response: 59969
Conc: 1.77 ng/ml



#10 AR-1221-3


R.T.: 4.010 min
Delta R.T.: -0.008 min
Response: 336087
Conc: 6.52 ng/ml



#11 AR-1232-1


R.T.: 4.785 min
Delta R.T.: 0.000 min
Response: 59969
Conc: 2.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.010 min
Delta R.T.: -0.008 min
Response: 336087
Conc: 8.04 ng/ml




#12 AR-1232-2

R.T.: 5.342 min
Delta R.T.: 0.025 min
Response: 323824
Conc: 21.28 ng/ml



#12 AR-1232-2


R.T.: 4.745 min
Delta R.T.: -0.006 min
Response: 162522
Conc: 4.07 ng/ml



#13 AR-1232-3


R.T.: 5.613 min
Delta R.T.: 0.004 min
Response: 300498
Conc: 11.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.924 min
Delta R.T.: -0.002 min
Response: 192297
Conc: 9.55 ng/ml




#14 AR-1232-4

R.T.: 5.769 min
Delta R.T.: -0.002 min
Response: 159019
Conc: 12.50 ng/ml



#14 AR-1232-4


R.T.: 4.999 min
Delta R.T.: -0.012 min
Response: 836620
Conc: 42.79 ng/ml



#15 AR-1232-5


R.T.: 5.862 min
Delta R.T.: 0.000 min
Response: 231283
Conc: 21.06 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.192 min
Delta R.T.: 0.009 min
Response: 1128839
Conc: 52.47 ng/ml




#16 AR-1242-1

R.T.: 5.569 min
Delta R.T.: -0.019 min
Response: 664975
Conc: 19.77 ng/ml



#16 AR-1242-1


R.T.: 4.727 min
Delta R.T.: -0.005 min
Response: 264716
Conc: 5.16 ng/ml



#17 AR-1242-2


R.T.: 5.613 min
Delta R.T.: 0.004 min
Response: 300498
Conc: 6.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.745 min
Delta R.T.: -0.007 min
Response: 162522
Conc: 2.14 ng/ml




#18 AR-1242-3

R.T.: 5.645 min
Delta R.T.: -0.027 min
Response: 65234
Conc: 2.11 ng/ml



#18 AR-1242-3


R.T.: 4.924 min
Delta R.T.: -0.002 min
Response: 192297
Conc: 4.97 ng/ml



#19 AR-1242-4


R.T.: 5.769 min
Delta R.T.: -0.002 min
Response: 159019
Conc: 6.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.999 min
Delta R.T.: -0.013 min
Response: 836620
Conc: 20.51 ng/ml




#20 AR-1242-5

R.T.: 6.514 min
Delta R.T.: 0.002 min
Response: 446954
Conc: 17.24 ng/ml



#20 AR-1242-5


R.T.: 5.534 min
Delta R.T.: -0.003 min
Response: 923785
Conc: 19.68 ng/ml



#21 AR-1248-1


R.T.: 5.569 min
Delta R.T.: -0.018 min
Response: 664975
Conc: 26.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.727 min
Delta R.T.: -0.005 min
Response: 264716
Conc: 6.73 ng/ml




#22 AR-1248-2

R.T.: 5.862 min
Delta R.T.: -0.001 min
Response: 231283
Conc: 6.01 ng/ml



#22 AR-1248-2


R.T.: 4.981 min
Delta R.T.: 0.012 min
Response: 351797
Conc: 5.91 ng/ml



#23 AR-1248-3


R.T.: 6.073 min
Delta R.T.: 0.005 min
Response: 100389
Conc: 2.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.999 min
Delta R.T.: -0.012 min
Response: 836620
Conc: 13.68 ng/ml




#24 AR-1248-4

R.T.: 6.476 min
Delta R.T.: 0.002 min
Response: 748254
Conc: 17.23 ng/ml



#24 AR-1248-4


R.T.: 5.192 min
Delta R.T.: 0.010 min
Response: 1128839
Conc: 15.46 ng/ml



#25 AR-1248-5


R.T.: 6.514 min
Delta R.T.: 0.001 min
Response: 446954
Conc: 10.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.576 min
Delta R.T.: -0.003 min
Response: 2518915
Conc: 38.68 ng/ml




#26 AR-1254-1

R.T.: 6.445 min
Delta R.T.: -0.002 min
Response: 416315
Conc: 8.58 ng/ml



#26 AR-1254-1


R.T.: 5.534 min
Delta R.T.: -0.003 min
Response: 923785
Conc: 9.00 ng/ml



#27 AR-1254-2


R.T.: 0.000 min
Exp R.T.: 6.667 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.682 min
Delta R.T.: -0.004 min
Response: 96331
Conc: 1.10 ng/ml




#28 AR-1254-3

R.T.: 7.016 min
Delta R.T.: -0.018 min
Response: 2652288
Conc: 37.40 ng/ml



#28 AR-1254-3


R.T.: 6.100 min
Delta R.T.: 0.011 min
Response: 3881669
Conc: 27.68 ng/ml



#29 AR-1254-4


R.T.: 7.312 min
Delta R.T.: -0.009 min
Response: 265649
Conc: 6.01 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.318 min
Delta R.T.: -0.003 min
Response: 746098
Conc: 9.41 ng/ml




#30 AR-1254-5

R.T.: 7.736 min
Delta R.T.: -0.005 min
Response: 102705
Conc: 2.24 ng/ml



#30 AR-1254-5


R.T.: 6.744 min
Delta R.T.: 0.005 min
Response: 2082408
Conc: 17.30 ng/ml



#31 AR-1260-1


R.T.: 7.227 min
Delta R.T.: 0.028 min
Response: 342190
Conc: 6.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.216 min
Delta R.T.: -0.004 min
Response: 2047828
Conc: 21.17 ng/ml




#32 AR-1260-2

R.T.: 7.484 min
Delta R.T.: 0.028 min
Response: 1098222
Conc: 18.86 ng/ml



#32 AR-1260-2


R.T.: 6.415 min
Delta R.T.: 0.005 min
Response: 1688279
Conc: 15.27 ng/ml



#33 AR-1260-3


R.T.: 7.828 min
Delta R.T.: 0.012 min
Response: 383032
Conc: 9.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.576 min
Delta R.T.: 0.012 min
Response: 1180735
Conc: 11.14 ng/ml




#34 AR-1260-4

R.T.: 8.046 min
Delta R.T.: 0.003 min
Response: 492306
Conc: 11.37 ng/ml



#34 AR-1260-4


R.T.: 7.022 min
Delta R.T.: -0.015 min
Response: 241137
Conc: 2.88 ng/ml



#35 AR-1260-5


R.T.: 8.370 min
Delta R.T.: 0.006 min
Response: 629801
Conc: 8.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.278 min
Delta R.T.: -0.003 min
Response: 318618
Conc: 1.82 ng/ml




#36 AR-1262-1

R.T.: 7.828 min
Delta R.T.: 0.011 min
Response: 383032
Conc: 6.56 ng/ml



#36 AR-1262-1


R.T.: 6.819 min
Delta R.T.: -0.011 min
Response: 456354
Conc: 8.29 ng/ml



#37 AR-1262-2


R.T.: 8.370 min
Delta R.T.: 0.005 min
Response: 629801
Conc: 7.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.022 min
Delta R.T.: -0.015 min
Response: 241137
Conc: 2.13 ng/ml




#38 AR-1262-3

R.T.: 8.653 min
Delta R.T.: -0.027 min
Response: 32602
Conc: 0.54 ng/ml



#38 AR-1262-3


R.T.: 7.569 min
Delta R.T.: 0.004 min
Response: -69956
Conc: N.D.



#39 AR-1262-4


R.T.: 8.772 min
Delta R.T.: 0.003 min
Response: 20316
Conc: 0.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.619 min
Delta R.T.: -0.010 min
Response: 727007
Conc: 4.92 ng/ml




#40 AR-1262-5

R.T.: 9.438 min
Delta R.T.: 0.007 min
Response: 68469
Conc: 2.34 ng/ml



#40 AR-1262-5


R.T.: 8.119 min
Delta R.T.: -0.007 min
Response: 53193
Conc: 0.86 ng/ml



#41 AR-1268-1


R.T.: 8.653 min
Delta R.T.: -0.024 min
Response: 32602
Conc: 0.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.569 min
Delta R.T.: 0.005 min
Response: -69956
Conc: N.D.




#42 AR-1268-2

R.T.: 8.772 min
Delta R.T.: 0.000 min
Response: 20316
Conc: 0.21 ng/ml



#42 AR-1268-2


R.T.: 7.619 min
Delta R.T.: -0.010 min
Response: 727007
Conc: 3.46 ng/ml



#43 AR-1268-3


R.T.: 9.005 min
Delta R.T.: 0.003 min
Response: 359884
Conc: 3.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.833 min
Delta R.T.: -0.003 min
Response: 319858
Conc: 1.66 ng/ml




#44 AR-1268-4

R.T.: 9.438 min
Delta R.T.: 0.007 min
Response: 68469
Conc: 2.14 ng/ml



#44 AR-1268-4


R.T.: 8.119 min
Delta R.T.: -0.006 min
Response: 53193
Conc: 0.77 ng/ml



#45 AR-1268-5

R.T.: 9.853 min
Delta R.T.: 0.000 min
Response: 62396
Conc: 0.25 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.414 min
Delta R.T.: -0.002 min
Response: 55114
Conc: 0.11 ng/ml