

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP082823\
 Data File : PP059640.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Aug 2023 15:07
 Operator : YP\AJ
 Sample : 04188-04
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 28 22:55:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP082323.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Aug 24 01:16:04 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.412	3.639	23638309	42011944	20.000	21.746
2) SA Decachlor...	10.194	8.661	17651014	25568392	22.574	18.526
Target Compounds						
3) L1 AR-1016-1	5.586	4.728	54991	104897	1.430	1.766
4) L1 AR-1016-2	5.611	4.748	88193	104908	1.583	1.198
5) L1 AR-1016-3	5.675	4.930	19639	313763	0.557	6.975 #
6) L1 AR-1016-4	5.772	4.971	17459	21932	0.614	0.564
7) L1 AR-1016-5	6.071	5.181	26418	66139	0.870	1.313 #
8) L2 AR-1221-1	4.619	3.847	265755	6536	17.960	0.281 #
9) L2 AR-1221-2	4.719	3.940	328773	528688	30.055	31.803
10) L2 AR-1221-3	4.801f	4.014	102258	62682	3.022	1.215 #
11) L3 AR-1232-1	4.801f	4.014	102258	62682	3.636	1.500 #
12) L3 AR-1232-2	5.332	4.748	228255	104908	15.002	2.627 #
13) L3 AR-1232-3	5.611	4.930	88193	313763	3.428	15.576 #
14) L3 AR-1232-4	5.772	5.014	17459	21234	1.373	1.086
15) L3 AR-1232-5	5.862	5.181	23293	66139	2.121	3.074 #
16) L4 AR-1242-1	5.586	4.728	54991	104897	1.635	2.044
17) L4 AR-1242-2	5.611	4.755	88193	37449	1.809	0.493 #
18) L4 AR-1242-3	5.675	4.930	19639	313763	0.634	8.109 #
19) L4 AR-1242-4	5.772	5.014	17459	21234	0.700	0.520 #
20) L4 AR-1242-5	6.515	5.531	112840	329769	4.351	7.027 #
21) L5 AR-1248-1	5.586	4.728	54991	104897	2.223	2.667
22) L5 AR-1248-2	5.862	4.971	23293	21932	0.606	0.369 #
23) L5 AR-1248-3	6.071	5.014	26418	21234	0.625	0.347 #
24) L5 AR-1248-4	6.476	5.181	221740	66139	5.105	0.906 #
25) L5 AR-1248-5	6.515	5.578	112840	72371	2.667	1.111 #
26) L6 AR-1254-1	6.449	5.531	169897	329769	3.502	3.213
27) L6 AR-1254-2	6.667	5.687	142111	7706	1.970	0.088 #
28) L6 AR-1254-3	7.036	6.089	346278	66275	4.883	0.473 #
29) L6 AR-1254-4	7.322	6.322	96210	27802	2.175	0.351 #
30) L6 AR-1254-5	7.740	6.732	159845	358574	3.489	2.979
31) L7 AR-1260-1	7.200	6.219	67364	38818	1.204	0.401 #
32) L7 AR-1260-2	7.452	6.409	70820	73411	1.216	0.664 #
33) L7 AR-1260-3	7.823	6.561	62338	92835	1.586	0.876 #
34) L7 AR-1260-4	8.024f	7.026	599464	425087	13.847	5.072 #
35) L7 AR-1260-5	8.382	7.277	127776	45860	1.708	0.262 #
36) L8 AR-1262-1	7.823	6.825	62338	24660	1.067	0.448 #
37) L8 AR-1262-2	8.382f	7.026	127776	425087	1.517	3.751 #
38) L8 AR-1262-3	8.680	7.566	33004	13063	0.542	0.156 #
39) L8 AR-1262-4	8.772	7.633	298233	32853	6.114	0.222 #
40) L8 AR-1262-5	9.408f	8.124	44199	14065	1.513	0.228 #
41) L9 AR-1268-1	8.680	7.566	33004	13063	0.300	0.056 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP082823\
 Data File : PP059640.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Aug 2023 15:07
 Operator : YP\AJ
 Sample : 04188-04
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 28 22:55:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP082323.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Aug 24 01:16:04 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.772	7.633	298233	32853	3.044	0.156 #
43) L9	AR-1268-3	8.999	7.835	20045	36135	0.219	0.188
44) L9	AR-1268-4	9.408f	8.124	44199	14065	1.381	0.203 #
45) L9	AR-1268-5	9.855	8.415	159752	82853	0.651	0.163 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP082823\
Data File : PP059640.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Aug 2023 15:07
Operator : YP\AJ
Sample : 04188-04
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 28 22:55:27 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP082323.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Aug 24 01:16:04 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.412 min
Delta R.T.: 0.000 min
Response: 23638309
Conc: 20.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.639 min
Delta R.T.: -0.002 min
Response: 42011944
Conc: 21.75 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.194 min
Delta R.T.: -0.002 min
Response: 17651014
Conc: 22.57 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.661 min
Delta R.T.: -0.009 min
Response: 25568392
Conc: 18.53 ng/ml



#3 AR-1016-1


R.T.: 5.586 min
Delta R.T.: -0.001 min
Response: 54991
Conc: 1.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.728 min
Delta R.T.: -0.004 min
Response: 104897
Conc: 1.77 ng/ml




#4 AR-1016-2

R.T.: 5.611 min
Delta R.T.: 0.000 min
Response: 88193
Conc: 1.58 ng/ml



#4 AR-1016-2


R.T.: 4.748 min
Delta R.T.: -0.003 min
Response: 104908
Conc: 1.20 ng/ml



#5 AR-1016-3


R.T.: 5.675 min
Delta R.T.: 0.002 min
Response: 19639
Conc: 0.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.930 min
Delta R.T.: 0.003 min
Response: 313763
Conc: 6.97 ng/ml




#6 AR-1016-4

R.T.: 5.772 min
Delta R.T.: 0.000 min
Response: 17459
Conc: 0.61 ng/ml



#6 AR-1016-4


R.T.: 4.971 min
Delta R.T.: 0.002 min
Response: 21932
Conc: 0.56 ng/ml



#7 AR-1016-5


R.T.: 6.071 min
Delta R.T.: 0.004 min
Response: 26418
Conc: 0.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.181 min
Delta R.T.: -0.002 min
Response: 66139
Conc: 1.31 ng/ml




#8 AR-1221-1

R.T.: 4.619 min
Delta R.T.: -0.002 min
Response: 265755
Conc: 17.96 ng/ml



#8 AR-1221-1


R.T.: 3.847 min
Delta R.T.: -0.010 min
Response: 6536
Conc: 0.28 ng/ml



#9 AR-1221-2


R.T.: 4.719 min
Delta R.T.: 0.011 min
Response: 328773
Conc: 30.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.940 min
Delta R.T.: -0.002 min
Response: 528688
Conc: 31.80 ng/ml




#10 AR-1221-3

R.T.: 4.801 min
Delta R.T.: 0.017 min
Response: 102258
Conc: 3.02 ng/ml



#10 AR-1221-3


R.T.: 4.014 min
Delta R.T.: -0.004 min
Response: 62682
Conc: 1.22 ng/ml



#11 AR-1232-1


R.T.: 4.801 min
Delta R.T.: 0.017 min
Response: 102258
Conc: 3.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.014 min
Delta R.T.: -0.004 min
Response: 62682
Conc: 1.50 ng/ml




#12 AR-1232-2

R.T.: 5.332 min
Delta R.T.: 0.015 min
Response: 228255
Conc: 15.00 ng/ml



#12 AR-1232-2


R.T.: 4.748 min
Delta R.T.: -0.003 min
Response: 104908
Conc: 2.63 ng/ml



#13 AR-1232-3


R.T.: 5.611 min
Delta R.T.: 0.002 min
Response: 88193
Conc: 3.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.930 min
Delta R.T.: 0.003 min
Response: 313763
Conc: 15.58 ng/ml




#14 AR-1232-4

R.T.: 5.772 min
Delta R.T.: 0.000 min
Response: 17459
Conc: 1.37 ng/ml



#14 AR-1232-4


R.T.: 5.014 min
Delta R.T.: 0.003 min
Response: 21234
Conc: 1.09 ng/ml



#15 AR-1232-5


R.T.: 5.862 min
Delta R.T.: 0.000 min
Response: 23293
Conc: 2.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.181 min
Delta R.T.: -0.002 min
Response: 66139
Conc: 3.07 ng/ml




#16 AR-1242-1

R.T.: 5.586 min
Delta R.T.: -0.002 min
Response: 54991
Conc: 1.64 ng/ml



#16 AR-1242-1


R.T.: 4.728 min
Delta R.T.: -0.004 min
Response: 104897
Conc: 2.04 ng/ml



#17 AR-1242-2


R.T.: 5.611 min
Delta R.T.: 0.000 min
Response: 88193
Conc: 1.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.755 min
Delta R.T.: 0.003 min
Response: 37449
Conc: 0.49 ng/ml




#18 AR-1242-3

R.T.: 5.675 min
Delta R.T.: 0.002 min
Response: 19639
Conc: 0.63 ng/ml



#18 AR-1242-3


R.T.: 4.930 min
Delta R.T.: 0.003 min
Response: 313763
Conc: 8.11 ng/ml



#19 AR-1242-4


R.T.: 5.772 min
Delta R.T.: 0.000 min
Response: 17459
Conc: 0.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.014 min
Delta R.T.: 0.003 min
Response: 21234
Conc: 0.52 ng/ml




#20 AR-1242-5

R.T.: 6.515 min
Delta R.T.: 0.003 min
Response: 112840
Conc: 4.35 ng/ml



#20 AR-1242-5


R.T.: 5.531 min
Delta R.T.: -0.006 min
Response: 329769
Conc: 7.03 ng/ml



#21 AR-1248-1


R.T.: 5.586 min
Delta R.T.: -0.002 min
Response: 54991
Conc: 2.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.728 min
Delta R.T.: -0.004 min
Response: 104897
Conc: 2.67 ng/ml




#22 AR-1248-2

R.T.: 5.862 min
Delta R.T.: -0.001 min
Response: 23293
Conc: 0.61 ng/ml



#22 AR-1248-2


R.T.: 4.971 min
Delta R.T.: 0.002 min
Response: 21932
Conc: 0.37 ng/ml



#23 AR-1248-3


R.T.: 6.071 min
Delta R.T.: 0.003 min
Response: 26418
Conc: 0.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.014 min
Delta R.T.: 0.003 min
Response: 21234
Conc: 0.35 ng/ml




#24 AR-1248-4

R.T.: 6.476 min
Delta R.T.: 0.003 min
Response: 221740
Conc: 5.10 ng/ml



#24 AR-1248-4


R.T.: 5.181 min
Delta R.T.: -0.001 min
Response: 66139
Conc: 0.91 ng/ml



#25 AR-1248-5


R.T.: 6.515 min
Delta R.T.: 0.002 min
Response: 112840
Conc: 2.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.578 min
Delta R.T.: -0.001 min
Response: 72371
Conc: 1.11 ng/ml




#26 AR-1254-1

R.T.: 6.449 min
Delta R.T.: 0.003 min
Response: 169897
Conc: 3.50 ng/ml



#26 AR-1254-1


R.T.: 5.531 min
Delta R.T.: -0.005 min
Response: 329769
Conc: 3.21 ng/ml



#27 AR-1254-2


R.T.: 6.667 min
Delta R.T.: 0.000 min
Response: 142111
Conc: 1.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.687 min
Delta R.T.: 0.001 min
Response: 7706
Conc: 0.09 ng/ml




#28 AR-1254-3

R.T.: 7.036 min
Delta R.T.: 0.002 min
Response: 346278
Conc: 4.88 ng/ml



#28 AR-1254-3


R.T.: 6.089 min
Delta R.T.: 0.000 min
Response: 66275
Conc: 0.47 ng/ml



#29 AR-1254-4


R.T.: 7.322 min
Delta R.T.: 0.002 min
Response: 96210
Conc: 2.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.322 min
Delta R.T.: 0.000 min
Response: 27802
Conc: 0.35 ng/ml




#30 AR-1254-5

R.T.: 7.740 min
Delta R.T.: -0.002 min
Response: 159845
Conc: 3.49 ng/ml



#30 AR-1254-5


R.T.: 6.732 min
Delta R.T.: -0.007 min
Response: 358574
Conc: 2.98 ng/ml



#31 AR-1260-1


R.T.: 7.200 min
Delta R.T.: 0.001 min
Response: 67364
Conc: 1.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.219 min
Delta R.T.: -0.001 min
Response: 38818
Conc: 0.40 ng/ml




#32 AR-1260-2

R.T.: 7.452 min
Delta R.T.: -0.004 min
Response: 70820
Conc: 1.22 ng/ml



#32 AR-1260-2


R.T.: 6.409 min
Delta R.T.: -0.001 min
Response: 73411
Conc: 0.66 ng/ml



#33 AR-1260-3


R.T.: 7.823 min
Delta R.T.: 0.006 min
Response: 62338
Conc: 1.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.561 min
Delta R.T.: -0.002 min
Response: 92835
Conc: 0.88 ng/ml




#34 AR-1260-4

R.T.: 8.024 min
Delta R.T.: -0.019 min
Response: 599464
Conc: 13.85 ng/ml



#34 AR-1260-4


R.T.: 7.026 min
Delta R.T.: -0.011 min
Response: 425087
Conc: 5.07 ng/ml



#35 AR-1260-5


R.T.: 8.382 min
Delta R.T.: 0.018 min
Response: 127776
Conc: 1.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.277 min
Delta R.T.: -0.004 min
Response: 45860
Conc: 0.26 ng/ml




#36 AR-1262-1

R.T.: 7.823 min
Delta R.T.: 0.005 min
Response: 62338
Conc: 1.07 ng/ml



#36 AR-1262-1


R.T.: 6.825 min
Delta R.T.: -0.005 min
Response: 24660
Conc: 0.45 ng/ml



#37 AR-1262-2


R.T.: 8.382 min
Delta R.T.: 0.017 min
Response: 127776
Conc: 1.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.026 min
Delta R.T.: -0.011 min
Response: 425087
Conc: 3.75 ng/ml




#38 AR-1262-3

R.T.: 8.680 min
Delta R.T.: 0.000 min
Response: 33004
Conc: 0.54 ng/ml



#38 AR-1262-3


R.T.: 7.566 min
Delta R.T.: 0.001 min
Response: 13063
Conc: 0.16 ng/ml



#39 AR-1262-4


R.T.: 8.772 min
Delta R.T.: 0.003 min
Response: 298233
Conc: 6.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.633 min
Delta R.T.: 0.004 min
Response: 32853
Conc: 0.22 ng/ml




#40 AR-1262-5

R.T.: 9.408 min
Delta R.T.: -0.023 min
Response: 44199
Conc: 1.51 ng/ml



#40 AR-1262-5


R.T.: 8.124 min
Delta R.T.: -0.002 min
Response: 14065
Conc: 0.23 ng/ml



#41 AR-1268-1


R.T.: 8.680 min
Delta R.T.: 0.003 min
Response: 33004
Conc: 0.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.566 min
Delta R.T.: 0.002 min
Response: 13063
Conc: 0.06 ng/ml




#42 AR-1268-2

R.T.: 8.772 min
Delta R.T.: 0.000 min
Response: 298233
Conc: 3.04 ng/ml



#42 AR-1268-2


R.T.: 7.633 min
Delta R.T.: 0.004 min
Response: 32853
Conc: 0.16 ng/ml



#43 AR-1268-3


R.T.: 8.999 min
Delta R.T.: -0.004 min
Response: 20045
Conc: 0.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.835 min
Delta R.T.: 0.000 min
Response: 36135
Conc: 0.19 ng/ml




#44 AR-1268-4

R.T.: 9.408 min
Delta R.T.: -0.023 min
Response: 44199
Conc: 1.38 ng/ml



#44 AR-1268-4


R.T.: 8.124 min
Delta R.T.: -0.001 min
Response: 14065
Conc: 0.20 ng/ml



#45 AR-1268-5

R.T.: 9.855 min
Delta R.T.: 0.002 min
Response: 159752
Conc: 0.65 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.415 min
Delta R.T.: 0.000 min
Response: 82853
Conc: 0.16 ng/ml