

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP083123\
 Data File : PP059656.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Aug 2023 14:21
 Operator : YP\AJ
 Sample : PB155249BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 01 02:15:10 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP082323.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Aug 24 01:16:04 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.411	3.638	21763480	38194471	18.413	19.770
2)	SA Decachlor...	10.198	8.662	19599831	28454659	25.067	20.617
Target Compounds							
3)	L1 AR-1016-1	5.592	4.732	14561	19389	0.379	0.326
4)	L1 AR-1016-2	5.602	4.753	14435	8339	0.259	0.095 #
5)	L1 AR-1016-3	5.673	4.930	13046	14582	0.370	0.324
6)	L1 AR-1016-4	5.775	4.968	16091	6595	0.566	0.170 #
7)	L1 AR-1016-5	6.061	5.186	23819	16089	0.785	0.319 #
8)	L2 AR-1221-1	4.630	3.847	12183	14768	0.823	0.635
9)	L2 AR-1221-2	4.721	3.939	426234	490218	38.964	29.489
10)	L2 AR-1221-3	4.792	4.022	47844	6620	1.414	0.128 #
11)	L3 AR-1232-1	4.792	4.022	47844	6620	1.701	0.158 #
12)	L3 AR-1232-2	5.320	4.753	19014	8339	1.250	0.209 #
13)	L3 AR-1232-3	5.602	4.930	14435	14582	0.561	0.724 #
14)	L3 AR-1232-4	5.775	5.013	16091	13608	1.265	0.696 #
15)	L3 AR-1232-5	5.861	5.186	21767	16089	1.982	0.748 #
16)	L4 AR-1242-1	5.592	4.732	14561	19389	0.433	0.378
17)	L4 AR-1242-2	5.602	4.753	14435	8339	0.296	0.110 #
18)	L4 AR-1242-3	5.673	4.930	13046	14582	0.421	0.377
19)	L4 AR-1242-4	5.775	5.013	16091	13608	0.646	0.334 #
20)	L4 AR-1242-5	6.515	5.539	49167	8555	1.896	0.182 #
21)	L5 AR-1248-1	5.592	4.732	14561	19389	0.589	0.493
22)	L5 AR-1248-2	5.861	4.968	21767	6595	0.566	0.111 #
23)	L5 AR-1248-3	6.061	5.013	23819	13608	0.564	0.223 #
24)	L5 AR-1248-4	6.477	5.180	108977	8156	2.509	0.112 #
25)	L5 AR-1248-5	6.515	5.576	49167	11661	1.162	0.179 #
26)	L6 AR-1254-1	6.455	5.539	69548	8555	1.434	0.083 #
27)	L6 AR-1254-2	6.666	5.693	41031	22400	0.569	0.255 #
28)	L6 AR-1254-3	7.034	6.088	286744	14324	4.043	0.102 #
29)	L6 AR-1254-4	7.308	6.319	25668	19559	0.580	0.247 #
30)	L6 AR-1254-5	7.740	6.736	59748	13114	1.304	0.109 #
31)	L7 AR-1260-1	7.196	6.218	21295	10682	0.381	0.110 #
32)	L7 AR-1260-2	7.463	6.414	10295	17346	0.177	0.157
33)	L7 AR-1260-3	7.821	6.562	47648	28559	1.212	0.269 #
34)	L7 AR-1260-4	8.052	7.039	36029	4438	0.832	0.053 #
35)	L7 AR-1260-5	8.371	7.281	71798	15200	0.960	0.087 #
36)	L8 AR-1262-1	7.821	6.830	47648	14698	0.816	0.267 #
37)	L8 AR-1262-2	8.371	7.039	71798	4438	0.852	0.039 #
38)	L8 AR-1262-3	8.683	7.567	10991	9512	0.181	0.114 #
39)	L8 AR-1262-4	8.760	7.631	37377	9682	0.766	0.066 #
40)	L8 AR-1262-5	9.435	8.126	20373	10163	0.697	0.165 #
41)	L9 AR-1268-1	8.672	7.567	-2212	9512	N.D.	0.041 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP083123\
 Data File : PP059656.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Aug 2023 14:21
 Operator : YP\AJ
 Sample : PB155249BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 01 02:15:10 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP082323.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Aug 24 01:16:04 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.760	7.631	37377	9682	0.382	0.046 #
43) L9	AR-1268-3	9.013	7.840	158743	6965	1.737	0.036 #
44) L9	AR-1268-4	9.435	8.126	20373	10163	0.637	0.147 #
45) L9	AR-1268-5	9.851	8.416	68317	52692	0.279	0.104 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP083123\
Data File : PP059656.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Aug 2023 14:21
Operator : YP\AJ
Sample : PB155249BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 01 02:15:10 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP082323.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Aug 24 01:16:04 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.411 min
Delta R.T.: 0.000 min
Response: 21763480
Conc: 18.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.638 min
Delta R.T.: -0.003 min
Response: 38194471
Conc: 19.77 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.198 min
Delta R.T.: 0.002 min
Response: 19599831
Conc: 25.07 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.662 min
Delta R.T.: -0.009 min
Response: 28454659
Conc: 20.62 ng/ml



#3 AR-1016-1


R.T.: 5.592 min
Delta R.T.: 0.005 min
Response: 14561
Conc: 0.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 19389
Conc: 0.33 ng/ml




#4 AR-1016-2

R.T.: 5.602 min
Delta R.T.: -0.008 min
Response: 14435
Conc: 0.26 ng/ml



#4 AR-1016-2


R.T.: 4.753 min
Delta R.T.: 0.002 min
Response: 8339
Conc: 0.10 ng/ml



#5 AR-1016-3


R.T.: 5.673 min
Delta R.T.: 0.000 min
Response: 13046
Conc: 0.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.930 min
Delta R.T.: 0.004 min
Response: 14582
Conc: 0.32 ng/ml




#6 AR-1016-4

R.T.: 5.775 min
Delta R.T.: 0.004 min
Response: 16091
Conc: 0.57 ng/ml



#6 AR-1016-4


R.T.: 4.968 min
Delta R.T.: -0.001 min
Response: 6595
Conc: 0.17 ng/ml



#7 AR-1016-5


R.T.: 6.061 min
Delta R.T.: -0.006 min
Response: 23819
Conc: 0.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.186 min
Delta R.T.: 0.003 min
Response: 16089
Conc: 0.32 ng/ml




#8 AR-1221-1

R.T.: 4.630 min
Delta R.T.: 0.010 min
Response: 12183
Conc: 0.82 ng/ml



#8 AR-1221-1


R.T.: 3.847 min
Delta R.T.: -0.010 min
Response: 14768
Conc: 0.64 ng/ml



#9 AR-1221-2


R.T.: 4.721 min
Delta R.T.: 0.013 min
Response: 426234
Conc: 38.96 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.939 min
Delta R.T.: -0.003 min
Response: 490218
Conc: 29.49 ng/ml




#10 AR-1221-3

R.T.: 4.792 min
Delta R.T.: 0.008 min
Response: 47844
Conc: 1.41 ng/ml



#10 AR-1221-3


R.T.: 4.022 min
Delta R.T.: 0.003 min
Response: 6620
Conc: 0.13 ng/ml



#11 AR-1232-1


R.T.: 4.792 min
Delta R.T.: 0.008 min
Response: 47844
Conc: 1.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.022 min
Delta R.T.: 0.004 min
Response: 6620
Conc: 0.16 ng/ml




#12 AR-1232-2

R.T.: 5.320 min
Delta R.T.: 0.003 min
Response: 19014
Conc: 1.25 ng/ml



#12 AR-1232-2


R.T.: 4.753 min
Delta R.T.: 0.002 min
Response: 8339
Conc: 0.21 ng/ml



#13 AR-1232-3


R.T.: 5.602 min
Delta R.T.: -0.008 min
Response: 14435
Conc: 0.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.930 min
Delta R.T.: 0.003 min
Response: 14582
Conc: 0.72 ng/ml




#14 AR-1232-4

R.T.: 5.775 min
Delta R.T.: 0.004 min
Response: 16091
Conc: 1.27 ng/ml



#14 AR-1232-4


R.T.: 5.013 min
Delta R.T.: 0.002 min
Response: 13608
Conc: 0.70 ng/ml



#15 AR-1232-5


R.T.: 5.861 min
Delta R.T.: -0.002 min
Response: 21767
Conc: 1.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.186 min
Delta R.T.: 0.003 min
Response: 16089
Conc: 0.75 ng/ml




#16 AR-1242-1

R.T.: 5.592 min
Delta R.T.: 0.004 min
Response: 14561
Conc: 0.43 ng/ml



#16 AR-1242-1


R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 19389
Conc: 0.38 ng/ml



#17 AR-1242-2


R.T.: 5.602 min
Delta R.T.: -0.008 min
Response: 14435
Conc: 0.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.753 min
Delta R.T.: 0.002 min
Response: 8339
Conc: 0.11 ng/ml




#18 AR-1242-3

R.T.: 5.673 min
Delta R.T.: 0.000 min
Response: 13046
Conc: 0.42 ng/ml



#18 AR-1242-3


R.T.: 4.930 min
Delta R.T.: 0.003 min
Response: 14582
Conc: 0.38 ng/ml



#19 AR-1242-4


R.T.: 5.775 min
Delta R.T.: 0.003 min
Response: 16091
Conc: 0.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.013 min
Delta R.T.: 0.001 min
Response: 13608
Conc: 0.33 ng/ml




#20 AR-1242-5

R.T.: 6.515 min
Delta R.T.: 0.004 min
Response: 49167
Conc: 1.90 ng/ml



#20 AR-1242-5


R.T.: 5.539 min
Delta R.T.: 0.002 min
Response: 8555
Conc: 0.18 ng/ml



#21 AR-1248-1


R.T.: 5.592 min
Delta R.T.: 0.004 min
Response: 14561
Conc: 0.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 19389
Conc: 0.49 ng/ml




#22 AR-1248-2

R.T.: 5.861 min
Delta R.T.: -0.002 min
Response: 21767
Conc: 0.57 ng/ml



#22 AR-1248-2


R.T.: 4.968 min
Delta R.T.: -0.001 min
Response: 6595
Conc: 0.11 ng/ml



#23 AR-1248-3


R.T.: 6.061 min
Delta R.T.: -0.007 min
Response: 23819
Conc: 0.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.013 min
Delta R.T.: 0.002 min
Response: 13608
Conc: 0.22 ng/ml




#24 AR-1248-4

R.T.: 6.477 min
Delta R.T.: 0.004 min
Response: 108977
Conc: 2.51 ng/ml



#24 AR-1248-4


R.T.: 5.180 min
Delta R.T.: -0.003 min
Response: 8156
Conc: 0.11 ng/ml



#25 AR-1248-5


R.T.: 6.515 min
Delta R.T.: 0.003 min
Response: 49167
Conc: 1.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.576 min
Delta R.T.: -0.003 min
Response: 11661
Conc: 0.18 ng/ml




#26 AR-1254-1

R.T.: 6.455 min
Delta R.T.: 0.008 min
Response: 69548
Conc: 1.43 ng/ml



#26 AR-1254-1


R.T.: 5.539 min
Delta R.T.: 0.003 min
Response: 8555
Conc: 0.08 ng/ml



#27 AR-1254-2


R.T.: 6.666 min
Delta R.T.: 0.000 min
Response: 41031
Conc: 0.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.693 min
Delta R.T.: 0.008 min
Response: 22400
Conc: 0.26 ng/ml




#28 AR-1254-3

R.T.: 7.034 min
Delta R.T.: 0.000 min
Response: 286744
Conc: 4.04 ng/ml



#28 AR-1254-3


R.T.: 6.088 min
Delta R.T.: -0.001 min
Response: 14324
Conc: 0.10 ng/ml



#29 AR-1254-4


R.T.: 7.308 min
Delta R.T.: -0.013 min
Response: 25668
Conc: 0.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.319 min
Delta R.T.: -0.002 min
Response: 19559
Conc: 0.25 ng/ml




#30 AR-1254-5

R.T.: 7.740 min
Delta R.T.: -0.002 min
Response: 59748
Conc: 1.30 ng/ml



#30 AR-1254-5


R.T.: 6.736 min
Delta R.T.: -0.003 min
Response: 13114
Conc: 0.11 ng/ml



#31 AR-1260-1


R.T.: 7.196 min
Delta R.T.: -0.003 min
Response: 21295
Conc: 0.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.218 min
Delta R.T.: -0.002 min
Response: 10682
Conc: 0.11 ng/ml




#32 AR-1260-2

R.T.: 7.463 min
Delta R.T.: 0.007 min
Response: 10295
Conc: 0.18 ng/ml



#32 AR-1260-2


R.T.: 6.414 min
Delta R.T.: 0.004 min
Response: 17346
Conc: 0.16 ng/ml



#33 AR-1260-3


R.T.: 7.821 min
Delta R.T.: 0.004 min
Response: 47648
Conc: 1.21 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.562 min
Delta R.T.: -0.002 min
Response: 28559
Conc: 0.27 ng/ml




#34 AR-1260-4

R.T.: 8.052 min
Delta R.T.: 0.010 min
Response: 36029
Conc: 0.83 ng/ml



#34 AR-1260-4


R.T.: 7.039 min
Delta R.T.: 0.003 min
Response: 4438
Conc: 0.05 ng/ml



#35 AR-1260-5


R.T.: 8.371 min
Delta R.T.: 0.007 min
Response: 71798
Conc: 0.96 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.281 min
Delta R.T.: 0.000 min
Response: 15200
Conc: 0.09 ng/ml




#36 AR-1262-1

R.T.: 7.821 min
Delta R.T.: 0.003 min
Response: 47648
Conc: 0.82 ng/ml



#36 AR-1262-1


R.T.: 6.830 min
Delta R.T.: 0.000 min
Response: 14698
Conc: 0.27 ng/ml



#37 AR-1262-2


R.T.: 8.371 min
Delta R.T.: 0.006 min
Response: 71798
Conc: 0.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.039 min
Delta R.T.: 0.002 min
Response: 4438
Conc: 0.04 ng/ml




#38 AR-1262-3

R.T.: 8.683 min
Delta R.T.: 0.003 min
Response: 10991
Conc: 0.18 ng/ml



#38 AR-1262-3


R.T.: 7.567 min
Delta R.T.: 0.003 min
Response: 9512
Conc: 0.11 ng/ml



#39 AR-1262-4


R.T.: 8.760 min
Delta R.T.: -0.009 min
Response: 37377
Conc: 0.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.631 min
Delta R.T.: 0.001 min
Response: 9682
Conc: 0.07 ng/ml




#40 AR-1262-5

R.T.: 9.435 min
Delta R.T.: 0.004 min
Response: 20373
Conc: 0.70 ng/ml



#40 AR-1262-5


R.T.: 8.126 min
Delta R.T.: 0.000 min
Response: 10163
Conc: 0.16 ng/ml



#41 AR-1268-1


R.T.: 8.672 min
Delta R.T.: -0.004 min
Response: -2212
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.567 min
Delta R.T.: 0.004 min
Response: 9512
Conc: 0.04 ng/ml




#42 AR-1268-2

R.T.: 8.760 min
Delta R.T.: -0.011 min
Response: 37377
Conc: 0.38 ng/ml



#42 AR-1268-2


R.T.: 7.631 min
Delta R.T.: 0.001 min
Response: 9682
Conc: 0.05 ng/ml



#43 AR-1268-3


R.T.: 9.013 min
Delta R.T.: 0.010 min
Response: 158743
Conc: 1.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.840 min
Delta R.T.: 0.004 min
Response: 6965
Conc: 0.04 ng/ml




#44 AR-1268-4

R.T.: 9.435 min
Delta R.T.: 0.004 min
Response: 20373
Conc: 0.64 ng/ml



#44 AR-1268-4


R.T.: 8.126 min
Delta R.T.: 0.000 min
Response: 10163
Conc: 0.15 ng/ml



#45 AR-1268-5

R.T.: 9.851 min
Delta R.T.: -0.002 min
Response: 68317
Conc: 0.28 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.416 min
Delta R.T.: 0.001 min
Response: 52692
Conc: 0.10 ng/ml