

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP090623\
 Data File : PP059780.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Sep 2023 18:09
 Operator : YP\AJ
 Sample : PB155355BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 07 00:21:14 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP090623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Sep 06 14:24:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.383	3.609	28799022	35673946	19.536	18.061
2)	SA Decachlor...	10.159	8.628	23055145	28226067	22.457	20.677
Target Compounds							
3)	L1 AR-1016-1	5.563	4.698	62123	33573	1.308	0.566 #
4)	L1 AR-1016-2	5.587	4.716	41041	22184	0.596	0.251 #
5)	L1 AR-1016-3	0.000	4.893	0	14524	N.D.	0.316 #
6)	L1 AR-1016-4	5.761f	4.932	32587	13891	0.921	0.360 #
7)	L1 AR-1016-5	6.030	5.150	18437	21697	0.545	0.432
8)	L2 AR-1221-1	4.610f	3.826	87728	27089	4.699	1.057 #
9)	L2 AR-1221-2	4.692	3.909	645086	533194	46.523	29.240 #
10)	L2 AR-1221-3	4.760	3.986	58112	19398	1.443	0.346 #
11)	L3 AR-1232-1	4.750	3.986	19123	19398	0.583	0.440
12)	L3 AR-1232-2	5.289	4.716	47501	22184	2.580	0.559 #
13)	L3 AR-1232-3	5.587	4.893	41041	14524	1.298	0.709 #
14)	L3 AR-1232-4	5.761f	4.978	32587	14832	2.015	0.741 #
15)	L3 AR-1232-5	5.879	5.150	18971	21697	1.410	1.004 #
16)	L4 AR-1242-1	5.563	4.698	62123	33573	1.514	0.662 #
17)	L4 AR-1242-2	5.587	4.716	41041	22184	0.691	0.299 #
18)	L4 AR-1242-3	0.000	4.893	0	14524	N.D.	0.370 #
19)	L4 AR-1242-4	5.761f	4.978	32587	14832	1.064	0.361 #
20)	L4 AR-1242-5	6.487	5.501	59704	27667	2.120	0.589 #
21)	L5 AR-1248-1	5.563	4.698	62123	33573	2.117	0.924 #
22)	L5 AR-1248-2	5.833	4.936	33491	11361	0.772	0.207 #
23)	L5 AR-1248-3	6.030	4.978	18437	14832	0.398	0.259 #
24)	L5 AR-1248-4	6.460f	5.150	65917	21697	1.459	0.327 #
25)	L5 AR-1248-5	6.487	5.547	59704	16699	1.344	0.278 #
26)	L6 AR-1254-1	6.420	5.501	167772	27667	3.288	0.287 #
27)	L6 AR-1254-2	6.636	5.643	6621	15138	0.092	0.181 #
28)	L6 AR-1254-3	7.010	6.054	187611	112953	2.675	0.888 #
29)	L6 AR-1254-4	7.288	6.287	6775	11064	0.142	0.151
30)	L6 AR-1254-5	7.731f	6.701	104397	38404	2.001	0.346 #
31)	L7 AR-1260-1	7.196f	6.186	70634	18799	1.205	0.196 #
32)	L7 AR-1260-2	7.427	6.373	72334	8798	1.155	0.081 #
33)	L7 AR-1260-3	7.797	6.528	58215	21459	1.156	0.207 #
34)	L7 AR-1260-4	8.019	7.001	151036	12286	2.665	0.148 #
35)	L7 AR-1260-5	8.329	7.242	62888	24864	0.650	0.143 #
36)	L8 AR-1262-1	7.797	6.800	58215	91158	0.869	1.837 #
37)	L8 AR-1262-2	8.329	7.001	62888	12286	0.618	0.123 #
38)	L8 AR-1262-3	8.649	7.531	24713	20477	0.341	0.280
39)	L8 AR-1262-4	8.757f	7.593	56647	11039	1.490	0.086 #
40)	L8 AR-1262-5	9.415f	8.086	15971	17493	0.451	0.314 #
41)	L9 AR-1268-1	8.649	7.531	24713	20477	0.187	0.097 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP090623\
Data File : PP059780.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Sep 2023 18:09
Operator : YP\AJ
Sample : PB155355BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 07 00:21:14 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP090623.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Sep 06 14:24:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.757f	7.593	56647	11039	0.481	0.058 #
43)	L9 AR-1268-3	8.975	7.797	107669	71765	0.981	0.434 #
44)	L9 AR-1268-4	9.415f	8.086	15971	17493	0.410	0.281 #
45)	L9 AR-1268-5	9.817	8.377	136623	151034	0.431	0.353



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP090623\
Data File : PP059780.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Sep 2023 18:09
Operator : YP\AJ
Sample : PB155355BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 07 00:21:14 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP090623.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Sep 06 14:24:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.383 min
Delta R.T.: 0.002 min
Response: 28799022
Conc: 19.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.609 min
Delta R.T.: 0.001 min
Response: 35673946
Conc: 18.06 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.159 min
Delta R.T.: 0.006 min
Response: 23055145
Conc: 22.46 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.628 min
Delta R.T.: 0.000 min
Response: 28226067
Conc: 20.68 ng/ml



#3 AR-1016-1


R.T.: 5.563 min
Delta R.T.: 0.005 min
Response: 62123
Conc: 1.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.698 min
Delta R.T.: 0.002 min
Response: 33573
Conc: 0.57 ng/ml




#4 AR-1016-2

R.T.: 5.587 min
Delta R.T.: 0.007 min
Response: 41041
Conc: 0.60 ng/ml



#4 AR-1016-2


R.T.: 4.716 min
Delta R.T.: 0.000 min
Response: 22184
Conc: 0.25 ng/ml



#5 AR-1016-3


R.T.: 0.000 min
Exp R.T.: 5.643 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.893 min
Delta R.T.: 0.003 min
Response: 14524
Conc: 0.32 ng/ml




#6 AR-1016-4

R.T.: 5.761 min
Delta R.T.: 0.020 min
Response: 32587
Conc: 0.92 ng/ml



#6 AR-1016-4


R.T.: 4.932 min
Delta R.T.: -0.002 min
Response: 13891
Conc: 0.36 ng/ml



#7 AR-1016-5


R.T.: 6.030 min
Delta R.T.: -0.009 min
Response: 18437
Conc: 0.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.150 min
Delta R.T.: 0.004 min
Response: 21697
Conc: 0.43 ng/ml




#8 AR-1221-1

R.T.: 4.610 min
Delta R.T.: 0.019 min
Response: 87728
Conc: 4.70 ng/ml



#8 AR-1221-1


R.T.: 3.826 min
Delta R.T.: 0.004 min
Response: 27089
Conc: 1.06 ng/ml



#9 AR-1221-2


R.T.: 4.692 min
Delta R.T.: 0.014 min
Response: 645086
Conc: 46.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.909 min
Delta R.T.: 0.001 min
Response: 533194
Conc: 29.24 ng/ml




#10 AR-1221-3

R.T.: 4.760 min
Delta R.T.: 0.005 min
Response: 58112
Conc: 1.44 ng/ml



#10 AR-1221-3


R.T.: 3.986 min
Delta R.T.: 0.002 min
Response: 19398
Conc: 0.35 ng/ml



#11 AR-1232-1


R.T.: 4.750 min
Delta R.T.: -0.004 min
Response: 19123
Conc: 0.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.986 min
Delta R.T.: 0.003 min
Response: 19398
Conc: 0.44 ng/ml




#12 AR-1232-2

R.T.: 5.289 min
Delta R.T.: 0.000 min
Response: 47501
Conc: 2.58 ng/ml



#12 AR-1232-2


R.T.: 4.716 min
Delta R.T.: 0.000 min
Response: 22184
Conc: 0.56 ng/ml



#13 AR-1232-3


R.T.: 5.587 min
Delta R.T.: 0.006 min
Response: 41041
Conc: 1.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.893 min
Delta R.T.: 0.003 min
Response: 14524
Conc: 0.71 ng/ml




#14 AR-1232-4

R.T.: 5.761 min
Delta R.T.: 0.019 min
Response: 32587
Conc: 2.02 ng/ml



#14 AR-1232-4


R.T.: 4.978 min
Delta R.T.: 0.002 min
Response: 14832
Conc: 0.74 ng/ml



#15 AR-1232-5


R.T.: 5.879 min
Delta R.T.: 0.000 min
Response: 18971
Conc: 1.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.150 min
Delta R.T.: 0.004 min
Response: 21697
Conc: 1.00 ng/ml




#16 AR-1242-1

R.T.: 5.563 min
Delta R.T.: 0.005 min
Response: 62123
Conc: 1.51 ng/ml



#16 AR-1242-1


R.T.: 4.698 min
Delta R.T.: 0.002 min
Response: 33573
Conc: 0.66 ng/ml



#17 AR-1242-2


R.T.: 5.587 min
Delta R.T.: 0.005 min
Response: 41041
Conc: 0.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.716 min
Delta R.T.: 0.000 min
Response: 22184
Conc: 0.30 ng/ml




#18 AR-1242-3

R.T.: 0.000 min
Exp R.T. : 5.643 min
Response: 0
Conc: N.D.



#18 AR-1242-3


R.T.: 4.893 min
Delta R.T.: 0.003 min
Response: 14524
Conc: 0.37 ng/ml



#19 AR-1242-4


R.T.: 5.761 min
Delta R.T.: 0.020 min
Response: 32587
Conc: 1.06 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.978 min
Delta R.T.: 0.003 min
Response: 14832
Conc: 0.36 ng/ml




#20 AR-1242-5

R.T.: 6.487 min
Delta R.T.: 0.005 min
Response: 59704
Conc: 2.12 ng/ml



#20 AR-1242-5


R.T.: 5.501 min
Delta R.T.: 0.000 min
Response: 27667
Conc: 0.59 ng/ml



#21 AR-1248-1


R.T.: 5.563 min
Delta R.T.: 0.004 min
Response: 62123
Conc: 2.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.698 min
Delta R.T.: 0.000 min
Response: 33573
Conc: 0.92 ng/ml




#22 AR-1248-2

R.T.: 5.833 min
Delta R.T.: -0.002 min
Response: 33491
Conc: 0.77 ng/ml



#22 AR-1248-2


R.T.: 4.936 min
Delta R.T.: 0.001 min
Response: 11361
Conc: 0.21 ng/ml



#23 AR-1248-3


R.T.: 6.030 min
Delta R.T.: -0.009 min
Response: 18437
Conc: 0.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.978 min
Delta R.T.: 0.002 min
Response: 14832
Conc: 0.26 ng/ml




#24 AR-1248-4

R.T.: 6.460 min
Delta R.T.: 0.016 min
Response: 65917
Conc: 1.46 ng/ml



#24 AR-1248-4


R.T.: 5.150 min
Delta R.T.: 0.003 min
Response: 21697
Conc: 0.33 ng/ml



#25 AR-1248-5


R.T.: 6.487 min
Delta R.T.: 0.003 min
Response: 59704
Conc: 1.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.547 min
Delta R.T.: 0.004 min
Response: 16699
Conc: 0.28 ng/ml




#26 AR-1254-1

R.T.: 6.420 min
Delta R.T.: 0.001 min
Response: 167772
Conc: 3.29 ng/ml



#26 AR-1254-1


R.T.: 5.501 min
Delta R.T.: 0.000 min
Response: 27667
Conc: 0.29 ng/ml



#27 AR-1254-2


R.T.: 6.636 min
Delta R.T.: -0.003 min
Response: 6621
Conc: 0.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.643 min
Delta R.T.: -0.007 min
Response: 15138
Conc: 0.18 ng/ml




#28 AR-1254-3

R.T.: 7.010 min
Delta R.T.: 0.004 min
Response: 187611
Conc: 2.67 ng/ml



#28 AR-1254-3


R.T.: 6.054 min
Delta R.T.: 0.000 min
Response: 112953
Conc: 0.89 ng/ml



#29 AR-1254-4


R.T.: 7.288 min
Delta R.T.: -0.005 min
Response: 6775
Conc: 0.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.287 min
Delta R.T.: 0.002 min
Response: 11064
Conc: 0.15 ng/ml




#30 AR-1254-5

R.T.: 7.731 min
Delta R.T.: 0.017 min
Response: 104397
Conc: 2.00 ng/ml



#30 AR-1254-5


R.T.: 6.701 min
Delta R.T.: -0.002 min
Response: 38404
Conc: 0.35 ng/ml



#31 AR-1260-1


R.T.: 7.196 min
Delta R.T.: 0.026 min
Response: 70634
Conc: 1.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.186 min
Delta R.T.: 0.003 min
Response: 18799
Conc: 0.20 ng/ml




#32 AR-1260-2

R.T.: 7.427 min
Delta R.T.: 0.000 min
Response: 72334
Conc: 1.16 ng/ml



#32 AR-1260-2


R.T.: 6.373 min
Delta R.T.: -0.002 min
Response: 8798
Conc: 0.08 ng/ml



#33 AR-1260-3


R.T.: 7.797 min
Delta R.T.: 0.008 min
Response: 58215
Conc: 1.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.528 min
Delta R.T.: 0.002 min
Response: 21459
Conc: 0.21 ng/ml




#34 AR-1260-4

R.T.: 8.019 min
Delta R.T.: 0.004 min
Response: 151036
Conc: 2.66 ng/ml



#34 AR-1260-4


R.T.: 7.001 min
Delta R.T.: 0.002 min
Response: 12286
Conc: 0.15 ng/ml



#35 AR-1260-5


R.T.: 8.329 min
Delta R.T.: -0.005 min
Response: 62888
Conc: 0.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.242 min
Delta R.T.: -0.002 min
Response: 24864
Conc: 0.14 ng/ml




#36 AR-1262-1

R.T.: 7.797 min
Delta R.T.: 0.007 min
Response: 58215
Conc: 0.87 ng/ml



#36 AR-1262-1


R.T.: 6.800 min
Delta R.T.: 0.005 min
Response: 91158
Conc: 1.84 ng/ml



#37 AR-1262-2


R.T.: 8.329 min
Delta R.T.: -0.006 min
Response: 62888
Conc: 0.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.001 min
Delta R.T.: 0.000 min
Response: 12286
Conc: 0.12 ng/ml




#38 AR-1262-3

R.T.: 8.649 min
Delta R.T.: 0.000 min
Response: 24713
Conc: 0.34 ng/ml



#38 AR-1262-3


R.T.: 7.531 min
Delta R.T.: 0.002 min
Response: 20477
Conc: 0.28 ng/ml



#39 AR-1262-4


R.T.: 8.757 min
Delta R.T.: 0.020 min
Response: 56647
Conc: 1.49 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.593 min
Delta R.T.: 0.000 min
Response: 11039
Conc: 0.09 ng/ml




#40 AR-1262-5

R.T.: 9.415 min
Delta R.T.: 0.019 min
Response: 15971
Conc: 0.45 ng/ml



#40 AR-1262-5


R.T.: 8.086 min
Delta R.T.: -0.005 min
Response: 17493
Conc: 0.31 ng/ml



#41 AR-1268-1


R.T.: 8.649 min
Delta R.T.: 0.002 min
Response: 24713
Conc: 0.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.531 min
Delta R.T.: 0.002 min
Response: 20477
Conc: 0.10 ng/ml




#42 AR-1268-2

R.T.: 8.757 min
Delta R.T.: 0.017 min
Response: 56647
Conc: 0.48 ng/ml



#42 AR-1268-2


R.T.: 7.593 min
Delta R.T.: 0.000 min
Response: 11039
Conc: 0.06 ng/ml



#43 AR-1268-3


R.T.: 8.975 min
Delta R.T.: 0.005 min
Response: 107669
Conc: 0.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.797 min
Delta R.T.: -0.002 min
Response: 71765
Conc: 0.43 ng/ml




#44 AR-1268-4

R.T.: 9.415 min
Delta R.T.: 0.017 min
Response: 15971
Conc: 0.41 ng/ml



#44 AR-1268-4


R.T.: 8.086 min
Delta R.T.: -0.005 min
Response: 17493
Conc: 0.28 ng/ml



#45 AR-1268-5

R.T.: 9.817 min
Delta R.T.: 0.003 min
Response: 136623
Conc: 0.43 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.377 min
Delta R.T.: 0.000 min
Response: 151034
Conc: 0.35 ng/ml