



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Roux Associates, Inc.**

**Project Name: 2968.0006J004\_Duke Bayonne**

**Project # N/A**

**Chemtech Project # N4421**

**Test Name: EPH**

### **A. Number of Samples and Date of Receipt:**

15 Solid samples were received on 08/26/2022.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: ASTM Ammonia, ASTM COD, ASTM Leach Extraction, ASTM Oil and Grease, ASTM TS, Corrosivity, Cyanide, Diesel Range Organics, EPH, Gasoline Range Organics, Hexavalent Chromium, Ignitability, Mercury, Metals Group4, Paint Filter, PCB, Pesticide-TCL, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, SVOC-TCL BNA -20, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP Metals+Cu+Ni+Zn, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TCLP-FULL, TCLP Metals Group1, TS, TVS, VOC-BTEX and VOC-TCLVOA-10. This data package contains results for EPH.

### **C. Analytical Techniques:**

The analysis were performed on instrument FID\_C. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224. The analyses were performed on instrument FID\_D. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224. The analysis were performed on instrument FID\_E. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224. The analysis of EPHs was based on method NJEPH and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for WC-PALM-SP-01-GRDL2 [1-chlorooctadecane (SURR) - 0%], WC-PALM-SP-02-GRDL [ortho-Terphenyl (SURR) - 36%], WC-PALM-SP-02-GRMS [1-chlorooctadecane (SURR) - 11%] and WC-PALM-SP-02-GRMSD [1-chlorooctadecane (SURR) - 9.%].

The Retention Times were acceptable for all samples.

The MS {N4421-09MS} with File ID: FC061373.D recoveries met the requirements for all compounds except for Aliphatic C12-C16[241%], Aliphatic C16-C21[505%], Aliphatic C21-C28[426%] and Aliphatic C28-C40[511%] due to matrix interference.

The MS {N4421-09MS} with File ID: FD043773.D recoveries met the requirements for all compounds except for Aromatic C12-C16[212%], Aromatic C16-C21[787%] and Aromatic C21-C36[1596%] due to matrix interference.



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

The MSD {N4421-09MSD} with File ID: FC061374.D recoveries met the acceptable requirements except for Aliphatic C12-C16[255%], Aliphatic C16-C21[533%], Aliphatic C21-C28[425%] and Aliphatic C28-C40[557%] due to matrix interference.

The MSD {N4421-09MSD} with File ID: FD043774.D recoveries met the acceptable requirements except for Aromatic C12-C16[195%], Aromatic C16-C21[657%] and Aromatic C21-C36[1438%] due to matrix interference.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

Sample WC-PALM-SP-01-GR,WC-PALM-SP-01-GRDL,WC-PALM-SP-02-GR,WC-PALM-SP-03-GR,WC-PALM-SP-03-GRDL were diluted due to high concentration for Aliphatic compounds.

Sample WC-PALM-SP-01-GR,WC-PALM-SP-01-GRDL,WC-PALM-SP-02-GR,WC-PALM-SP-02-GRDL,WC-PALM-SP-03-GR were diluted due to high concentration for Aromatic compounds.

#### **E. Additional Comments:**

The soil samples results are based on a dry weight basis.

This data package has been revised due to wrong data transfer at the time of hard copy so fax data and hard copy data not match for sample# WC-PALM-SP-01-GR, WC-PALM-SP-02-GR, WC-PALM-SP-03-GR.

#### **F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_