

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP092523\
 Data File : PP060190.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Sep 2023 10:15
 Operator : YP\AJ
 Sample : 04577-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 26 00:22:24 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP091823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Sep 19 09:22:53 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.509	3.665	33352718	24113640	16.033	14.804
2) SA Decachlor...	10.428	8.730	20748360	22702750	13.602	14.994
Target Compounds						
3) L1 AR-1016-1	5.696	4.764	397586	711830	5.892	11.841 #
4) L1 AR-1016-2	5.722	4.792	799357	1394307	8.356	16.799 #
5) L1 AR-1016-3	0.000	4.962	0	438577	N.D.	9.777 #
6) L1 AR-1016-4	5.886	5.019	125569	576465	2.564	16.340 #
7) L1 AR-1016-5	6.193	5.251f	1870835	233369	38.050	5.019 #
8) L2 AR-1221-1	4.719	3.886	21300378	797965	801.273	36.329 #
9) L2 AR-1221-2	4.820	3.964	818442	1359844	41.581	88.079 #
10) L2 AR-1221-3	0.000	4.043	0	76849	N.D.	1.638 #
11) L3 AR-1232-1	0.000	4.043	0	76849	N.D.	2.022 #
12) L3 AR-1232-2	0.000	4.792	0	1394307	N.D.	37.814 #
13) L3 AR-1232-3	5.722	4.962	799357	438577	18.502	21.903
14) L3 AR-1232-4	5.886	5.073f	125569	625235	5.681	34.228 #
15) L3 AR-1232-5	5.975	5.251f	711264	233369	38.771	11.640 #
16) L4 AR-1242-1	5.696	4.764	397586	711830	6.657	13.517 #
17) L4 AR-1242-2	5.722	4.792	799357	1394307	9.512	19.350 #
18) L4 AR-1242-3	0.000	4.962	0	438577	N.D.	11.207 #
19) L4 AR-1242-4	5.886	5.073f	125569	625235	2.914	15.954 #
20) L4 AR-1242-5	0.000	5.576	0	5502096	N.D.	113.727 #
21) L5 AR-1248-1	5.696	4.764	397586	711830	8.895	18.218 #
22) L5 AR-1248-2	5.975	5.009	711264	143906	10.982	2.656 #
23) L5 AR-1248-3	6.193	5.073f	1870835	625235	26.416	10.988 #
24) L5 AR-1248-4	6.602	5.251f	17093972	233369	221.012	3.475 #
25) L5 AR-1248-5	6.602f	5.615	17093972	1471635	227.192	22.310 #
26) L6 AR-1254-1	6.559	5.576	7652709	5502096	95.855	54.825 #
27) L6 AR-1254-2	6.786	5.723	10192927	2848548	85.103	32.788 #
28) L6 AR-1254-3	7.159	6.148	11426556	7785984	94.061	55.455 #
29) L6 AR-1254-4	7.443	6.360	4466887	1820182	50.229	21.624 #
30) L6 AR-1254-5	7.887f	6.781	438.9E6	437.0E6	4511.718	3684.181
31) L7 AR-1260-1	7.321	6.282	8196884	5056911	90.936	54.307 #
32) L7 AR-1260-2	7.571	6.455	44642856	18430919	435.167	168.108 #
33) L7 AR-1260-3	7.942	6.605	8147465	7983437	103.449	77.619
34) L7 AR-1260-4	8.172	7.081	12773810	5835278	142.532	70.065 #
35) L7 AR-1260-5	8.508	7.323	9626703	15991345	56.409	83.114 #
36) L8 AR-1262-1	7.942	6.872f	8147465	4906600	70.399	97.211 #
37) L8 AR-1262-2	8.508	7.081f	9626703	5835278	48.088	51.651
38) L8 AR-1262-3	8.845	7.611	10967202	4438176	76.161	50.633 #
39) L8 AR-1262-4	8.928	7.673f	6319801	11794259	55.653	72.222 #
40) L8 AR-1262-5	9.622	8.173f	3820844	2785544	51.216	37.318 #
41) L9 AR-1268-1	8.845	7.611	10967202	4438176	43.736	17.047 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP092523\
 Data File : PP060190.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Sep 2023 10:15
 Operator : YP\AJ
 Sample : 04577-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 26 00:22:24 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP091823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Sep 19 09:22:53 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.928	7.673f	6319801	11794259	27.537	51.015 #
43) L9	AR-1268-3	9.174	7.885f	583520	1389760	2.957	6.807 #
44) L9	AR-1268-4	9.622	8.173f	3820844	2785544	46.130	34.498 #
45) L9	AR-1268-5	10.063	8.469f	2954574	4139047	4.882	6.553 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP092523\
Data File : PP060190.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Sep 2023 10:15
Operator : YP\AJ
Sample : 04577-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 26 00:22:24 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP091823.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Sep 19 09:22:53 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.509 min
Delta R.T.: -0.001 min
Response: 33352718
Conc: 16.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.665 min
Delta R.T.: -0.005 min
Response: 24113640
Conc: 14.80 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.428 min
Delta R.T.: -0.004 min
Response: 20748360
Conc: 13.60 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.730 min
Delta R.T.: -0.014 min
Response: 22702750
Conc: 14.99 ng/ml



#3 AR-1016-1


R.T.: 5.696 min
Delta R.T.: -0.003 min
Response: 397586
Conc: 5.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.764 min
Delta R.T.: -0.011 min
Response: 711830
Conc: 11.84 ng/ml




#4 AR-1016-2

R.T.: 5.722 min
Delta R.T.: 0.000 min
Response: 799357
Conc: 8.36 ng/ml



#4 AR-1016-2


R.T.: 4.792 min
Delta R.T.: -0.001 min
Response: 1394307
Conc: 16.80 ng/ml



#5 AR-1016-3


R.T.: 0.000 min
Exp R.T.: 5.785 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.962 min
Delta R.T.: -0.010 min
Response: 438577
Conc: 9.78 ng/ml




#6 AR-1016-4

R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 125569
Conc: 2.56 ng/ml



#6 AR-1016-4


R.T.: 5.019 min
Delta R.T.: 0.004 min
Response: 576465
Conc: 16.34 ng/ml



#7 AR-1016-5


R.T.: 6.193 min
Delta R.T.: 0.009 min
Response: 1870835
Conc: 38.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.251 min
Delta R.T.: 0.020 min
Response: 233369
Conc: 5.02 ng/ml




#8 AR-1221-1

R.T.: 4.719 min
Delta R.T.: -0.001 min
Response: 21300378
Conc: 801.27 ng/ml



#8 AR-1221-1


R.T.: 3.886 min
Delta R.T.: -0.003 min
Response: 797965
Conc: 36.33 ng/ml



#9 AR-1221-2


R.T.: 4.820 min
Delta R.T.: 0.011 min
Response: 818442
Conc: 41.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.964 min
Delta R.T.: -0.012 min
Response: 1359844
Conc: 88.08 ng/ml




#10 AR-1221-3

R.T.: 0.000 min
Exp R.T.: 4.887 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 4.043 min
Delta R.T.: -0.011 min
Response: 76849
Conc: 1.64 ng/ml



#11 AR-1232-1


R.T.: 0.000 min
Exp R.T.: 4.886 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.043 min
Delta R.T.: -0.010 min
Response: 76849
Conc: 2.02 ng/ml




#12 AR-1232-2

R.T.: 0.000 min
Exp R.T.: 5.426 min
Response: 0
Conc: N.D.



#12 AR-1232-2


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 1394307
Conc: 37.81 ng/ml



#13 AR-1232-3


R.T.: 5.722 min
Delta R.T.: 0.001 min
Response: 799357
Conc: 18.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.962 min
Delta R.T.: -0.008 min
Response: 438577
Conc: 21.90 ng/ml




#14 AR-1232-4

R.T.: 5.886 min
Delta R.T.: 0.001 min
Response: 125569
Conc: 5.68 ng/ml



#14 AR-1232-4


R.T.: 5.073 min
Delta R.T.: 0.017 min
Response: 625235
Conc: 34.23 ng/ml



#15 AR-1232-5


R.T.: 5.975 min
Delta R.T.: 0.000 min
Response: 711264
Conc: 38.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.251 min
Delta R.T.: 0.021 min
Response: 233369
Conc: 11.64 ng/ml




#16 AR-1242-1

R.T.: 5.696 min
Delta R.T.: -0.002 min
Response: 397586
Conc: 6.66 ng/ml



#16 AR-1242-1


R.T.: 4.764 min
Delta R.T.: -0.010 min
Response: 711830
Conc: 13.52 ng/ml



#17 AR-1242-2


R.T.: 5.722 min
Delta R.T.: 0.000 min
Response: 799357
Conc: 9.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.792 min
Delta R.T.: -0.001 min
Response: 1394307
Conc: 19.35 ng/ml




#18 AR-1242-3

R.T.: 0.000 min
Exp R.T.: 5.785 min
Response: 0
Conc: N.D.



#18 AR-1242-3


R.T.: 4.962 min
Delta R.T.: -0.009 min
Response: 438577
Conc: 11.21 ng/ml



#19 AR-1242-4


R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 125569
Conc: 2.91 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.073 min
Delta R.T.: 0.016 min
Response: 625235
Conc: 15.95 ng/ml




#20 AR-1242-5

R.T.: 0.000 min
Exp R.T.: 6.633 min
Response: 0
Conc: N.D.



#20 AR-1242-5


R.T.: 5.576 min
Delta R.T.: -0.010 min
Response: 5502096
Conc: 113.73 ng/ml



#21 AR-1248-1


R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 397586
Conc: 8.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.764 min
Delta R.T.: -0.009 min
Response: 711830
Conc: 18.22 ng/ml




#22 AR-1248-2

R.T.: 5.975 min
Delta R.T.: 0.000 min
Response: 711264
Conc: 10.98 ng/ml



#22 AR-1248-2


R.T.: 5.009 min
Delta R.T.: -0.004 min
Response: 143906
Conc: 2.66 ng/ml



#23 AR-1248-3


R.T.: 6.193 min
Delta R.T.: 0.011 min
Response: 1870835
Conc: 26.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.073 min
Delta R.T.: 0.018 min
Response: 625235
Conc: 10.99 ng/ml




#24 AR-1248-4

R.T.: 6.602 min
Delta R.T.: 0.010 min
Response: 17093972
Conc: 221.01 ng/ml



#24 AR-1248-4


R.T.: 5.251 min
Delta R.T.: 0.023 min
Response: 233369
Conc: 3.47 ng/ml



#25 AR-1248-5


R.T.: 6.602 min
Delta R.T.: -0.029 min
Response: 17093972
Conc: 227.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.615 min
Delta R.T.: -0.011 min
Response: 1471635
Conc: 22.31 ng/ml




#26 AR-1254-1

R.T.: 6.559 min
Delta R.T.: -0.007 min
Response: 7652709
Conc: 95.85 ng/ml



#26 AR-1254-1


R.T.: 5.576 min
Delta R.T.: -0.009 min
Response: 5502096
Conc: 54.83 ng/ml



#27 AR-1254-2


R.T.: 6.786 min
Delta R.T.: -0.001 min
Response: 10192927
Conc: 85.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.723 min
Delta R.T.: -0.011 min
Response: 2848548
Conc: 32.79 ng/ml




#28 AR-1254-3

R.T.: 7.159 min
Delta R.T.: 0.001 min
Response: 11426556
Conc: 94.06 ng/ml



#28 AR-1254-3


R.T.: 6.148 min
Delta R.T.: 0.006 min
Response: 7785984
Conc: 55.46 ng/ml



#29 AR-1254-4


R.T.: 7.443 min
Delta R.T.: -0.003 min
Response: 4466887
Conc: 50.23 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.360 min
Delta R.T.: -0.012 min
Response: 1820182
Conc: 21.62 ng/ml




#30 AR-1254-5

R.T.: 7.887 min
Delta R.T.: 0.016 min
Response: 438878162
Conc: 4511.72 ng/ml



#30 AR-1254-5


R.T.: 6.781 min
Delta R.T.: -0.014 min
Response: 437008840
Conc: 3684.18 ng/ml



#31 AR-1260-1


R.T.: 7.321 min
Delta R.T.: -0.004 min
Response: 8196884
Conc: 90.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.282 min
Delta R.T.: 0.004 min
Response: 5056911
Conc: 54.31 ng/ml




#32 AR-1260-2

R.T.: 7.571 min
Delta R.T.: -0.014 min
Response: 44642856
Conc: 435.17 ng/ml



#32 AR-1260-2


R.T.: 6.455 min
Delta R.T.: -0.011 min
Response: 18430919
Conc: 168.11 ng/ml



#33 AR-1260-3


R.T.: 7.942 min
Delta R.T.: -0.006 min
Response: 8147465
Conc: 103.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.605 min
Delta R.T.: -0.017 min
Response: 7983437
Conc: 77.62 ng/ml




#34 AR-1260-4

R.T.: 8.172 min
Delta R.T.: -0.007 min
Response: 12773810
Conc: 142.53 ng/ml



#34 AR-1260-4


R.T.: 7.081 min
Delta R.T.: -0.008 min
Response: 5835278
Conc: 70.06 ng/ml



#35 AR-1260-5


R.T.: 8.508 min
Delta R.T.: -0.005 min
Response: 9626703
Conc: 56.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.323 min
Delta R.T.: -0.009 min
Response: 15991345
Conc: 83.11 ng/ml




#36 AR-1262-1

R.T.: 7.942 min
Delta R.T.: -0.005 min
Response: 8147465
Conc: 70.40 ng/ml



#36 AR-1262-1


R.T.: 6.872 min
Delta R.T.: -0.015 min
Response: 4906600
Conc: 97.21 ng/ml



#37 AR-1262-2


R.T.: 8.508 min
Delta R.T.: -0.003 min
Response: 9626703
Conc: 48.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.081 min
Delta R.T.: -0.015 min
Response: 5835278
Conc: 51.65 ng/ml




#38 AR-1262-3

R.T.: 8.845 min
Delta R.T.: 0.005 min
Response: 10967202
Conc: 76.16 ng/ml



#38 AR-1262-3


R.T.: 7.611 min
Delta R.T.: -0.015 min
Response: 4438176
Conc: 50.63 ng/ml



#39 AR-1262-4


R.T.: 8.928 min
Delta R.T.: -0.006 min
Response: 6319801
Conc: 55.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.673 min
Delta R.T.: -0.017 min
Response: 11794259
Conc: 72.22 ng/ml




#40 AR-1262-5

R.T.: 9.622 min
Delta R.T.: -0.004 min
Response: 3820844
Conc: 51.22 ng/ml



#40 AR-1262-5


R.T.: 8.173 min
Delta R.T.: -0.017 min
Response: 2785544
Conc: 37.32 ng/ml



#41 AR-1268-1


R.T.: 8.845 min
Delta R.T.: 0.008 min
Response: 10967202
Conc: 43.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.611 min
Delta R.T.: -0.015 min
Response: 4438176
Conc: 17.05 ng/ml




#42 AR-1268-2

R.T.: 8.928 min
Delta R.T.: -0.008 min
Response: 6319801
Conc: 27.54 ng/ml



#42 AR-1268-2


R.T.: 7.673 min
Delta R.T.: -0.017 min
Response: 11794259
Conc: 51.02 ng/ml



#43 AR-1268-3


R.T.: 9.174 min
Delta R.T.: -0.004 min
Response: 583520
Conc: 2.96 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.885 min
Delta R.T.: -0.016 min
Response: 1389760
Conc: 6.81 ng/ml




#44 AR-1268-4

R.T.: 9.622 min
Delta R.T.: -0.005 min
Response: 3820844
Conc: 46.13 ng/ml



#44 AR-1268-4


R.T.: 8.173 min
Delta R.T.: -0.016 min
Response: 2785544
Conc: 34.50 ng/ml



#45 AR-1268-5

R.T.: 10.063 min
Delta R.T.: -0.006 min
Response: 2954574
Conc: 4.88 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.469 min
Delta R.T.: -0.020 min
Response: 4139047
Conc: 6.55 ng/ml