

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP101124\
 Data File : PP067764.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Oct 2024 18:25
 Operator : YP\AJ
 Sample : P4385-12
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 SP-6

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 14 01:34:53 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP100824.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 09 05:48:32 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.754	4.051	19845261	21656771	21.439	21.434
2)	SA Decachlor...	10.664	9.214	24650379	22832082	21.411	20.359
Target Compounds							
3)	L1 AR-1016-1	0.000	5.202f	0	121894	N.D.	3.484 #
4)	L1 AR-1016-2	0.000	5.202	0	121894	N.D.	2.531 #
5)	L1 AR-1016-3	6.058f	5.350	138561	220341	4.397	8.180 #
6)	L1 AR-1016-4	6.058f	5.406	138561	109146	5.382	4.532
7)	L1 AR-1016-5	0.000	5.615	0	294778	N.D.	9.694 #
8)	L2 AR-1221-1	4.957	4.309f	707833	254216	55.257	19.302 #
9)	L2 AR-1221-2	5.061	4.358	295185	457816	31.202	45.960 #
10)	L2 AR-1221-3	5.061f	4.428	295185	64695	10.211	2.078 #
11)	L3 AR-1232-1	5.061f	4.428	295185	64695	12.913	2.659 #
12)	L3 AR-1232-2	5.611f	5.202	696371	121894	59.099	5.450 #
13)	L3 AR-1232-3	0.000	5.350	0	220341	N.D.	18.448 #
14)	L3 AR-1232-4	6.058f	5.406f	138561	109146	12.276	9.465
15)	L3 AR-1232-5	0.000	5.615	0	294778	N.D.	21.916 #
16)	L4 AR-1242-1	0.000	5.202f	0	121894	N.D.	4.192 #
17)	L4 AR-1242-2	0.000	5.202	0	121894	N.D.	3.036 #
18)	L4 AR-1242-3	6.058f	5.350	138561	220341	5.139	9.795 #
19)	L4 AR-1242-4	6.058f	5.406f	138561	109146	6.460	4.598 #
20)	L4 AR-1242-5	6.818	5.995	446587	300264	18.511	10.481 #
21)	L5 AR-1248-1	0.000	5.202f	0	121894	N.D.	5.378 #
22)	L5 AR-1248-2	0.000	5.406	0	109146	N.D.	3.298 #
23)	L5 AR-1248-3	0.000	5.406f	0	109146	N.D.	3.166 #
24)	L5 AR-1248-4	6.774	5.615	458359	294778	11.331	7.197 #
25)	L5 AR-1248-5	6.818	5.995	446587	300264	11.260	8.019 #
26)	L6 AR-1254-1	6.774	5.995	458359	300264	10.235	5.082 #
27)	L6 AR-1254-2	6.987	6.143	21151395	532481	320.002	10.149 #
28)	L6 AR-1254-3	7.362	6.546	1768977	1223470	25.470	14.704 #
29)	L6 AR-1254-4	7.630	6.763	584597	47488	11.714	0.984 #
30)	L6 AR-1254-5	8.071	7.177	24277636	25450459	409.454	346.024
31)	L7 AR-1260-1	0.000	6.663	0	220990	N.D.	3.880 #
32)	L7 AR-1260-2	7.755	6.854	12913969	472437	204.106	7.083 #
33)	L7 AR-1260-3	8.071f	7.007	24277636	115253	468.239	1.809 #
34)	L7 AR-1260-4	8.332f	7.481	755400	135531	12.549	2.451 #
35)	L7 AR-1260-5	8.710	7.717	209576	426125	1.946	3.484 #
36)	L8 AR-1262-1	8.332f	7.177f	755400	25450459	10.525	323.495 #
37)	L8 AR-1262-2	8.710	7.481	209576	135531	1.724	1.910
38)	L8 AR-1262-3	9.060	8.012	94197	59954	1.064	1.050
39)	L8 AR-1262-4	9.130	8.072	236365	94378	3.379	0.940 #
40)	L8 AR-1262-5	0.000	8.592	0	128121	N.D.	2.562 #
41)	L9 AR-1268-1	9.060	8.012	94197	59954	0.617	0.377 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP101124\
Data File : PP067764.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Oct 2024 18:25
Operator : YP\AJ
Sample : P4385-12
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
SP-6

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 14 01:34:53 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP100824.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 09 05:48:32 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	9.130	8.072	236365	94378	1.730	0.659 #
43)	L9 AR-1268-3	0.000	8.290	0	149315	N.D.	1.171 #
44)	L9 AR-1268-4	0.000	8.592	0	128121	N.D.	2.269 #
45)	L9 AR-1268-5	10.297	8.924	100899	309012	0.270	0.817 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP101124\
Data File : PP067764.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Oct 2024 18:25
Operator : YP\AJ
Sample : P4385-12
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
SP-6

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 14 01:34:53 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP100824.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 09 05:48:32 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.754 min
Delta R.T.: -0.001 min
Response: 19845261
Conc: 21.44 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#1 Tetrachloro-m-xylene

R.T.: 4.051 min
Delta R.T.: -0.001 min
Response: 21656771
Conc: 21.43 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.664 min
Delta R.T.: -0.005 min
Response: 24650379
Conc: 21.41 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.214 min
Delta R.T.: -0.005 min
Response: 22832082
Conc: 20.36 ng/ml



#3 AR-1016-1


R.T.: 0.000 min
Exp R.T.: 5.919 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SP-6




#3 AR-1016-1

R.T.: 5.202 min
Delta R.T.: 0.042 min
Response: 121894
Conc: 3.48 ng/ml




#4 AR-1016-2

R.T.: 0.000 min
Exp R.T.: 5.942 min
Response: 0
Conc: N.D.



#4 AR-1016-2


R.T.: 5.202 min
Delta R.T.: 0.022 min
Response: 121894
Conc: 2.53 ng/ml



#5 AR-1016-3


R.T.: 6.058 min
Delta R.T.: 0.053 min
Response: 138561
Conc: 4.40 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#5 AR-1016-3

R.T.: 5.350 min
Delta R.T.: -0.011 min
Response: 220341
Conc: 8.18 ng/ml




#6 AR-1016-4

R.T.: 6.058 min
Delta R.T.: -0.045 min
Response: 138561
Conc: 5.38 ng/ml



#6 AR-1016-4


R.T.: 5.406 min
Delta R.T.: 0.005 min
Response: 109146
Conc: 4.53 ng/ml



#7 AR-1016-5


R.T.: 0.000 min
Exp R.T.: 6.398 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SP-6




#7 AR-1016-5

R.T.: 5.615 min
Delta R.T.: -0.005 min
Response: 294778
Conc: 9.69 ng/ml




#8 AR-1221-1

R.T.: 4.957 min
Delta R.T.: 0.002 min
Response: 707833
Conc: 55.26 ng/ml



#8 AR-1221-1


R.T.: 4.309 min
Delta R.T.: 0.043 min
Response: 254216
Conc: 19.30 ng/ml



#9 AR-1221-2


R.T.: 5.061 min
Delta R.T.: 0.020 min
Response: 295185
Conc: 31.20 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#9 AR-1221-2

R.T.: 4.358 min
Delta R.T.: 0.003 min
Response: 457816
Conc: 45.96 ng/ml




#10 AR-1221-3

R.T.: 5.061 min
Delta R.T.: -0.058 min
Response: 295185
Conc: 10.21 ng/ml



#10 AR-1221-3


R.T.: 4.428 min
Delta R.T.: -0.005 min
Response: 64695
Conc: 2.08 ng/ml



#11 AR-1232-1


R.T.: 5.061 min
Delta R.T.: -0.057 min
Response: 295185
Conc: 12.91 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#11 AR-1232-1

R.T.: 4.428 min
Delta R.T.: -0.006 min
Response: 64695
Conc: 2.66 ng/ml




#12 AR-1232-2

R.T.: 5.611 min
Delta R.T.: -0.041 min
Response: 696371
Conc: 59.10 ng/ml



#12 AR-1232-2


R.T.: 5.202 min
Delta R.T.: 0.021 min
Response: 121894
Conc: 5.45 ng/ml



#13 AR-1232-3


R.T.: 0.000 min
Exp R.T.: 5.940 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SP-6




#13 AR-1232-3

R.T.: 5.350 min
Delta R.T.: -0.011 min
Response: 220341
Conc: 18.45 ng/ml




#14 AR-1232-4

R.T.: 6.058 min
Delta R.T.: -0.043 min
Response: 138561
Conc: 12.28 ng/ml



#14 AR-1232-4


R.T.: 5.406 min
Delta R.T.: -0.039 min
Response: 109146
Conc: 9.47 ng/ml



#15 AR-1232-5


R.T.: 0.000 min
Exp R.T.: 6.191 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SP-6




#15 AR-1232-5

R.T.: 5.615 min
Delta R.T.: -0.005 min
Response: 294778
Conc: 21.92 ng/ml




#16 AR-1242-1

R.T.: 0.000 min
Exp R.T.: 5.916 min
Response: 0
Conc: N.D.



#16 AR-1242-1


R.T.: 5.202 min
Delta R.T.: 0.042 min
Response: 121894
Conc: 4.19 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T.: 5.939 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SP-6




#17 AR-1242-2

R.T.: 5.202 min
Delta R.T.: 0.021 min
Response: 121894
Conc: 3.04 ng/ml




#18 AR-1242-3

R.T.: 6.058 min
Delta R.T.: 0.056 min
Response: 138561
Conc: 5.14 ng/ml



#18 AR-1242-3


R.T.: 5.350 min
Delta R.T.: -0.011 min
Response: 220341
Conc: 9.80 ng/ml



#19 AR-1242-4


R.T.: 6.058 min
Delta R.T.: -0.043 min
Response: 138561
Conc: 6.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#19 AR-1242-4

R.T.: 5.406 min
Delta R.T.: -0.039 min
Response: 109146
Conc: 4.60 ng/ml




#20 AR-1242-5

R.T.: 6.818 min
Delta R.T.: -0.018 min
Response: 446587
Conc: 18.51 ng/ml



#20 AR-1242-5


R.T.: 5.995 min
Delta R.T.: 0.021 min
Response: 300264
Conc: 10.48 ng/ml



#21 AR-1248-1


R.T.: 0.000 min
Exp R.T.: 5.917 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SP-6




#21 AR-1248-1

R.T.: 5.202 min
Delta R.T.: 0.043 min
Response: 121894
Conc: 5.38 ng/ml




#22 AR-1248-2

R.T.: 0.000 min
Exp R.T.: 6.191 min
Response: 0
Conc: N.D.



#22 AR-1248-2


R.T.: 5.406 min
Delta R.T.: 0.006 min
Response: 109146
Conc: 3.30 ng/ml



#23 AR-1248-3


R.T.: 0.000 min
Exp R.T.: 6.396 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SP-6




#23 AR-1248-3

R.T.: 5.406 min
Delta R.T.: -0.038 min
Response: 109146
Conc: 3.17 ng/ml




#24 AR-1248-4

R.T.: 6.774 min
Delta R.T.: -0.022 min
Response: 458359
Conc: 11.33 ng/ml



#24 AR-1248-4


R.T.: 5.615 min
Delta R.T.: -0.003 min
Response: 294778
Conc: 7.20 ng/ml



#25 AR-1248-5


R.T.: 6.818 min
Delta R.T.: -0.018 min
Response: 446587
Conc: 11.26 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#25 AR-1248-5

R.T.: 5.995 min
Delta R.T.: -0.021 min
Response: 300264
Conc: 8.02 ng/ml




#26 AR-1254-1

R.T.: 6.774 min
Delta R.T.: 0.002 min
Response: 458359
Conc: 10.24 ng/ml



#26 AR-1254-1


R.T.: 5.995 min
Delta R.T.: 0.020 min
Response: 300264
Conc: 5.08 ng/ml



#27 AR-1254-2


R.T.: 6.987 min
Delta R.T.: -0.003 min
Response: 21151395
Conc: 320.00 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#27 AR-1254-2

R.T.: 6.143 min
Delta R.T.: 0.021 min
Response: 532481
Conc: 10.15 ng/ml




#28 AR-1254-3

R.T.: 7.362 min
Delta R.T.: 0.008 min
Response: 1768977
Conc: 25.47 ng/ml



#28 AR-1254-3


R.T.: 6.546 min
Delta R.T.: 0.013 min
Response: 1223470
Conc: 14.70 ng/ml



#29 AR-1254-4


R.T.: 7.630 min
Delta R.T.: -0.007 min
Response: 584597
Conc: 11.71 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#29 AR-1254-4

R.T.: 6.763 min
Delta R.T.: 0.003 min
Response: 47488
Conc: 0.98 ng/ml




#30 AR-1254-5

R.T.: 8.071 min
Delta R.T.: 0.016 min
Response: 24277636
Conc: 409.45 ng/ml



#30 AR-1254-5


R.T.: 7.177 min
Delta R.T.: -0.004 min
Response: 25450459
Conc: 346.02 ng/ml



#31 AR-1260-1


R.T.: 0.000 min
Exp R.T.: 7.522 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SP-6




#31 AR-1260-1

R.T.: 6.663 min
Delta R.T.: 0.000 min
Response: 220990
Conc: 3.88 ng/ml




#32 AR-1260-2

R.T.: 7.755 min
Delta R.T.: -0.020 min
Response: 12913969
Conc: 204.11 ng/ml



#32 AR-1260-2


R.T.: 6.854 min
Delta R.T.: 0.004 min
Response: 472437
Conc: 7.08 ng/ml



#33 AR-1260-3


R.T.: 8.071 min
Delta R.T.: -0.066 min
Response: 24277636
Conc: 468.24 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#33 AR-1260-3

R.T.: 7.007 min
Delta R.T.: 0.000 min
Response: 115253
Conc: 1.81 ng/ml




#34 AR-1260-4

R.T.: 8.332 min
Delta R.T.: -0.043 min
Response: 755400
Conc: 12.55 ng/ml



#34 AR-1260-4


R.T.: 7.481 min
Delta R.T.: -0.002 min
Response: 135531
Conc: 2.45 ng/ml



#35 AR-1260-5


R.T.: 8.710 min
Delta R.T.: -0.002 min
Response: 209576
Conc: 1.95 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#35 AR-1260-5

R.T.: 7.717 min
Delta R.T.: -0.004 min
Response: 426125
Conc: 3.48 ng/ml




#36 AR-1262-1

R.T.: 8.332 min
Delta R.T.: -0.040 min
Response: 755400
Conc: 10.53 ng/ml



#36 AR-1262-1


R.T.: 7.177 min
Delta R.T.: -0.042 min
Response: 25450459
Conc: 323.49 ng/ml



#37 AR-1262-2


R.T.: 8.710 min
Delta R.T.: 0.000 min
Response: 209576
Conc: 1.72 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#37 AR-1262-2

R.T.: 7.481 min
Delta R.T.: 0.000 min
Response: 135531
Conc: 1.91 ng/ml




#38 AR-1262-3

R.T.: 9.060 min
Delta R.T.: 0.012 min
Response: 94197
Conc: 1.06 ng/ml



#38 AR-1262-3


R.T.: 8.012 min
Delta R.T.: 0.005 min
Response: 59954
Conc: 1.05 ng/ml



#39 AR-1262-4


R.T.: 9.130 min
Delta R.T.: -0.010 min
Response: 236365
Conc: 3.38 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#39 AR-1262-4

R.T.: 8.072 min
Delta R.T.: 0.001 min
Response: 94378
Conc: 0.94 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 9.842 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 8.592 min
Delta R.T.: -0.006 min
Response: 128121
Conc: 2.56 ng/ml



#41 AR-1268-1


R.T.: 9.060 min
Delta R.T.: 0.017 min
Response: 94197
Conc: 0.62 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6




#41 AR-1268-1

R.T.: 8.012 min
Delta R.T.: 0.005 min
Response: 59954
Conc: 0.38 ng/ml




#42 AR-1268-2

R.T.: 9.130 min
Delta R.T.: -0.015 min
Response: 236365
Conc: 1.73 ng/ml



#42 AR-1268-2


R.T.: 8.072 min
Delta R.T.: -0.001 min
Response: 94378
Conc: 0.66 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 9.395 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
SP-6




#43 AR-1268-3

R.T.: 8.290 min
Delta R.T.: -0.002 min
Response: 149315
Conc: 1.17 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T.: 9.843 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 8.592 min
Delta R.T.: -0.007 min
Response: 128121
Conc: 2.27 ng/ml



#45 AR-1268-5

R.T.: 10.297 min
Delta R.T.: 0.003 min
Response: 100899
Conc: 0.27 ng/ml

Instrument :
ECD_P
ClientSampleId :
SP-6



#45 AR-1268-5

R.T.: 8.924 min
Delta R.T.: -0.001 min
Response: 309012
Conc: 0.82 ng/ml