Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP101321\
Data File : PP040044.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 13 Oct 2021 21:06
Operator : AJ\MA
Sample : AR1660CCC500
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument : ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 14 02:32:51 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP101221.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 13 08:03:59 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
	System Monitoring Compounds							
1)	SA Tetrachlo...	4.893	3.983	1717761	917972	56.564	54.299	
2)	SA Decachlor...	10.911	9.311	1330551	1146993	53.832	54.045	
	Target Compounds							
3)	L1 AR-1016-1	6.216	5.246	563761	355232	570.948	544.334	
4)	L1 AR-1016-2	6.240	5.266	828969	494675	580.107	541.081	
5)	L1 AR-1016-3	6.306	5.460	514825	275071	590.755	543.706	
6)	L1 AR-1016-4	6.413	5.511	420130	222564	590.451	543.565	
7)	L1 AR-1016-5	6.729	5.742	381211	252754	596.017	504.839	
8)	L2 AR-1221-1	5.136	4.242	56613	34676	162.560	169.445	
9)	L2 AR-1221-2	5.244	4.342	64062	52369	287.541	311.334	
10)	L2 AR-1221-3	5.330	4.432	324528	205469	402.549	379.416	
11)	L3 AR-1232-1	5.330	4.432	324528	205469	521.543	505.883	
12)	L3 AR-1232-2	5.920	5.266	437126	494675	1273.608	1265.362	
13)	L3 AR-1232-3	6.240	5.460	828969	275071	1311.474	1327.975	
14)	L3 AR-1232-4	6.413	5.556	420130	277222	1339.562	1465.149	
15)	L3 AR-1232-5	6.511	5.742	320213	252754	1365.566	1224.222	
16)	L4 AR-1242-1	6.216	5.246	563761	355232	717.999	713.920	
17)	L4 AR-1242-2	6.240	5.266	828969	494675	730.824	724.269	
18)	L4 AR-1242-3	6.306	5.460	514825	275071	740.745	729.063	
19)	L4 AR-1242-4	6.413	5.556	420130	277222	729.149	748.385	
20)	L4 AR-1242-5	7.198	6.123	52552	219764	100.481	460.756	#
21)	L5 AR-1248-1	6.216	5.246	563761	355232	913.862	911.140	
22)	L5 AR-1248-2	6.511	5.511	320213	222564	400.008	414.074	
23)	L5 AR-1248-3	6.729	5.556	381211	277222	425.149	490.407	
24)	L5 AR-1248-4	7.158	5.742	67379	252754	73.219	395.508	#
25)	L5 AR-1248-5	7.198	6.166	52552	34837	59.408	55.843	
26)	L6 AR-1254-1	7.127	6.123	264792	219764	285.399	229.392	
27)	L6 AR-1254-2	7.357	6.283	258312	211206	186.592	239.300	#
28)	L6 AR-1254-3	7.740	6.724f	158982	382441	111.592	280.512	#
29)	L6 AR-1254-4	8.036	6.946	125085	47144	118.208	54.964	#
30)	L6 AR-1254-5	8.466	7.376	829855	740270	709.982	573.493	
31)	L7 AR-1260-1	7.907	6.843	611907	534951	560.154	534.076	
32)	L7 AR-1260-2	8.173	7.041	693678	647395	507.532	546.737	
33)	L7 AR-1260-3	8.539	7.197	484224	608873	531.385	515.336	
34)	L7 AR-1260-4	8.771	7.682	570022	486014	540.046	552.968	
35)	L7 AR-1260-5	9.094	7.930	1120136	1109423	540.904	542.849	
36)	L8 AR-1262-1	8.539	7.376	484224	740270	355.091	1053.807	#
37)	L8 AR-1262-2	9.094	7.930	1120136	1109423	451.690	492.985	
38)	L8 AR-1262-3	9.426f	8.218	755796	251264	657.159	258.001	#
39)	L8 AR-1262-4	9.479f	8.281	452623	836927	553.948	472.090	
40)	L8 AR-1262-5	10.162	8.780	319199	303168	335.961	334.782	
41)	L9 AR-1268-1	9.426f	8.218	755796	251264	255.937	93.120	#

Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP101321\
Data File : PP040044.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 13 Oct 2021 21:06
Operator : AJ\MA
Sample : AR1660CCC500
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument : ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 14 02:32:51 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP101221.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 13 08:03:59 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.479f	8.281	452623	836927	160.314	334.273 #
43) L9	AR-1268-3	0.000	8.492	0	12374	N.D.	5.651 #
44) L9	AR-1268-4	10.162	8.780	319199	303168	309.716	305.727
45) L9	AR-1268-5	10.578	9.063	143245	100979	16.654	14.164

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP101321\
Data File : PP040044.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 13 Oct 2021 21:06
Operator : AJ\MA
Sample : AR1660CCC500
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 14 02:32:51 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP101221.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 13 08:03:59 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm







#1 Tetrachloro-m-xylene

R.T.: 4.893 min
Delta R.T.: 0.000 min
Response: 1717761
Conc: 56.56 ng/ml

Instrument :
ECD_P
ClientSampleId :



#1 Tetrachloro-m-xylene

R.T.: 3.983 min
Delta R.T.: 0.000 min
Response: 917972
Conc: 54.30 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.911 min
Delta R.T.: 0.000 min
Response: 1330551
Conc: 53.83 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.311 min
Delta R.T.: -0.002 min
Response: 1146993
Conc: 54.05 ng/ml



#3 AR-1016-1

R.T.: 6.216 min
Delta R.T.: 0.000 min
Response: 563761
Conc: 570.95 ng/ml

Instrument :
ECD_P
ClientSampleId :



#3 AR-1016-1

R.T.: 5.246 min
Delta R.T.: 0.000 min
Response: 355232
Conc: 544.33 ng/ml



#4 AR-1016-2

R.T.: 6.240 min
Delta R.T.: 0.000 min
Response: 828969
Conc: 580.11 ng/ml



#4 AR-1016-2

R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 494675
Conc: 541.08 ng/ml



#5 AR-1016-3

R.T.: 6.306 min
Delta R.T.: -0.001 min
Response: 514825
Conc: 590.76 ng/ml

Instrument :
ECD_P
ClientSampleId :



#5 AR-1016-3

R.T.: 5.460 min
Delta R.T.: 0.000 min
Response: 275071
Conc: 543.71 ng/ml



#6 AR-1016-4

R.T.: 6.413 min
Delta R.T.: 0.000 min
Response: 420130
Conc: 590.45 ng/ml



#6 AR-1016-4

R.T.: 5.511 min
Delta R.T.: 0.000 min
Response: 222564
Conc: 543.57 ng/ml



#7 AR-1016-5

R.T.: 6.729 min
Delta R.T.: -0.001 min
Response: 381211
Conc: 596.02 ng/ml

Instrument :
ECD_P
ClientSampleId :



#7 AR-1016-5

R.T.: 5.742 min
Delta R.T.: 0.000 min
Response: 252754
Conc: 504.84 ng/ml



#8 AR-1221-1

R.T.: 5.136 min
Delta R.T.: -0.009 min
Response: 56613
Conc: 162.56 ng/ml



#8 AR-1221-1

R.T.: 4.242 min
Delta R.T.: -0.002 min
Response: 34676
Conc: 169.44 ng/ml



#9 AR-1221-2

R.T.: 5.244 min
Delta R.T.: 0.000 min
Response: 64062
Conc: 287.54 ng/ml

Instrument :
ECD_P
ClientSampleId :



#9 AR-1221-2

R.T.: 4.342 min
Delta R.T.: 0.000 min
Response: 52369
Conc: 311.33 ng/ml



#10 AR-1221-3

R.T.: 5.330 min
Delta R.T.: 0.000 min
Response: 324528
Conc: 402.55 ng/ml



#10 AR-1221-3

R.T.: 4.432 min
Delta R.T.: 0.000 min
Response: 205469
Conc: 379.42 ng/ml



#11 AR-1232-1

R.T.: 5.330 min
Delta R.T.: 0.000 min
Response: 324528
Conc: 521.54 ng/ml

Instrument :
ECD_P
ClientSampleId :



#11 AR-1232-1

R.T.: 4.432 min
Delta R.T.: 0.000 min
Response: 205469
Conc: 505.88 ng/ml



#12 AR-1232-2

R.T.: 5.920 min
Delta R.T.: 0.000 min
Response: 437126
Conc: 1273.61 ng/ml



#12 AR-1232-2

R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 494675
Conc: 1265.36 ng/ml



#13 AR-1232-3

R.T.: 6.240 min
Delta R.T.: 0.000 min
Response: 828969
Conc: 1311.47 ng/ml

Instrument :
ECD_P
ClientSampleId :



#13 AR-1232-3

R.T.: 5.460 min
Delta R.T.: 0.000 min
Response: 275071
Conc: 1327.97 ng/ml



#14 AR-1232-4

R.T.: 6.413 min
Delta R.T.: -0.001 min
Response: 420130
Conc: 1339.56 ng/ml



#14 AR-1232-4

R.T.: 5.556 min
Delta R.T.: 0.000 min
Response: 277222
Conc: 1465.15 ng/ml



#15 AR-1232-5

R.T.: 6.511 min
Delta R.T.: 0.000 min
Response: 320213
Conc: 1365.57 ng/ml

Instrument :
ECD_P
ClientSampleId :



#15 AR-1232-5

R.T.: 5.742 min
Delta R.T.: 0.000 min
Response: 252754
Conc: 1224.22 ng/ml



#16 AR-1242-1

R.T.: 6.216 min
Delta R.T.: 0.000 min
Response: 563761
Conc: 718.00 ng/ml



#16 AR-1242-1

R.T.: 5.246 min
Delta R.T.: 0.000 min
Response: 355232
Conc: 713.92 ng/ml



#17 AR-1242-2

R.T.: 6.240 min
Delta R.T.: -0.001 min
Response: 828969
Conc: 730.82 ng/ml

Instrument :
ECD_P
ClientSampleId :



#17 AR-1242-2

R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 494675
Conc: 724.27 ng/ml



#18 AR-1242-3

R.T.: 6.306 min
Delta R.T.: 0.000 min
Response: 514825
Conc: 740.74 ng/ml



#18 AR-1242-3

R.T.: 5.460 min
Delta R.T.: 0.000 min
Response: 275071
Conc: 729.06 ng/ml



#19 AR-1242-4

R.T.: 6.413 min
Delta R.T.: 0.000 min
Response: 420130
Conc: 729.15 ng/ml

Instrument :
ECD_P
ClientSampleId :



#19 AR-1242-4

R.T.: 5.556 min
Delta R.T.: 0.000 min
Response: 277222
Conc: 748.38 ng/ml



#20 AR-1242-5

R.T.: 7.198 min
Delta R.T.: 0.000 min
Response: 52552
Conc: 100.48 ng/ml



#20 AR-1242-5

R.T.: 6.123 min
Delta R.T.: 0.000 min
Response: 219764
Conc: 460.76 ng/ml



#21 AR-1248-1

R.T.: 6.216 min
Delta R.T.: 0.000 min
Response: 563761
Conc: 913.86 ng/ml

Instrument :
ECD_P
ClientSampleId :



#21 AR-1248-1

R.T.: 5.246 min
Delta R.T.: 0.000 min
Response: 355232
Conc: 911.14 ng/ml



#22 AR-1248-2

R.T.: 6.511 min
Delta R.T.: 0.000 min
Response: 320213
Conc: 400.01 ng/ml



#22 AR-1248-2

R.T.: 5.511 min
Delta R.T.: 0.000 min
Response: 222564
Conc: 414.07 ng/ml



#23 AR-1248-3

R.T.: 6.729 min
Delta R.T.: 0.000 min
Response: 381211
Conc: 425.15 ng/ml

Instrument :
ECD_P
ClientSampleId :



#23 AR-1248-3

R.T.: 5.556 min
Delta R.T.: 0.000 min
Response: 277222
Conc: 490.41 ng/ml



#24 AR-1248-4

R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 67379
Conc: 73.22 ng/ml



#24 AR-1248-4

R.T.: 5.742 min
Delta R.T.: 0.000 min
Response: 252754
Conc: 395.51 ng/ml



#25 AR-1248-5

R.T.: 7.198 min
Delta R.T.: 0.000 min
Response: 52552
Conc: 59.41 ng/ml

Instrument :
ECD_P
ClientSampleId :



#25 AR-1248-5

R.T.: 6.166 min
Delta R.T.: 0.000 min
Response: 34837
Conc: 55.84 ng/ml



#26 AR-1254-1

R.T.: 7.127 min
Delta R.T.: 0.000 min
Response: 264792
Conc: 285.40 ng/ml



#26 AR-1254-1

R.T.: 6.123 min
Delta R.T.: 0.000 min
Response: 219764
Conc: 229.39 ng/ml



#27 AR-1254-2

R.T.: 7.357 min
Delta R.T.: 0.000 min
Response: 258312
Conc: 186.59 ng/ml

Instrument :
ECD_P
ClientSampleId :



#27 AR-1254-2

R.T.: 6.283 min
Delta R.T.: 0.000 min
Response: 211206
Conc: 239.30 ng/ml



#28 AR-1254-3

R.T.: 7.740 min
Delta R.T.: 0.000 min
Response: 158982
Conc: 111.59 ng/ml



#28 AR-1254-3

R.T.: 6.724 min
Delta R.T.: 0.018 min
Response: 382441
Conc: 280.51 ng/ml



#29 AR-1254-4

R.T.: 8.036 min
Delta R.T.: -0.002 min
Response: 125085
Conc: 118.21 ng/ml

Instrument :
ECD_P
ClientSampleId :



#29 AR-1254-4

R.T.: 6.946 min
Delta R.T.: 0.000 min
Response: 47144
Conc: 54.96 ng/ml



#30 AR-1254-5

R.T.: 8.466 min
Delta R.T.: -0.001 min
Response: 829855
Conc: 709.98 ng/ml



#30 AR-1254-5

R.T.: 7.376 min
Delta R.T.: 0.000 min
Response: 740270
Conc: 573.49 ng/ml



#31 AR-1260-1

R.T.: 7.907 min
Delta R.T.: -0.002 min
Response: 611907
Conc: 560.15 ng/ml

Instrument :
ECD_P
ClientSampleId :



#31 AR-1260-1

R.T.: 6.843 min
Delta R.T.: -0.001 min
Response: 534951
Conc: 534.08 ng/ml



#32 AR-1260-2

R.T.: 8.173 min
Delta R.T.: -0.002 min
Response: 693678
Conc: 507.53 ng/ml



#32 AR-1260-2

R.T.: 7.041 min
Delta R.T.: -0.001 min
Response: 647395
Conc: 546.74 ng/ml



#33 AR-1260-3

R.T.: 8.539 min
Delta R.T.: 0.000 min
Response: 484224
Conc: 531.39 ng/ml

Instrument :
ECD_P
ClientSampleId :



#33 AR-1260-3

R.T.: 7.197 min
Delta R.T.: -0.001 min
Response: 608873
Conc: 515.34 ng/ml



#34 AR-1260-4

R.T.: 8.771 min
Delta R.T.: -0.001 min
Response: 570022
Conc: 540.05 ng/ml



#34 AR-1260-4

R.T.: 7.682 min
Delta R.T.: -0.001 min
Response: 486014
Conc: 552.97 ng/ml



#35 AR-1260-5

R.T.: 9.094 min
Delta R.T.: -0.002 min
Response: 1120136
Conc: 540.90 ng/ml

Instrument :
ECD_P
ClientSampleId :



#35 AR-1260-5

R.T.: 7.930 min
Delta R.T.: 0.000 min
Response: 1109423
Conc: 542.85 ng/ml



#36 AR-1262-1

R.T.: 8.539 min
Delta R.T.: 0.000 min
Response: 484224
Conc: 355.09 ng/ml



#36 AR-1262-1

R.T.: 7.376 min
Delta R.T.: 0.000 min
Response: 740270
Conc: 1053.81 ng/ml



#37 AR-1262-2

R.T.: 9.094 min
Delta R.T.: -0.001 min
Response: 1120136
Conc: 451.69 ng/ml

Instrument :
ECD_P
ClientSampleId :



#37 AR-1262-2

R.T.: 7.930 min
Delta R.T.: 0.000 min
Response: 1109423
Conc: 492.98 ng/ml



#38 AR-1262-3

R.T.: 9.426 min
Delta R.T.: 0.021 min
Response: 755796
Conc: 657.16 ng/ml



#38 AR-1262-3

R.T.: 8.218 min
Delta R.T.: 0.000 min
Response: 251264
Conc: 258.00 ng/ml



#39 AR-1262-4

R.T.: 9.479 min
Delta R.T.: -0.019 min
Response: 452623
Conc: 553.95 ng/ml

Instrument :
ECD_P
ClientSampleId :



#39 AR-1262-4

R.T.: 8.281 min
Delta R.T.: 0.000 min
Response: 836927
Conc: 472.09 ng/ml



#40 AR-1262-5

R.T.: 10.162 min
Delta R.T.: -0.001 min
Response: 319199
Conc: 335.96 ng/ml



#40 AR-1262-5

R.T.: 8.780 min
Delta R.T.: 0.000 min
Response: 303168
Conc: 334.78 ng/ml



#41 AR-1268-1

R.T.: 9.426 min
Delta R.T.: 0.023 min
Response: 755796
Conc: 255.94 ng/ml

Instrument :
ECD_P
ClientSampleId :



#41 AR-1268-1

R.T.: 8.218 min
Delta R.T.: 0.000 min
Response: 251264
Conc: 93.12 ng/ml



#42 AR-1268-2

R.T.: 9.479 min
Delta R.T.: -0.022 min
Response: 452623
Conc: 160.31 ng/ml



#42 AR-1268-2

R.T.: 8.281 min
Delta R.T.: -0.002 min
Response: 836927
Conc: 334.27 ng/ml



#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 9.725 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :



#43 AR-1268-3

R.T.: 8.492 min
Delta R.T.: 0.000 min
Response: 12374
Conc: 5.65 ng/ml



#44 AR-1268-4

R.T.: 10.162 min
Delta R.T.: 0.000 min
Response: 319199
Conc: 309.72 ng/ml



#44 AR-1268-4

R.T.: 8.780 min
Delta R.T.: 0.000 min
Response: 303168
Conc: 305.73 ng/ml



#45 AR-1268-5

R.T.: 10.578 min
Delta R.T.: 0.001 min
Response: 143245
Conc: 16.65 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 9.063 min
Delta R.T.: 0.000 min
Response: 100979
Conc: 14.16 ng/ml