

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP101724\
 Data File : PP067985.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Oct 2024 12:40
 Operator : YP\AJ
 Sample : P4419-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 17 22:51:19 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP100824.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 09 05:48:32 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.753	4.049	12268199	13288448	13.254	13.152
2)	SA Decachlor...	10.662	9.209	11432969	10122250	9.930	9.026
Target Compounds							
3)	L1 AR-1016-1	0.000	5.130	0	466782	N.D.	13.341 #
4)	L1 AR-1016-2	0.000	5.206	0	311800	N.D.	6.473 #
5)	L1 AR-1016-3	6.056f	5.350	52872	218338	1.678	8.105 #
6)	L1 AR-1016-4	6.056f	5.396	52872	298788	2.054	12.406 #
7)	L1 AR-1016-5	0.000	5.616	0	57904	N.D.	1.904 #
8)	L2 AR-1221-1	4.947	4.246	100960	94896	7.881	7.205
9)	L2 AR-1221-2	5.061	4.355	396292	346288	41.889	34.764
10)	L2 AR-1221-3	5.089	4.471f	223674	178805	7.737	5.744 #
11)	L3 AR-1232-1	5.089	4.471f	223674	178805	9.785	7.348
12)	L3 AR-1232-2	5.611f	5.206	555989	311800	47.186	13.941 #
13)	L3 AR-1232-3	0.000	5.350	0	218338	N.D.	18.280 #
14)	L3 AR-1232-4	6.056f	5.457	52872	115413	4.684	10.009 #
16)	L4 AR-1242-1	5.847f	5.130	438501	466782	15.696	16.054
17)	L4 AR-1242-2	0.000	5.206	0	311800	N.D.	7.766 #
18)	L4 AR-1242-3	6.056f	5.350	52872	218338	1.961	9.706 #
19)	L4 AR-1242-4	6.056f	5.457	52872	115413	2.465	4.862 #
20)	L4 AR-1242-5	0.000	5.941	0	553306	N.D.	19.313 #
21)	L5 AR-1248-1	5.847f	5.130	438501	466782	20.469	20.596
22)	L5 AR-1248-2	6.254f	5.396	-62415	298788	N.D.	9.028 #
23)	L5 AR-1248-3	0.000	5.457	0	115413	N.D.	3.348 #
24)	L5 AR-1248-4	0.000	5.616	0	57904	N.D.	1.414 #
25)	L5 AR-1248-5	0.000	6.057f	0	305298	N.D.	8.154 #
26)	L6 AR-1254-1	0.000	5.941	0	553306	N.D.	9.365 #
27)	L6 AR-1254-2	6.983	6.123	1767089	338762	26.734	6.457 #
28)	L6 AR-1254-3	7.356	6.528	276378	567684	3.979	6.822 #
29)	L6 AR-1254-4	7.631	6.723f	383955	87556	7.694	1.814 #
30)	L6 AR-1254-5	8.050	7.178	325368	125123	5.487	1.701 #
31)	L7 AR-1260-1	7.512	6.684	470537	419997	8.710	7.373
32)	L7 AR-1260-2	7.772	6.850	123968	471911	1.959	7.075 #
33)	L7 AR-1260-3	0.000	7.066f	0	1416626	N.D.	22.239 #
34)	L7 AR-1260-4	8.377	7.440f	222140	190995	3.690	3.454
35)	L7 AR-1260-5	8.733	7.716	155860	185512	1.447	1.517
36)	L8 AR-1262-1	8.377	7.178f	222140	125123	3.095	1.590 #
37)	L8 AR-1262-2	8.733	7.440f	155860	190995	1.282	2.692 #
38)	L8 AR-1262-3	9.074	0.000	173144	0	1.956	N.D. #
39)	L8 AR-1262-4	9.122	0.000	352354	0	5.038	N.D. #
40)	L8 AR-1262-5	9.778f	8.600	214399	342496	4.582	6.847 #
41)	L9 AR-1268-1	9.074	0.000	173144	0	1.134	N.D. #
42)	L9 AR-1268-2	9.122	0.000	352354	0	2.580	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP101724\
Data File : PP067985.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Oct 2024 12:40
Operator : YP\AJ
Sample : P4419-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 17 22:51:19 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP100824.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 09 05:48:32 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43)	L9 AR-1268-3	0.000	8.345f	0	250458	N.D.	1.964 #
44)	L9 AR-1268-4	9.778f	8.600	214399	342496	4.219	6.064 #
45)	L9 AR-1268-5	10.344f	8.933	92576	513997	0.248	1.360 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP101724\
Data File : PP067985.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Oct 2024 12:40
Operator : YP\AJ
Sample : P4419-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 17 22:51:19 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP100824.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 09 05:48:32 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.753 min
Delta R.T.: -0.002 min
Response: 12268199
Conc: 13.25 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.049 min
Delta R.T.: -0.003 min
Response: 13288448
Conc: 13.15 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.662 min
Delta R.T.: -0.007 min
Response: 11432969
Conc: 9.93 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.209 min
Delta R.T.: -0.010 min
Response: 10122250
Conc: 9.03 ng/ml



#3 AR-1016-1


R.T.: 0.000 min
Exp R.T.: 5.919 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.130 min
Delta R.T.: -0.031 min
Response: 466782
Conc: 13.34 ng/ml




#4 AR-1016-2

R.T.: 0.000 min
Exp R.T.: 5.942 min
Response: 0
Conc: N.D.



#4 AR-1016-2


R.T.: 5.206 min
Delta R.T.: 0.025 min
Response: 311800
Conc: 6.47 ng/ml



#5 AR-1016-3


R.T.: 6.056 min
Delta R.T.: 0.051 min
Response: 52872
Conc: 1.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.350 min
Delta R.T.: -0.012 min
Response: 218338
Conc: 8.11 ng/ml




#6 AR-1016-4

R.T.: 6.056 min
Delta R.T.: -0.047 min
Response: 52872
Conc: 2.05 ng/ml



#6 AR-1016-4


R.T.: 5.396 min
Delta R.T.: -0.006 min
Response: 298788
Conc: 12.41 ng/ml



#7 AR-1016-5


R.T.: 0.000 min
Exp R.T.: 6.398 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.616 min
Delta R.T.: -0.004 min
Response: 57904
Conc: 1.90 ng/ml




#8 AR-1221-1

R.T.: 4.947 min
Delta R.T.: -0.008 min
Response: 100960
Conc: 7.88 ng/ml



#8 AR-1221-1


R.T.: 4.246 min
Delta R.T.: -0.021 min
Response: 94896
Conc: 7.21 ng/ml



#9 AR-1221-2


R.T.: 5.061 min
Delta R.T.: 0.019 min
Response: 396292
Conc: 41.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.355 min
Delta R.T.: 0.000 min
Response: 346288
Conc: 34.76 ng/ml




#10 AR-1221-3

R.T.: 5.089 min
Delta R.T.: -0.030 min
Response: 223674
Conc: 7.74 ng/ml



#10 AR-1221-3


R.T.: 4.471 min
Delta R.T.: 0.037 min
Response: 178805
Conc: 5.74 ng/ml



#11 AR-1232-1


R.T.: 5.089 min
Delta R.T.: -0.030 min
Response: 223674
Conc: 9.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.471 min
Delta R.T.: 0.036 min
Response: 178805
Conc: 7.35 ng/ml




#12 AR-1232-2

R.T.: 5.611 min
Delta R.T.: -0.040 min
Response: 555989
Conc: 47.19 ng/ml



#12 AR-1232-2


R.T.: 5.206 min
Delta R.T.: 0.025 min
Response: 311800
Conc: 13.94 ng/ml



#13 AR-1232-3


R.T.: 0.000 min
Exp R.T.: 5.940 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.350 min
Delta R.T.: -0.012 min
Response: 218338
Conc: 18.28 ng/ml




#14 AR-1232-4

R.T.: 6.056 min
Delta R.T.: -0.045 min
Response: 52872
Conc: 4.68 ng/ml



#14 AR-1232-4


R.T.: 5.457 min
Delta R.T.: 0.012 min
Response: 115413
Conc: 10.01 ng/ml



#15 AR-1232-5


R.T.: 6.254 min
Delta R.T.: 0.063 min
Response: -62415
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.616 min
Delta R.T.: -0.004 min
Response: 57904
Conc: 4.31 ng/ml




#16 AR-1242-1

R.T.: 5.847 min
Delta R.T.: -0.069 min
Response: 438501
Conc: 15.70 ng/ml



#16 AR-1242-1


R.T.: 5.130 min
Delta R.T.: -0.031 min
Response: 466782
Conc: 16.05 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T.: 5.939 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.206 min
Delta R.T.: 0.025 min
Response: 311800
Conc: 7.77 ng/ml




#18 AR-1242-3

R.T.: 6.056 min
Delta R.T.: 0.054 min
Response: 52872
Conc: 1.96 ng/ml



#18 AR-1242-3


R.T.: 5.350 min
Delta R.T.: -0.012 min
Response: 218338
Conc: 9.71 ng/ml



#19 AR-1242-4


R.T.: 6.056 min
Delta R.T.: -0.045 min
Response: 52872
Conc: 2.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.457 min
Delta R.T.: 0.012 min
Response: 115413
Conc: 4.86 ng/ml




#20 AR-1242-5

R.T.: 0.000 min
Exp R.T. : 6.835 min
Response: 0
Conc: N.D.



#20 AR-1242-5


R.T.: 5.941 min
Delta R.T.: -0.034 min
Response: 553306
Conc: 19.31 ng/ml



#21 AR-1248-1


R.T.: 5.847 min
Delta R.T.: -0.070 min
Response: 438501
Conc: 20.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.130 min
Delta R.T.: -0.030 min
Response: 466782
Conc: 20.60 ng/ml




#22 AR-1248-2

R.T.: 6.254 min
Delta R.T.: 0.064 min
Response: -62415
Conc: N.D.



#22 AR-1248-2


R.T.: 5.396 min
Delta R.T.: -0.004 min
Response: 298788
Conc: 9.03 ng/ml



#23 AR-1248-3


R.T.: 0.000 min
Exp R.T.: 6.396 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.457 min
Delta R.T.: 0.014 min
Response: 115413
Conc: 3.35 ng/ml




#24 AR-1248-4

R.T.: 0.000 min
Exp R.T.: 6.796 min
Response: 0
Conc: N.D.



#24 AR-1248-4


R.T.: 5.616 min
Delta R.T.: -0.002 min
Response: 57904
Conc: 1.41 ng/ml



#25 AR-1248-5


R.T.: 0.000 min
Exp R.T.: 6.836 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 6.057 min
Delta R.T.: 0.040 min
Response: 305298
Conc: 8.15 ng/ml




#26 AR-1254-1

R.T.: 0.000 min
Exp R.T.: 6.773 min
Response: 0
Conc: N.D.



#26 AR-1254-1


R.T.: 5.941 min
Delta R.T.: -0.034 min
Response: 553306
Conc: 9.36 ng/ml



#27 AR-1254-2


R.T.: 6.983 min
Delta R.T.: -0.007 min
Response: 1767089
Conc: 26.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.123 min
Delta R.T.: 0.000 min
Response: 338762
Conc: 6.46 ng/ml




#28 AR-1254-3

R.T.: 7.356 min
Delta R.T.: 0.002 min
Response: 276378
Conc: 3.98 ng/ml



#28 AR-1254-3


R.T.: 6.528 min
Delta R.T.: -0.004 min
Response: 567684
Conc: 6.82 ng/ml



#29 AR-1254-4


R.T.: 7.631 min
Delta R.T.: -0.006 min
Response: 383955
Conc: 7.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.723 min
Delta R.T.: -0.037 min
Response: 87556
Conc: 1.81 ng/ml




#30 AR-1254-5

R.T.: 8.050 min
Delta R.T.: -0.005 min
Response: 325368
Conc: 5.49 ng/ml



#30 AR-1254-5


R.T.: 7.178 min
Delta R.T.: -0.004 min
Response: 125123
Conc: 1.70 ng/ml



#31 AR-1260-1


R.T.: 7.512 min
Delta R.T.: -0.010 min
Response: 470537
Conc: 8.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.684 min
Delta R.T.: 0.020 min
Response: 419997
Conc: 7.37 ng/ml




#32 AR-1260-2

R.T.: 7.772 min
Delta R.T.: -0.003 min
Response: 123968
Conc: 1.96 ng/ml



#32 AR-1260-2


R.T.: 6.850 min
Delta R.T.: 0.000 min
Response: 471911
Conc: 7.07 ng/ml



#33 AR-1260-3


R.T.: 0.000 min
Exp R.T.: 8.137 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 7.066 min
Delta R.T.: 0.058 min
Response: 1416626
Conc: 22.24 ng/ml




#34 AR-1260-4

R.T.: 8.377 min
Delta R.T.: 0.002 min
Response: 222140
Conc: 3.69 ng/ml



#34 AR-1260-4


R.T.: 7.440 min
Delta R.T.: -0.044 min
Response: 190995
Conc: 3.45 ng/ml



#35 AR-1260-5


R.T.: 8.733 min
Delta R.T.: 0.021 min
Response: 155860
Conc: 1.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.716 min
Delta R.T.: -0.006 min
Response: 185512
Conc: 1.52 ng/ml




#36 AR-1262-1

R.T.: 8.377 min
Delta R.T.: 0.004 min
Response: 222140
Conc: 3.10 ng/ml



#36 AR-1262-1


R.T.: 7.178 min
Delta R.T.: -0.042 min
Response: 125123
Conc: 1.59 ng/ml



#37 AR-1262-2


R.T.: 8.733 min
Delta R.T.: 0.024 min
Response: 155860
Conc: 1.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.440 min
Delta R.T.: -0.042 min
Response: 190995
Conc: 2.69 ng/ml




#38 AR-1262-3

R.T.: 9.074 min
Delta R.T.: 0.026 min
Response: 173144
Conc: 1.96 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T.: 8.007 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 9.122 min
Delta R.T.: -0.018 min
Response: 352354
Conc: 5.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 8.070 min
Response: 0
Conc: N.D.




#40 AR-1262-5

R.T.: 9.778 min
Delta R.T.: -0.064 min
Response: 214399
Conc: 4.58 ng/ml



#40 AR-1262-5


R.T.: 8.600 min
Delta R.T.: 0.002 min
Response: 342496
Conc: 6.85 ng/ml



#41 AR-1268-1


R.T.: 9.074 min
Delta R.T.: 0.031 min
Response: 173144
Conc: 1.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 8.007 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 9.122 min
Delta R.T.: -0.023 min
Response: 352354
Conc: 2.58 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T. : 8.073 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 9.395 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.345 min
Delta R.T.: 0.053 min
Response: 250458
Conc: 1.96 ng/ml




#44 AR-1268-4

R.T.: 9.778 min
Delta R.T.: -0.065 min
Response: 214399
Conc: 4.22 ng/ml



#44 AR-1268-4


R.T.: 8.600 min
Delta R.T.: 0.000 min
Response: 342496
Conc: 6.06 ng/ml



#45 AR-1268-5

R.T.: 10.344 min
Delta R.T.: 0.050 min
Response: 92576
Conc: 0.25 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.933 min
Delta R.T.: 0.008 min
Response: 513997
Conc: 1.36 ng/ml