

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP102821\
 Data File : PP040530.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 28 Oct 2021 21:25
 Operator : AJ\MA
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 29 00:38:05 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP102621.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Oct 28 08:58:45 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.748	3.770	2116664	1203003	51.968	44.159
2)	SA Decachlor...	10.678	9.054	1413301	1274115	46.650	45.414
Target Compounds							
3)	L1 AR-1016-1	6.070	5.022	703942	438666	549.479	444.470
4)	L1 AR-1016-2	6.094	5.041	1068258	634037	534.024	435.410
5)	L1 AR-1016-3	6.159	5.232	681702	357882	542.826	446.765
6)	L1 AR-1016-4	6.266	5.286	563341	292059	569.840	439.961
7)	L1 AR-1016-5	6.581	5.514	562630	329577	580.291	447.287
8)	L2 AR-1221-1	4.991	4.027	91781	46266	189.377	140.126 #
9)	L2 AR-1221-2	5.098	4.127	103939	69069	306.216	264.834
10)	L2 AR-1221-3	5.185	4.215	419191	282518	390.192	332.209
11)	L3 AR-1232-1	5.185	4.215	419191	282518	472.693	400.051
12)	L3 AR-1232-2	5.772	5.041	524854	634037	1184.598	1060.111
13)	L3 AR-1232-3	6.094	5.232	1068258	357882	1296.626	1151.927
14)	L3 AR-1232-4	6.266	5.330	563341	347533	1430.851	1356.270
15)	L3 AR-1232-5	6.364	5.514	441659	329577	1660.713	1225.384 #
16)	L4 AR-1242-1	6.070	5.022	703942	438666	727.433	604.270
17)	L4 AR-1242-2	6.094	5.041	1068258	634037	711.001	597.564
18)	L4 AR-1242-3	6.159	5.232	681702	357882	722.778	615.382
19)	L4 AR-1242-4	6.266	5.330	563341	347533	746.934	677.475
20)	L4 AR-1242-5	7.050	5.894	93866	266101	118.551	392.096 #
21)	L5 AR-1248-1	6.070	5.022	703942	438666	942.335	838.380
22)	L5 AR-1248-2	6.364	5.286	441659	292059	426.633	366.460
23)	L5 AR-1248-3	6.581	5.330	562630	347533	437.310	467.911
24)	L5 AR-1248-4	7.010	5.514	111137	329577	75.619	394.402 #
25)	L5 AR-1248-5	7.050	5.936	93866	57600	65.636	58.591
26)	L6 AR-1254-1	6.980	5.894	350779	266101	237.768	188.494
27)	L6 AR-1254-2	7.210	6.054	410545	242152	182.379	194.856
28)	L6 AR-1254-3	7.592	6.493	259926	461179	107.855	242.338 #
29)	L6 AR-1254-4	7.887	6.716	156155	66610	90.917	57.601 #
30)	L6 AR-1254-5	8.317	7.145	1228423	822549	675.280	475.582 #
31)	L7 AR-1260-1	7.760	6.612	896049	622501	574.184	435.444
32)	L7 AR-1260-2	8.026	6.811	1053014	737693	571.379	440.699
33)	L7 AR-1260-3	8.392	6.965	797742	696123	575.218	440.205
34)	L7 AR-1260-4	8.622	7.450	903406	607416	572.169	449.386
35)	L7 AR-1260-5	8.938	7.700	1654522	1372684	561.343	457.192
36)	L8 AR-1262-1	8.392	7.187	797742	656486	377.443	378.750
37)	L8 AR-1262-2	8.938	7.700	1654522	1372684	461.903	456.086
38)	L8 AR-1262-3	9.257	7.987	1097144	349201	625.352	272.596 #
39)	L8 AR-1262-4	9.308f	8.049	716671	1061894	622.588	454.180 #
40)	L8 AR-1262-5	9.964	8.551	497459	416736	375.868	365.635
41)	L9 AR-1268-1	9.257	7.987	1097144	349201	265.687	98.778 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP102821\
 Data File : PP040530.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 28 Oct 2021 21:25
 Operator : AJ\MA
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 29 00:38:05 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP102621.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Oct 28 08:58:45 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.308f	8.049	716671	1061894	182.729	315.098 #
43) L9	AR-1268-3	9.543	8.258	24817	19812	7.588	6.743
44) L9	AR-1268-4	9.964	8.551	497459	416736	355.947	343.231
45) L9	AR-1268-5	10.358	8.824	150275	125729	15.025	13.999



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP102821\
Data File : PP040530.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 28 Oct 2021 21:25
Operator : AJ\MA
Sample : AR1660CCC500
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 29 00:38:05 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP102621.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Oct 28 08:58:45 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.748 min
Delta R.T.: -0.003 min
Response: 2116664
Conc: 51.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.770 min
Delta R.T.: -0.002 min
Response: 1203003
Conc: 44.16 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.678 min
Delta R.T.: -0.014 min
Response: 1413301
Conc: 46.65 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.054 min
Delta R.T.: -0.013 min
Response: 1274115
Conc: 45.41 ng/ml



#3 AR-1016-1


R.T.: 6.070 min
Delta R.T.: -0.004 min
Response: 703942
Conc: 549.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.022 min
Delta R.T.: -0.004 min
Response: 438666
Conc: 444.47 ng/ml




#4 AR-1016-2

R.T.: 6.094 min
Delta R.T.: -0.004 min
Response: 1068258
Conc: 534.02 ng/ml



#4 AR-1016-2


R.T.: 5.041 min
Delta R.T.: -0.004 min
Response: 634037
Conc: 435.41 ng/ml



#5 AR-1016-3


R.T.: 6.159 min
Delta R.T.: -0.004 min
Response: 681702
Conc: 542.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.232 min
Delta R.T.: -0.006 min
Response: 357882
Conc: 446.76 ng/ml




#6 AR-1016-4

R.T.: 6.266 min
Delta R.T.: -0.003 min
Response: 563341
Conc: 569.84 ng/ml



#6 AR-1016-4


R.T.: 5.286 min
Delta R.T.: -0.005 min
Response: 292059
Conc: 439.96 ng/ml



#7 AR-1016-5


R.T.: 6.581 min
Delta R.T.: -0.005 min
Response: 562630
Conc: 580.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.514 min
Delta R.T.: -0.004 min
Response: 329577
Conc: 447.29 ng/ml




#8 AR-1221-1

R.T.: 4.991 min
Delta R.T.: -0.012 min
Response: 91781
Conc: 189.38 ng/ml



#8 AR-1221-1


R.T.: 4.027 min
Delta R.T.: -0.005 min
Response: 46266
Conc: 140.13 ng/ml



#9 AR-1221-2


R.T.: 5.098 min
Delta R.T.: -0.004 min
Response: 103939
Conc: 306.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.127 min
Delta R.T.: -0.004 min
Response: 69069
Conc: 264.83 ng/ml




#10 AR-1221-3

R.T.: 5.185 min
Delta R.T.: -0.004 min
Response: 419191
Conc: 390.19 ng/ml



#10 AR-1221-3


R.T.: 4.215 min
Delta R.T.: -0.004 min
Response: 282518
Conc: 332.21 ng/ml



#11 AR-1232-1


R.T.: 5.185 min
Delta R.T.: -0.004 min
Response: 419191
Conc: 472.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.215 min
Delta R.T.: -0.003 min
Response: 282518
Conc: 400.05 ng/ml




#12 AR-1232-2

R.T.: 5.772 min
Delta R.T.: -0.005 min
Response: 524854
Conc: 1184.60 ng/ml



#12 AR-1232-2


R.T.: 5.041 min
Delta R.T.: -0.004 min
Response: 634037
Conc: 1060.11 ng/ml



#13 AR-1232-3


R.T.: 6.094 min
Delta R.T.: -0.004 min
Response: 1068258
Conc: 1296.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.232 min
Delta R.T.: -0.005 min
Response: 357882
Conc: 1151.93 ng/ml




#14 AR-1232-4

R.T.: 6.266 min
Delta R.T.: -0.004 min
Response: 563341
Conc: 1430.85 ng/ml



#14 AR-1232-4


R.T.: 5.330 min
Delta R.T.: -0.005 min
Response: 347533
Conc: 1356.27 ng/ml



#15 AR-1232-5


R.T.: 6.364 min
Delta R.T.: -0.004 min
Response: 441659
Conc: 1660.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.514 min
Delta R.T.: -0.005 min
Response: 329577
Conc: 1225.38 ng/ml




#16 AR-1242-1

R.T.: 6.070 min
Delta R.T.: -0.005 min
Response: 703942
Conc: 727.43 ng/ml



#16 AR-1242-1


R.T.: 5.022 min
Delta R.T.: -0.005 min
Response: 438666
Conc: 604.27 ng/ml



#17 AR-1242-2


R.T.: 6.094 min
Delta R.T.: -0.005 min
Response: 1068258
Conc: 711.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.041 min
Delta R.T.: -0.005 min
Response: 634037
Conc: 597.56 ng/ml




#18 AR-1242-3

R.T.: 6.159 min
Delta R.T.: -0.005 min
Response: 681702
Conc: 722.78 ng/ml



#18 AR-1242-3


R.T.: 5.232 min
Delta R.T.: -0.006 min
Response: 357882
Conc: 615.38 ng/ml



#19 AR-1242-4


R.T.: 6.266 min
Delta R.T.: -0.005 min
Response: 563341
Conc: 746.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.330 min
Delta R.T.: -0.007 min
Response: 347533
Conc: 677.47 ng/ml




#20 AR-1242-5

R.T.: 7.050 min
Delta R.T.: -0.006 min
Response: 93866
Conc: 118.55 ng/ml



#20 AR-1242-5


R.T.: 5.894 min
Delta R.T.: -0.007 min
Response: 266101
Conc: 392.10 ng/ml



#21 AR-1248-1


R.T.: 6.070 min
Delta R.T.: -0.005 min
Response: 703942
Conc: 942.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.022 min
Delta R.T.: -0.004 min
Response: 438666
Conc: 838.38 ng/ml




#22 AR-1248-2

R.T.: 6.364 min
Delta R.T.: -0.004 min
Response: 441659
Conc: 426.63 ng/ml



#22 AR-1248-2


R.T.: 5.286 min
Delta R.T.: -0.005 min
Response: 292059
Conc: 366.46 ng/ml



#23 AR-1248-3


R.T.: 6.581 min
Delta R.T.: -0.003 min
Response: 562630
Conc: 437.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.330 min
Delta R.T.: -0.007 min
Response: 347533
Conc: 467.91 ng/ml




#24 AR-1248-4

R.T.: 7.010 min
Delta R.T.: -0.005 min
Response: 111137
Conc: 75.62 ng/ml



#24 AR-1248-4


R.T.: 5.514 min
Delta R.T.: -0.004 min
Response: 329577
Conc: 394.40 ng/ml



#25 AR-1248-5


R.T.: 7.050 min
Delta R.T.: -0.005 min
Response: 93866
Conc: 65.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.936 min
Delta R.T.: -0.006 min
Response: 57600
Conc: 58.59 ng/ml




#26 AR-1254-1

R.T.: 6.980 min
Delta R.T.: -0.004 min
Response: 350779
Conc: 237.77 ng/ml



#26 AR-1254-1


R.T.: 5.894 min
Delta R.T.: -0.005 min
Response: 266101
Conc: 188.49 ng/ml



#27 AR-1254-2


R.T.: 7.210 min
Delta R.T.: -0.004 min
Response: 410545
Conc: 182.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.054 min
Delta R.T.: -0.006 min
Response: 242152
Conc: 194.86 ng/ml




#28 AR-1254-3

R.T.: 7.592 min
Delta R.T.: -0.004 min
Response: 259926
Conc: 107.86 ng/ml



#28 AR-1254-3


R.T.: 6.493 min
Delta R.T.: 0.012 min
Response: 461179
Conc: 242.34 ng/ml



#29 AR-1254-4


R.T.: 7.887 min
Delta R.T.: -0.007 min
Response: 156155
Conc: 90.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.716 min
Delta R.T.: -0.007 min
Response: 66610
Conc: 57.60 ng/ml




#30 AR-1254-5

R.T.: 8.317 min
Delta R.T.: -0.005 min
Response: 1228423
Conc: 675.28 ng/ml



#30 AR-1254-5


R.T.: 7.145 min
Delta R.T.: -0.009 min
Response: 822549
Conc: 475.58 ng/ml



#31 AR-1260-1


R.T.: 7.760 min
Delta R.T.: -0.004 min
Response: 896049
Conc: 574.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.612 min
Delta R.T.: -0.007 min
Response: 622501
Conc: 435.44 ng/ml




#32 AR-1260-2

R.T.: 8.026 min
Delta R.T.: -0.007 min
Response: 1053014
Conc: 571.38 ng/ml



#32 AR-1260-2


R.T.: 6.811 min
Delta R.T.: -0.008 min
Response: 737693
Conc: 440.70 ng/ml



#33 AR-1260-3


R.T.: 8.392 min
Delta R.T.: -0.007 min
Response: 797742
Conc: 575.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.965 min
Delta R.T.: -0.007 min
Response: 696123
Conc: 440.21 ng/ml




#34 AR-1260-4

R.T.: 8.622 min
Delta R.T.: -0.007 min
Response: 903406
Conc: 572.17 ng/ml



#34 AR-1260-4


R.T.: 7.450 min
Delta R.T.: -0.009 min
Response: 607416
Conc: 449.39 ng/ml



#35 AR-1260-5


R.T.: 8.938 min
Delta R.T.: -0.008 min
Response: 1654522
Conc: 561.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.700 min
Delta R.T.: -0.010 min
Response: 1372684
Conc: 457.19 ng/ml




#36 AR-1262-1

R.T.: 8.392 min
Delta R.T.: -0.006 min
Response: 797742
Conc: 377.44 ng/ml



#36 AR-1262-1


R.T.: 7.187 min
Delta R.T.: -0.008 min
Response: 656486
Conc: 378.75 ng/ml



#37 AR-1262-2


R.T.: 8.938 min
Delta R.T.: -0.007 min
Response: 1654522
Conc: 461.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.700 min
Delta R.T.: -0.009 min
Response: 1372684
Conc: 456.09 ng/ml




#38 AR-1262-3

R.T.: 9.257 min
Delta R.T.: 0.013 min
Response: 1097144
Conc: 625.35 ng/ml



#38 AR-1262-3


R.T.: 7.987 min
Delta R.T.: -0.009 min
Response: 349201
Conc: 272.60 ng/ml



#39 AR-1262-4


R.T.: 9.308 min
Delta R.T.: -0.026 min
Response: 716671
Conc: 622.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.049 min
Delta R.T.: -0.011 min
Response: 1061894
Conc: 454.18 ng/ml




#40 AR-1262-5

R.T.: 9.964 min
Delta R.T.: -0.011 min
Response: 497459
Conc: 375.87 ng/ml



#40 AR-1262-5


R.T.: 8.551 min
Delta R.T.: -0.011 min
Response: 416736
Conc: 365.63 ng/ml



#41 AR-1268-1


R.T.: 9.257 min
Delta R.T.: 0.014 min
Response: 1097144
Conc: 265.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.987 min
Delta R.T.: -0.009 min
Response: 349201
Conc: 98.78 ng/ml




#42 AR-1268-2

R.T.: 9.308 min
Delta R.T.: -0.028 min
Response: 716671
Conc: 182.73 ng/ml



#42 AR-1268-2


R.T.: 8.049 min
Delta R.T.: -0.012 min
Response: 1061894
Conc: 315.10 ng/ml



#43 AR-1268-3


R.T.: 9.543 min
Delta R.T.: -0.009 min
Response: 24817
Conc: 7.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.258 min
Delta R.T.: -0.010 min
Response: 19812
Conc: 6.74 ng/ml




#44 AR-1268-4

R.T.: 9.964 min
Delta R.T.: -0.010 min
Response: 497459
Conc: 355.95 ng/ml



#44 AR-1268-4


R.T.: 8.551 min
Delta R.T.: -0.010 min
Response: 416736
Conc: 343.23 ng/ml



#45 AR-1268-5

R.T.: 10.358 min
Delta R.T.: -0.011 min
Response: 150275
Conc: 15.02 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.824 min
Delta R.T.: -0.011 min
Response: 125729
Conc: 14.00 ng/ml