

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP110725\
 Data File : PP076386.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Nov 2025 13:54
 Operator : YP\AJ
 Sample : Q3545-01RE 10X
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PCB-110325KC-01 Hard Doorframe Caulk

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 08 02:59:56 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP102125.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Oct 24 15:40:32 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.641	3.775	3776534	12976005	2.643	1.961 #
2)	SA Decachlor...	10.412	8.771	4971422	33106987	4.618	4.026
Target Compounds							
3)	L1 AR-1016-1	0.000	4.884	0	884987	N.D.	1.196 #
4)	L1 AR-1016-2	5.876f	4.931	2921336	2204618	33.030	6.448 #
5)	L1 AR-1016-3	5.876	5.064	2921336	2564629	52.778	12.490 #
6)	L1 AR-1016-4	6.023f	5.086	2423379	1979805	53.331	10.594 #
7)	L1 AR-1016-5	0.000	5.306	0	2971317	N.D.	13.033 #
8)	L2 AR-1221-1	4.841	3.986	3887454	1508530	192.671	16.760 #
9)	L2 AR-1221-2	4.941	4.076	1769288	1895582	117.471	30.004 #
10)	L2 AR-1221-3	4.986	4.146	1064959	1990127	22.699	9.386 #
11)	L3 AR-1232-1	4.986	4.146	1064959	1990127	27.088	11.843 #
12)	L3 AR-1232-2	5.535	4.884	1256030	884987	60.890	2.975 #
13)	L3 AR-1232-3	5.876f	5.064	2921336	2564629	75.605	31.365 #
14)	L3 AR-1232-4	6.023f	5.131	2423379	2598214	120.133	30.588 #
15)	L3 AR-1232-5	6.023f	5.306	2423379	2971317	154.721	29.521 #
16)	L4 AR-1242-1	0.000	4.884	0	884987	N.D.	1.540 #
17)	L4 AR-1242-2	5.876f	4.931	2921336	2204618	41.267	7.944 #
18)	L4 AR-1242-3	5.876	5.064	2921336	2564629	64.006	16.292 #
19)	L4 AR-1242-4	6.023f	5.131	2423379	2598214	66.651	14.036 #
20)	L4 AR-1242-5	6.641f	5.659	4859325	4056749	118.682	17.620 #
21)	L5 AR-1248-1	0.000	4.884	0	884987	N.D.	2.356 #
22)	L5 AR-1248-2	6.023f	5.086	2423379	1979805	49.716	8.051 #
23)	L5 AR-1248-3	0.000	5.131	0	2598214	N.D.	9.056 #
24)	L5 AR-1248-4	6.641	5.306	4859325	2971317	73.222	10.510 #
25)	L5 AR-1248-5	0.000	5.679	0	1319412	N.D.	2.539 #
26)	L6 AR-1254-1	6.641	5.659	4859325	4056749	60.823	7.193 #
27)	L6 AR-1254-2	6.858	5.816	2995367	6566424	29.958	12.388 #
28)	L6 AR-1254-3	7.219	6.210	4685649	6890892	45.074	8.097 #
29)	L6 AR-1254-4	7.505	6.437	3147818	2022531	37.647	3.211 #
30)	L6 AR-1254-5	7.932	6.844	3588169	15862046	39.185	22.034 #
31)	L7 AR-1260-1	7.384	6.330	1616633	3663824	23.512	6.690 #
32)	L7 AR-1260-2	7.640	6.522	3626427	3908403	40.484	4.803 #
33)	L7 AR-1260-3	7.994	6.689	1248362	919877	18.017	1.635 #
34)	L7 AR-1260-4	8.211	7.139	716037	26805169	10.442	51.615 #
35)	L7 AR-1260-5	8.546	7.391	630353	7109372	4.261	5.245
36)	L8 AR-1262-1	8.246	6.888	2215848	7297883	26.371	7.394 #
37)	L8 AR-1262-2	8.546	7.139	630353	26805169	3.851	38.118 #
38)	L8 AR-1262-3	8.869	7.663	10779484	87251264	88.511	143.751 #
39)	L8 AR-1262-4	8.963	7.726	6683170	66543162	72.555	60.420
40)	L8 AR-1262-5	9.629	8.218	2157738	14422404	31.813	31.252
41)	L9 AR-1268-1	8.869	7.663	10779484	87251264	52.192	48.188

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP110725\
Data File : PP076386.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Nov 2025 13:54
Operator : YP\AJ
Sample : Q3545-01RE 10X
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 08 02:59:56 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP102125.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Oct 24 15:40:32 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.963	7.726	6683170	66543162	35.499	38.351
43)	L9 AR-1268-3	9.203	7.933	8892763	78590565	57.305	57.487
44)	L9 AR-1268-4	9.629	8.218	2157738	14422404	27.436	27.872
45)	L9 AR-1268-5	10.059	8.515	24584246	169.9E6	51.176	45.034



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP110725\
Data File : PP076386.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Nov 2025 13:54
Operator : YP\AJ
Sample : Q3545-01RE 10X
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 08 02:59:56 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP102125.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Oct 24 15:40:32 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.641 min
Delta R.T.: -0.001 min
Response: 3776534
Conc: 2.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#1 Tetrachloro-m-xylene

R.T.: 3.775 min
Delta R.T.: -0.006 min
Response: 12976005
Conc: 1.96 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.412 min
Delta R.T.: -0.007 min
Response: 4971422
Conc: 4.62 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.771 min
Delta R.T.: -0.011 min
Response: 33106987
Conc: 4.03 ng/ml



#3 AR-1016-1


R.T.: 0.000 min
Exp R.T.: 5.795 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#3 AR-1016-1

R.T.: 4.884 min
Delta R.T.: 0.006 min
Response: 884987
Conc: 1.20 ng/ml




#4 AR-1016-2

R.T.: 5.876 min
Delta R.T.: 0.059 min
Response: 2921336
Conc: 33.03 ng/ml



#4 AR-1016-2


R.T.: 4.931 min
Delta R.T.: -0.005 min
Response: 2204618
Conc: 6.45 ng/ml



#5 AR-1016-3


R.T.: 5.876 min
Delta R.T.: -0.004 min
Response: 2921336
Conc: 52.78 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#5 AR-1016-3

R.T.: 5.064 min
Delta R.T.: 0.010 min
Response: 2564629
Conc: 12.49 ng/ml




#6 AR-1016-4

R.T.: 6.023 min
Delta R.T.: 0.046 min
Response: 2423379
Conc: 53.33 ng/ml



#6 AR-1016-4


R.T.: 5.086 min
Delta R.T.: -0.010 min
Response: 1979805
Conc: 10.59 ng/ml



#7 AR-1016-5


R.T.: 0.000 min
Exp R.T.: 6.269 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#7 AR-1016-5

R.T.: 5.306 min
Delta R.T.: -0.004 min
Response: 2971317
Conc: 13.03 ng/ml




#8 AR-1221-1

R.T.: 4.841 min
Delta R.T.: -0.003 min
Response: 3887454
Conc: 192.67 ng/ml



#8 AR-1221-1


R.T.: 3.986 min
Delta R.T.: -0.007 min
Response: 1508530
Conc: 16.76 ng/ml



#9 AR-1221-2


R.T.: 4.941 min
Delta R.T.: 0.011 min
Response: 1769288
Conc: 117.47 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#9 AR-1221-2

R.T.: 4.076 min
Delta R.T.: 0.000 min
Response: 1895582
Conc: 30.00 ng/ml




#10 AR-1221-3

R.T.: 4.986 min
Delta R.T.: -0.018 min
Response: 1064959
Conc: 22.70 ng/ml



#10 AR-1221-3


R.T.: 4.146 min
Delta R.T.: -0.008 min
Response: 1990127
Conc: 9.39 ng/ml



#11 AR-1232-1


R.T.: 4.986 min
Delta R.T.: -0.019 min
Response: 1064959
Conc: 27.09 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#11 AR-1232-1

R.T.: 4.146 min
Delta R.T.: -0.007 min
Response: 1990127
Conc: 11.84 ng/ml




#12 AR-1232-2

R.T.: 5.535 min
Delta R.T.: 0.003 min
Response: 1256030
Conc: 60.89 ng/ml



#12 AR-1232-2


R.T.: 4.884 min
Delta R.T.: 0.007 min
Response: 884987
Conc: 2.97 ng/ml



#13 AR-1232-3


R.T.: 5.876 min
Delta R.T.: 0.057 min
Response: 2921336
Conc: 75.60 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#13 AR-1232-3

R.T.: 5.064 min
Delta R.T.: 0.008 min
Response: 2564629
Conc: 31.37 ng/ml




#14 AR-1232-4

R.T.: 6.023 min
Delta R.T.: 0.045 min
Response: 2423379
Conc: 120.13 ng/ml



#14 AR-1232-4


R.T.: 5.131 min
Delta R.T.: -0.005 min
Response: 2598214
Conc: 30.59 ng/ml



#15 AR-1232-5


R.T.: 6.023 min
Delta R.T.: -0.045 min
Response: 2423379
Conc: 154.72 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#15 AR-1232-5

R.T.: 5.306 min
Delta R.T.: -0.004 min
Response: 2971317
Conc: 29.52 ng/ml




#16 AR-1242-1

R.T.: 0.000 min
Exp R.T. : 5.799 min
Response: 0
Conc: N.D.



#16 AR-1242-1


R.T.: 4.884 min
Delta R.T.: 0.004 min
Response: 884987
Conc: 1.54 ng/ml



#17 AR-1242-2


R.T.: 5.876 min
Delta R.T.: 0.056 min
Response: 2921336
Conc: 41.27 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#17 AR-1242-2

R.T.: 4.931 min
Delta R.T.: -0.007 min
Response: 2204618
Conc: 7.94 ng/ml




#18 AR-1242-3

R.T.: 5.876 min
Delta R.T.: -0.007 min
Response: 2921336
Conc: 64.01 ng/ml



#18 AR-1242-3


R.T.: 5.064 min
Delta R.T.: 0.007 min
Response: 2564629
Conc: 16.29 ng/ml



#19 AR-1242-4


R.T.: 6.023 min
Delta R.T.: 0.044 min
Response: 2423379
Conc: 66.65 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#19 AR-1242-4

R.T.: 5.131 min
Delta R.T.: -0.009 min
Response: 2598214
Conc: 14.04 ng/ml




#20 AR-1242-5

R.T.: 6.641 min
Delta R.T.: -0.069 min
Response: 4859325
Conc: 118.68 ng/ml



#20 AR-1242-5


R.T.: 5.659 min
Delta R.T.: -0.002 min
Response: 4056749
Conc: 17.62 ng/ml



#21 AR-1248-1


R.T.: 0.000 min
Exp R.T.: 5.799 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#21 AR-1248-1

R.T.: 4.884 min
Delta R.T.: 0.008 min
Response: 884987
Conc: 2.36 ng/ml




#22 AR-1248-2

R.T.: 6.023 min
Delta R.T.: -0.048 min
Response: 2423379
Conc: 49.72 ng/ml



#22 AR-1248-2


R.T.: 5.086 min
Delta R.T.: -0.009 min
Response: 1979805
Conc: 8.05 ng/ml



#23 AR-1248-3


R.T.: 0.000 min
Exp R.T.: 6.274 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#23 AR-1248-3

R.T.: 5.131 min
Delta R.T.: -0.005 min
Response: 2598214
Conc: 9.06 ng/ml




#24 AR-1248-4

R.T.: 6.641 min
Delta R.T.: -0.031 min
Response: 4859325
Conc: 73.22 ng/ml



#24 AR-1248-4


R.T.: 5.306 min
Delta R.T.: -0.003 min
Response: 2971317
Conc: 10.51 ng/ml



#25 AR-1248-5


R.T.: 0.000 min
Exp R.T.: 6.711 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#25 AR-1248-5

R.T.: 5.679 min
Delta R.T.: -0.018 min
Response: 1319412
Conc: 2.54 ng/ml




#26 AR-1254-1

R.T.: 6.641 min
Delta R.T.: -0.006 min
Response: 4859325
Conc: 60.82 ng/ml



#26 AR-1254-1


R.T.: 5.659 min
Delta R.T.: -0.003 min
Response: 4056749
Conc: 7.19 ng/ml



#27 AR-1254-2


R.T.: 6.858 min
Delta R.T.: -0.006 min
Response: 2995367
Conc: 29.96 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#27 AR-1254-2

R.T.: 5.816 min
Delta R.T.: 0.008 min
Response: 6566424
Conc: 12.39 ng/ml




#28 AR-1254-3

R.T.: 7.219 min
Delta R.T.: -0.007 min
Response: 4685649
Conc: 45.07 ng/ml



#28 AR-1254-3


R.T.: 6.210 min
Delta R.T.: -0.001 min
Response: 6890892
Conc: 8.10 ng/ml



#29 AR-1254-4


R.T.: 7.505 min
Delta R.T.: -0.004 min
Response: 3147818
Conc: 37.65 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#29 AR-1254-4

R.T.: 6.437 min
Delta R.T.: 0.000 min
Response: 2022531
Conc: 3.21 ng/ml




#30 AR-1254-5

R.T.: 7.932 min
Delta R.T.: 0.007 min
Response: 3588169
Conc: 39.18 ng/ml



#30 AR-1254-5


R.T.: 6.844 min
Delta R.T.: -0.010 min
Response: 15862046
Conc: 22.03 ng/ml



#31 AR-1260-1


R.T.: 7.384 min
Delta R.T.: -0.004 min
Response: 1616633
Conc: 23.51 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#31 AR-1260-1

R.T.: 6.330 min
Delta R.T.: -0.008 min
Response: 3663824
Conc: 6.69 ng/ml




#32 AR-1260-2

R.T.: 7.640 min
Delta R.T.: 0.000 min
Response: 3626427
Conc: 40.48 ng/ml



#32 AR-1260-2


R.T.: 6.522 min
Delta R.T.: -0.002 min
Response: 3908403
Conc: 4.80 ng/ml



#33 AR-1260-3


R.T.: 7.994 min
Delta R.T.: -0.005 min
Response: 1248362
Conc: 18.02 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#33 AR-1260-3

R.T.: 6.689 min
Delta R.T.: 0.011 min
Response: 919877
Conc: 1.63 ng/ml




#34 AR-1260-4

R.T.: 8.211 min
Delta R.T.: -0.015 min
Response: 716037
Conc: 10.44 ng/ml



#34 AR-1260-4


R.T.: 7.139 min
Delta R.T.: -0.007 min
Response: 26805169
Conc: 51.61 ng/ml



#35 AR-1260-5


R.T.: 8.546 min
Delta R.T.: -0.007 min
Response: 630353
Conc: 4.26 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#35 AR-1260-5

R.T.: 7.391 min
Delta R.T.: 0.003 min
Response: 7109372
Conc: 5.24 ng/ml




#36 AR-1262-1

R.T.: 8.246 min
Delta R.T.: 0.014 min
Response: 2215848
Conc: 26.37 ng/ml



#36 AR-1262-1


R.T.: 6.888 min
Delta R.T.: -0.005 min
Response: 7297883
Conc: 7.39 ng/ml



#37 AR-1262-2


R.T.: 8.546 min
Delta R.T.: -0.012 min
Response: 630353
Conc: 3.85 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#37 AR-1262-2

R.T.: 7.139 min
Delta R.T.: -0.011 min
Response: 26805169
Conc: 38.12 ng/ml




#38 AR-1262-3

R.T.: 8.869 min
Delta R.T.: -0.014 min
Response: 10779484
Conc: 88.51 ng/ml



#38 AR-1262-3


R.T.: 7.663 min
Delta R.T.: -0.009 min
Response: 87251264
Conc: 143.75 ng/ml



#39 AR-1262-4


R.T.: 8.963 min
Delta R.T.: -0.007 min
Response: 6683170
Conc: 72.56 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#39 AR-1262-4

R.T.: 7.726 min
Delta R.T.: -0.011 min
Response: 66543162
Conc: 60.42 ng/ml




#40 AR-1262-5

R.T.: 9.629 min
Delta R.T.: -0.013 min
Response: 2157738
Conc: 31.81 ng/ml



#40 AR-1262-5


R.T.: 8.218 min
Delta R.T.: -0.012 min
Response: 14422404
Conc: 31.25 ng/ml



#41 AR-1268-1


R.T.: 8.869 min
Delta R.T.: -0.009 min
Response: 10779484
Conc: 52.19 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#41 AR-1268-1

R.T.: 7.663 min
Delta R.T.: -0.008 min
Response: 87251264
Conc: 48.19 ng/ml




#42 AR-1268-2

R.T.: 8.963 min
Delta R.T.: -0.010 min
Response: 6683170
Conc: 35.50 ng/ml



#42 AR-1268-2


R.T.: 7.726 min
Delta R.T.: -0.010 min
Response: 66543162
Conc: 38.35 ng/ml



#43 AR-1268-3


R.T.: 9.203 min
Delta R.T.: -0.010 min
Response: 8892763
Conc: 57.30 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk




#43 AR-1268-3

R.T.: 7.933 min
Delta R.T.: -0.010 min
Response: 78590565
Conc: 57.49 ng/ml




#44 AR-1268-4

R.T.: 9.629 min
Delta R.T.: -0.011 min
Response: 2157738
Conc: 27.44 ng/ml



#44 AR-1268-4


R.T.: 8.218 min
Delta R.T.: -0.010 min
Response: 14422404
Conc: 27.87 ng/ml



#45 AR-1268-5

R.T.: 10.059 min
Delta R.T.: -0.011 min
Response: 24584246
Conc: 51.18 ng/ml

Instrument :
ECD_P
ClientSampleId :
PCB-110325KC-01 Hard Doorframe Caulk



#45 AR-1268-5

R.T.: 8.515 min
Delta R.T.: -0.011 min
Response: 169854386
Conc: 45.03 ng/ml