

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP110922\
 Data File : PP053183.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Nov 2022 11:34
 Operator : YP\AJ
 Sample : N5494-07
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 SB-16

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 09 12:33:16 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP110822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Nov 09 05:50:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.398	3.644	44391294	36147476	23.092	24.030
2)	SA Decachlor...	10.195	8.722	27524590	40764178	20.299	21.748
Target Compounds							
3)	L1 AR-1016-1	5.576	0.000	78358	0	1.260	N.D. #
4)	L1 AR-1016-2	5.594	0.000	120021	0	1.299	N.D. #
5)	L1 AR-1016-3	5.644f	0.000	241493	0	4.267	N.D. #
6)	L1 AR-1016-4	5.759	4.995	70971	586493	1.560	16.781 #
7)	L1 AR-1016-5	6.066	5.187f	82018	688624	1.812	15.161 #
8)	L2 AR-1221-1	4.607	0.000	30291464	0	1347.751	N.D. #
9)	L2 AR-1221-2	4.705	3.932f	931392	12995774	56.053	887.202 #
10)	L2 AR-1221-3	4.775	0.000	125640	0	2.495	N.D. #
11)	L3 AR-1232-1	4.775	0.000	125640	0	3.276	N.D. #
12)	L3 AR-1232-2	5.320	0.000	83819	0	3.724	N.D. #
13)	L3 AR-1232-3	5.594	0.000	120021	0	2.957	N.D. #
14)	L3 AR-1232-4	5.759	5.057f	70971	520171	3.517	29.549 #
15)	L3 AR-1232-5	5.866	5.187f	34131	688624	2.058	34.600 #
16)	L4 AR-1242-1	5.576	0.000	78358	0	1.608	N.D. #
17)	L4 AR-1242-2	5.594	0.000	120021	0	1.665	N.D. #
18)	L4 AR-1242-3	5.644	0.000	241493	0	5.393	N.D. #
19)	L4 AR-1242-4	5.759	5.057f	70971	520171	1.973	14.879 #
20)	L4 AR-1242-5	6.495	5.582f	905659	993835	24.806	22.695
21)	L5 AR-1248-1	5.576	0.000	78358	0	2.101	N.D. #
22)	L5 AR-1248-2	5.866f	4.995	34131	586493	0.624	12.213 #
23)	L5 AR-1248-3	6.047	5.057f	15688	520171	0.263	10.497 #
24)	L5 AR-1248-4	6.467	5.187f	1705164	688624	27.638	11.660 #
25)	L5 AR-1248-5	6.495	5.582f	905659	993835	15.014	18.065
26)	L6 AR-1254-1	6.432	5.582f	2160389	993835	30.559	10.963 #
27)	L6 AR-1254-2	6.652	0.000	1047848	0	9.975	N.D. #
28)	L6 AR-1254-3	7.022	6.132f	958022	1212268	9.340	9.537
29)	L6 AR-1254-4	7.305	6.343	1250235	1330285	17.971	16.870
30)	L6 AR-1254-5	7.747f	6.769	255755	371326	3.229	2.940
31)	L7 AR-1260-1	7.183	6.252	115035	1392983	1.407	15.196 #
32)	L7 AR-1260-2	7.436	6.422f	839579	1388216	9.066	12.064 #
33)	L7 AR-1260-3	7.805	0.000	91934	0	1.474	N.D. #
34)	L7 AR-1260-4	8.032	7.044f	47333	259740	0.632	3.139 #
35)	L7 AR-1260-5	8.352	7.312	187732	140346	1.483	0.741 #
36)	L8 AR-1262-1	7.805	0.000	91934	0	0.957	N.D. #
37)	L8 AR-1262-2	8.352	7.044f	187732	259740	1.240	2.240 #
38)	L8 AR-1262-3	8.677	7.603	95448	572537	0.921	6.251 #
39)	L8 AR-1262-4	8.765	7.643f	254614	383968	3.149	2.341 #
40)	L8 AR-1262-5	9.443f	0.000	13617	0	0.268	N.D. #
41)	L9 AR-1268-1	8.677	7.603	95448	572537	0.504	2.142 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP110922\
 Data File : PP053183.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Nov 2022 11:34
 Operator : YP\AJ
 Sample : N5494-07
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 SB-16

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 09 12:33:16 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP110822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Nov 09 05:50:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.765	7.643f	254614	383968	1.501	1.608
43) L9	AR-1268-3	8.993	7.877	89196	669167	0.596	3.254 #
44) L9	AR-1268-4	9.443f	0.000	13617	0	0.243	N.D. #
45) L9	AR-1268-5	9.851	8.459	322949	267452	0.701	0.403 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP110922\
Data File : PP053183.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Nov 2022 11:34
Operator : YP\AJ
Sample : N5494-07
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
SB-16

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 09 12:33:16 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP110822.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Nov 09 05:50:05 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.398 min
Delta R.T.: -0.005 min
Response: 44391294
Conc: 23.09 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#1 Tetrachloro-m-xylene

R.T.: 3.644 min
Delta R.T.: -0.005 min
Response: 36147476
Conc: 24.03 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.195 min
Delta R.T.: -0.008 min
Response: 27524590
Conc: 20.30 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.722 min
Delta R.T.: -0.007 min
Response: 40764178
Conc: 21.75 ng/ml



#3 AR-1016-1


R.T.: 5.576 min
Delta R.T.: 0.000 min
Response: 78358
Conc: 1.26 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.749 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.594 min
Delta R.T.: -0.004 min
Response: 120021
Conc: 1.30 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.767 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.644 min
Delta R.T.: -0.017 min
Response: 241493
Conc: 4.27 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.946 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.759 min
Delta R.T.: -0.001 min
Response: 70971
Conc: 1.56 ng/ml



#6 AR-1016-4


R.T.: 4.995 min
Delta R.T.: 0.006 min
Response: 586493
Conc: 16.78 ng/ml



#7 AR-1016-5


R.T.: 6.066 min
Delta R.T.: 0.010 min
Response: 82018
Conc: 1.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#7 AR-1016-5

R.T.: 5.187 min
Delta R.T.: -0.019 min
Response: 688624
Conc: 15.16 ng/ml




#8 AR-1221-1

R.T.: 4.607 min
Delta R.T.: -0.003 min
Response: 30291464
Conc: 1347.75 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.863 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.705 min
Delta R.T.: 0.008 min
Response: 931392
Conc: 56.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#9 AR-1221-2

R.T.: 3.932 min
Delta R.T.: -0.018 min
Response: 12995774
Conc: 887.20 ng/ml




#10 AR-1221-3

R.T.: 4.775 min
Delta R.T.: 0.002 min
Response: 125640
Conc: 2.49 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T.: 4.028 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.775 min
Delta R.T.: 0.000 min
Response: 125640
Conc: 3.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 4.027 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.320 min
Delta R.T.: 0.014 min
Response: 83819
Conc: 3.72 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 4.766 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.594 min
Delta R.T.: -0.003 min
Response: 120021
Conc: 2.96 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.945 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.759 min
Delta R.T.: 0.000 min
Response: 70971
Conc: 3.52 ng/ml



#14 AR-1232-4


R.T.: 5.057 min
Delta R.T.: 0.027 min
Response: 520171
Conc: 29.55 ng/ml



#15 AR-1232-5


R.T.: 5.866 min
Delta R.T.: 0.015 min
Response: 34131
Conc: 2.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#15 AR-1232-5

R.T.: 5.187 min
Delta R.T.: -0.017 min
Response: 688624
Conc: 34.60 ng/ml




#16 AR-1242-1

R.T.: 5.576 min
Delta R.T.: 0.001 min
Response: 78358
Conc: 1.61 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T. : 4.747 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.594 min
Delta R.T.: -0.003 min
Response: 120021
Conc: 1.66 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.766 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.644 min
Delta R.T.: -0.015 min
Response: 241493
Conc: 5.39 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.945 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.759 min
Delta R.T.: 0.000 min
Response: 70971
Conc: 1.97 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#19 AR-1242-4

R.T.: 5.057 min
Delta R.T.: 0.027 min
Response: 520171
Conc: 14.88 ng/ml




#20 AR-1242-5

R.T.: 6.495 min
Delta R.T.: -0.004 min
Response: 905659
Conc: 24.81 ng/ml



#20 AR-1242-5


R.T.: 5.582 min
Delta R.T.: 0.022 min
Response: 993835
Conc: 22.70 ng/ml



#21 AR-1248-1


R.T.: 5.576 min
Delta R.T.: 0.002 min
Response: 78358
Conc: 2.10 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.746 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.866 min
Delta R.T.: 0.016 min
Response: 34131
Conc: 0.62 ng/ml



#22 AR-1248-2


R.T.: 4.995 min
Delta R.T.: 0.008 min
Response: 586493
Conc: 12.21 ng/ml



#23 AR-1248-3


R.T.: 6.047 min
Delta R.T.: -0.008 min
Response: 15688
Conc: 0.26 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#23 AR-1248-3

R.T.: 5.057 min
Delta R.T.: 0.028 min
Response: 520171
Conc: 10.50 ng/ml




#24 AR-1248-4

R.T.: 6.467 min
Delta R.T.: 0.007 min
Response: 1705164
Conc: 27.64 ng/ml



#24 AR-1248-4


R.T.: 5.187 min
Delta R.T.: -0.016 min
Response: 688624
Conc: 11.66 ng/ml



#25 AR-1248-5


R.T.: 6.495 min
Delta R.T.: -0.003 min
Response: 905659
Conc: 15.01 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#25 AR-1248-5

R.T.: 5.582 min
Delta R.T.: -0.019 min
Response: 993835
Conc: 18.07 ng/ml




#26 AR-1254-1

R.T.: 6.432 min
Delta R.T.: 0.000 min
Response: 2160389
Conc: 30.56 ng/ml



#26 AR-1254-1


R.T.: 5.582 min
Delta R.T.: 0.023 min
Response: 993835
Conc: 10.96 ng/ml



#27 AR-1254-2


R.T.: 6.652 min
Delta R.T.: 0.000 min
Response: 1047848
Conc: 9.97 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#27 AR-1254-2

R.T.: 0.000 min
Exp R.T. : 5.708 min
Response: 0
Conc: N.D.




#28 AR-1254-3

R.T.: 7.022 min
Delta R.T.: 0.002 min
Response: 958022
Conc: 9.34 ng/ml



#28 AR-1254-3


R.T.: 6.132 min
Delta R.T.: 0.015 min
Response: 1212268
Conc: 9.54 ng/ml



#29 AR-1254-4


R.T.: 7.305 min
Delta R.T.: -0.001 min
Response: 1250235
Conc: 17.97 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#29 AR-1254-4

R.T.: 6.343 min
Delta R.T.: -0.005 min
Response: 1330285
Conc: 16.87 ng/ml




#30 AR-1254-5

R.T.: 7.747 min
Delta R.T.: 0.019 min
Response: 255755
Conc: 3.23 ng/ml



#30 AR-1254-5


R.T.: 6.769 min
Delta R.T.: -0.002 min
Response: 371326
Conc: 2.94 ng/ml



#31 AR-1260-1


R.T.: 7.183 min
Delta R.T.: -0.005 min
Response: 115035
Conc: 1.41 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#31 AR-1260-1

R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 1392983
Conc: 15.20 ng/ml




#32 AR-1260-2

R.T.: 7.436 min
Delta R.T.: -0.010 min
Response: 839579
Conc: 9.07 ng/ml



#32 AR-1260-2


R.T.: 6.422 min
Delta R.T.: -0.020 min
Response: 1388216
Conc: 12.06 ng/ml



#33 AR-1260-3


R.T.: 7.805 min
Delta R.T.: -0.002 min
Response: 91934
Conc: 1.47 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T. : 6.597 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 8.032 min
Delta R.T.: -0.002 min
Response: 47333
Conc: 0.63 ng/ml



#34 AR-1260-4


R.T.: 7.044 min
Delta R.T.: -0.029 min
Response: 259740
Conc: 3.14 ng/ml



#35 AR-1260-5


R.T.: 8.352 min
Delta R.T.: -0.005 min
Response: 187732
Conc: 1.48 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#35 AR-1260-5

R.T.: 7.312 min
Delta R.T.: -0.005 min
Response: 140346
Conc: 0.74 ng/ml




#36 AR-1262-1

R.T.: 7.805 min
Delta R.T.: 0.002 min
Response: 91934
Conc: 0.96 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T.: 6.863 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 8.352 min
Delta R.T.: 0.000 min
Response: 187732
Conc: 1.24 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#37 AR-1262-2

R.T.: 7.044 min
Delta R.T.: -0.026 min
Response: 259740
Conc: 2.24 ng/ml




#38 AR-1262-3

R.T.: 8.677 min
Delta R.T.: 0.008 min
Response: 95448
Conc: 0.92 ng/ml



#38 AR-1262-3


R.T.: 7.603 min
Delta R.T.: 0.003 min
Response: 572537
Conc: 6.25 ng/ml



#39 AR-1262-4


R.T.: 8.765 min
Delta R.T.: 0.006 min
Response: 254614
Conc: 3.15 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#39 AR-1262-4

R.T.: 7.643 min
Delta R.T.: -0.022 min
Response: 383968
Conc: 2.34 ng/ml




#40 AR-1262-5

R.T.: 9.443 min
Delta R.T.: 0.016 min
Response: 13617
Conc: 0.27 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T.: 8.165 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.677 min
Delta R.T.: 0.011 min
Response: 95448
Conc: 0.50 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#41 AR-1268-1

R.T.: 7.603 min
Delta R.T.: 0.003 min
Response: 572537
Conc: 2.14 ng/ml




#42 AR-1268-2

R.T.: 8.765 min
Delta R.T.: 0.003 min
Response: 254614
Conc: 1.50 ng/ml



#42 AR-1268-2


R.T.: 7.643 min
Delta R.T.: -0.022 min
Response: 383968
Conc: 1.61 ng/ml



#43 AR-1268-3


R.T.: 8.993 min
Delta R.T.: -0.002 min
Response: 89196
Conc: 0.60 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16




#43 AR-1268-3

R.T.: 7.877 min
Delta R.T.: 0.005 min
Response: 669167
Conc: 3.25 ng/ml




#44 AR-1268-4

R.T.: 9.443 min
Delta R.T.: 0.017 min
Response: 13617
Conc: 0.24 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.165 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.851 min
Delta R.T.: 0.000 min
Response: 322949
Conc: 0.70 ng/ml

Instrument :
ECD_P
ClientSampleId :
SB-16



#45 AR-1268-5

R.T.: 8.459 min
Delta R.T.: -0.003 min
Response: 267452
Conc: 0.40 ng/ml