

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP111021\
 Data File : PP040890.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Nov 2021 11:19
 Operator : AJ\MA
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 10 14:16:15 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP110421.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Nov 04 11:28:51 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.761	3.764	1090126	1273979	53.810	53.087
2)	SA Decachlor...	10.669	9.030	1005354	804849	47.206	46.089
Target Compounds							
3)	L1 AR-1016-1	6.078	5.013	373478	372555	531.926	533.001
4)	L1 AR-1016-2	6.101	5.032	564539	549918	529.309	534.566
5)	L1 AR-1016-3	6.167	5.223	350798	302854	541.358	534.166
6)	L1 AR-1016-4	6.274	5.276	285432	242547	531.105	534.032
7)	L1 AR-1016-5	6.587	5.504	283575	295388	522.531	528.200
8)	L2 AR-1221-1	0.000	4.020	0	48429	N.D.	175.422 #
9)	L2 AR-1221-2	5.149f	4.119	11303	70578	74.887	335.485 #
10)	L2 AR-1221-3	5.197f	4.207	208825	269329	379.273	410.294
11)	L3 AR-1232-1	5.197f	4.207	208825	269329	458.458	499.034
12)	L3 AR-1232-2	5.782f	5.032	292739	549918	1249.596	1292.884
13)	L3 AR-1232-3	6.101f	5.223	564539	302854	1313.866	1321.024
14)	L3 AR-1232-4	6.274f	5.320	285432	290328	1362.012	1463.144
15)	L3 AR-1232-5	6.371f	5.504	225121	295388	1573.672	1393.829
16)	L4 AR-1242-1	6.078	5.013	373478	372555	700.365	690.979
17)	L4 AR-1242-2	6.101	5.032	564539	549918	698.230	693.201
18)	L4 AR-1242-3	6.167	5.223	350798	302854	707.459	694.446
19)	L4 AR-1242-4	6.274	5.320	285432	290328	697.807	702.085
20)	L4 AR-1242-5	7.055	5.882	29332	201676	64.131	437.870 #
21)	L5 AR-1248-1	6.078	5.013	373478	372555	950.829	936.529
22)	L5 AR-1248-2	6.371	5.276	225121	242547	398.130	418.113
23)	L5 AR-1248-3	6.587	5.320	283575	290328	404.406	481.340
24)	L5 AR-1248-4	7.015	5.504	34229	295388	43.332	429.635 #
25)	L5 AR-1248-5	7.055	5.925	29332	35358	37.563	55.980 #
26)	L6 AR-1254-1	6.984	5.882	154603	201676	200.258	207.331
27)	L6 AR-1254-2	7.213	6.043	204566	177014	164.797	210.918 #
28)	L6 AR-1254-3	7.594	6.479	120576	326968	89.562	258.898 #
29)	L6 AR-1254-4	7.889	6.701	80276	46966	82.276	63.122
30)	L6 AR-1254-5	8.317	7.130	668848	534578	616.486	497.806
31)	L7 AR-1260-1	7.761	6.599	479276	437960	493.558	504.734
32)	L7 AR-1260-2	8.027	6.798	566167	496229	489.036	493.155
33)	L7 AR-1260-3	8.391	6.951	432798	466788	490.153	494.536
34)	L7 AR-1260-4	8.620	7.433	518005	386005	490.261	491.637
35)	L7 AR-1260-5	8.935	7.684	987816	837456	473.099	471.396
36)	L8 AR-1262-1	8.391f	7.130	432798	534578	345.401	927.653 #
37)	L8 AR-1262-2	8.935f	7.684	987816	837456	434.698	470.326
38)	L8 AR-1262-3	0.000	7.968	0	205925	N.D.	265.590 #
39)	L8 AR-1262-4	9.304	8.032	429564	646956	732.564	461.607 #
40)	L8 AR-1262-5	9.958f	8.532	315566	251771	346.550	362.562
41)	L9 AR-1268-1	9.254f	7.968	663677	205925	243.462	96.041 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP111021\
 Data File : PP040890.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Nov 2021 11:19
 Operator : AJ\MA
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 10 14:16:15 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP110421.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Nov 04 11:28:51 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.304f	8.032	429564	646956	164.082	324.572 #
43) L9	AR-1268-3	9.538	8.240	15310	14357	6.935	8.219
44) L9	AR-1268-4	9.958	8.532	315566	251771	310.568	328.028
45) L9	AR-1268-5	10.350	8.804	94331	69122	12.951	12.807



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP111021\
Data File : PP040890.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 10 Nov 2021 11:19
Operator : AJ\MA
Sample : AR1660CCC500
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 10 14:16:15 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP110421.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Nov 04 11:28:51 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.761 min
Delta R.T.: -0.009 min
Response: 1090126
Conc: 53.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.764 min
Delta R.T.: -0.003 min
Response: 1273979
Conc: 53.09 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.669 min
Delta R.T.: -0.007 min
Response: 1005354
Conc: 47.21 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.030 min
Delta R.T.: -0.006 min
Response: 804849
Conc: 46.09 ng/ml



#3 AR-1016-1


R.T.: 6.078 min
Delta R.T.: -0.007 min
Response: 373478
Conc: 531.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.013 min
Delta R.T.: -0.004 min
Response: 372555
Conc: 533.00 ng/ml




#4 AR-1016-2

R.T.: 6.101 min
Delta R.T.: -0.008 min
Response: 564539
Conc: 529.31 ng/ml



#4 AR-1016-2


R.T.: 5.032 min
Delta R.T.: -0.004 min
Response: 549918
Conc: 534.57 ng/ml



#5 AR-1016-3


R.T.: 6.167 min
Delta R.T.: -0.007 min
Response: 350798
Conc: 541.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.223 min
Delta R.T.: -0.005 min
Response: 302854
Conc: 534.17 ng/ml




#6 AR-1016-4

R.T.: 6.274 min
Delta R.T.: -0.007 min
Response: 285432
Conc: 531.11 ng/ml



#6 AR-1016-4


R.T.: 5.276 min
Delta R.T.: -0.004 min
Response: 242547
Conc: 534.03 ng/ml



#7 AR-1016-5


R.T.: 6.587 min
Delta R.T.: -0.007 min
Response: 283575
Conc: 522.53 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.504 min
Delta R.T.: -0.004 min
Response: 295388
Conc: 528.20 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 5.036 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 4.020 min
Delta R.T.: -0.007 min
Response: 48429
Conc: 175.42 ng/ml



#9 AR-1221-2


R.T.: 5.149 min
Delta R.T.: 0.015 min
Response: 11303
Conc: 74.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.119 min
Delta R.T.: -0.006 min
Response: 70578
Conc: 335.49 ng/ml




#10 AR-1221-3

R.T.: 5.197 min
Delta R.T.: -0.022 min
Response: 208825
Conc: 379.27 ng/ml



#10 AR-1221-3


R.T.: 4.207 min
Delta R.T.: -0.006 min
Response: 269329
Conc: 410.29 ng/ml



#11 AR-1232-1


R.T.: 5.197 min
Delta R.T.: -0.021 min
Response: 208825
Conc: 458.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.207 min
Delta R.T.: -0.004 min
Response: 269329
Conc: 499.03 ng/ml




#12 AR-1232-2

R.T.: 5.782 min
Delta R.T.: -0.020 min
Response: 292739
Conc: 1249.60 ng/ml



#12 AR-1232-2


R.T.: 5.032 min
Delta R.T.: -0.004 min
Response: 549918
Conc: 1292.88 ng/ml



#13 AR-1232-3


R.T.: 6.101 min
Delta R.T.: -0.020 min
Response: 564539
Conc: 1313.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.223 min
Delta R.T.: -0.004 min
Response: 302854
Conc: 1321.02 ng/ml




#14 AR-1232-4

R.T.: 6.274 min
Delta R.T.: -0.020 min
Response: 285432
Conc: 1362.01 ng/ml



#14 AR-1232-4


R.T.: 5.320 min
Delta R.T.: -0.004 min
Response: 290328
Conc: 1463.14 ng/ml



#15 AR-1232-5


R.T.: 6.371 min
Delta R.T.: -0.019 min
Response: 225121
Conc: 1573.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.504 min
Delta R.T.: -0.004 min
Response: 295388
Conc: 1393.83 ng/ml




#16 AR-1242-1

R.T.: 6.078 min
Delta R.T.: -0.009 min
Response: 373478
Conc: 700.37 ng/ml



#16 AR-1242-1


R.T.: 5.013 min
Delta R.T.: -0.004 min
Response: 372555
Conc: 690.98 ng/ml



#17 AR-1242-2


R.T.: 6.101 min
Delta R.T.: -0.010 min
Response: 564539
Conc: 698.23 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.032 min
Delta R.T.: -0.004 min
Response: 549918
Conc: 693.20 ng/ml




#18 AR-1242-3

R.T.: 6.167 min
Delta R.T.: -0.009 min
Response: 350798
Conc: 707.46 ng/ml



#18 AR-1242-3


R.T.: 5.223 min
Delta R.T.: -0.004 min
Response: 302854
Conc: 694.45 ng/ml



#19 AR-1242-4


R.T.: 6.274 min
Delta R.T.: -0.009 min
Response: 285432
Conc: 697.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.320 min
Delta R.T.: -0.004 min
Response: 290328
Conc: 702.08 ng/ml




#20 AR-1242-5

R.T.: 7.055 min
Delta R.T.: -0.009 min
Response: 29332
Conc: 64.13 ng/ml



#20 AR-1242-5


R.T.: 5.882 min
Delta R.T.: -0.005 min
Response: 201676
Conc: 437.87 ng/ml



#21 AR-1248-1


R.T.: 6.078 min
Delta R.T.: -0.002 min
Response: 373478
Conc: 950.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.013 min
Delta R.T.: -0.003 min
Response: 372555
Conc: 936.53 ng/ml




#22 AR-1248-2

R.T.: 6.371 min
Delta R.T.: 0.000 min
Response: 225121
Conc: 398.13 ng/ml



#22 AR-1248-2


R.T.: 5.276 min
Delta R.T.: -0.003 min
Response: 242547
Conc: 418.11 ng/ml



#23 AR-1248-3


R.T.: 6.587 min
Delta R.T.: -0.002 min
Response: 283575
Conc: 404.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.320 min
Delta R.T.: -0.003 min
Response: 290328
Conc: 481.34 ng/ml




#24 AR-1248-4

R.T.: 7.015 min
Delta R.T.: -0.002 min
Response: 34229
Conc: 43.33 ng/ml



#24 AR-1248-4


R.T.: 5.504 min
Delta R.T.: -0.003 min
Response: 295388
Conc: 429.64 ng/ml



#25 AR-1248-5


R.T.: 7.055 min
Delta R.T.: -0.001 min
Response: 29332
Conc: 37.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.925 min
Delta R.T.: -0.004 min
Response: 35358
Conc: 55.98 ng/ml




#26 AR-1254-1

R.T.: 6.984 min
Delta R.T.: 0.000 min
Response: 154603
Conc: 200.26 ng/ml



#26 AR-1254-1


R.T.: 5.882 min
Delta R.T.: -0.004 min
Response: 201676
Conc: 207.33 ng/ml



#27 AR-1254-2


R.T.: 7.213 min
Delta R.T.: -0.001 min
Response: 204566
Conc: 164.80 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.043 min
Delta R.T.: -0.003 min
Response: 177014
Conc: 210.92 ng/ml




#28 AR-1254-3

R.T.: 7.594 min
Delta R.T.: -0.001 min
Response: 120576
Conc: 89.56 ng/ml



#28 AR-1254-3


R.T.: 6.479 min
Delta R.T.: 0.014 min
Response: 326968
Conc: 258.90 ng/ml



#29 AR-1254-4


R.T.: 7.889 min
Delta R.T.: -0.003 min
Response: 80276
Conc: 82.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.701 min
Delta R.T.: -0.005 min
Response: 46966
Conc: 63.12 ng/ml




#30 AR-1254-5

R.T.: 8.317 min
Delta R.T.: 0.000 min
Response: 668848
Conc: 616.49 ng/ml



#30 AR-1254-5


R.T.: 7.130 min
Delta R.T.: -0.004 min
Response: 534578
Conc: 497.81 ng/ml



#31 AR-1260-1


R.T.: 7.761 min
Delta R.T.: -0.006 min
Response: 479276
Conc: 493.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.599 min
Delta R.T.: -0.004 min
Response: 437960
Conc: 504.73 ng/ml




#32 AR-1260-2

R.T.: 8.027 min
Delta R.T.: -0.005 min
Response: 566167
Conc: 489.04 ng/ml



#32 AR-1260-2


R.T.: 6.798 min
Delta R.T.: -0.004 min
Response: 496229
Conc: 493.16 ng/ml



#33 AR-1260-3


R.T.: 8.391 min
Delta R.T.: -0.005 min
Response: 432798
Conc: 490.15 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.951 min
Delta R.T.: -0.005 min
Response: 466788
Conc: 494.54 ng/ml




#34 AR-1260-4

R.T.: 8.620 min
Delta R.T.: -0.006 min
Response: 518005
Conc: 490.26 ng/ml



#34 AR-1260-4


R.T.: 7.433 min
Delta R.T.: -0.005 min
Response: 386005
Conc: 491.64 ng/ml



#35 AR-1260-5


R.T.: 8.935 min
Delta R.T.: -0.006 min
Response: 987816
Conc: 473.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.684 min
Delta R.T.: -0.005 min
Response: 837456
Conc: 471.40 ng/ml




#36 AR-1262-1

R.T.: 8.391 min
Delta R.T.: 0.018 min
Response: 432798
Conc: 345.40 ng/ml



#36 AR-1262-1


R.T.: 7.130 min
Delta R.T.: -0.005 min
Response: 534578
Conc: 927.65 ng/ml



#37 AR-1262-2


R.T.: 8.935 min
Delta R.T.: 0.017 min
Response: 987816
Conc: 434.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.684 min
Delta R.T.: -0.005 min
Response: 837456
Conc: 470.33 ng/ml




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 9.214 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 7.968 min
Delta R.T.: -0.006 min
Response: 205925
Conc: 265.59 ng/ml



#39 AR-1262-4


R.T.: 9.304 min
Delta R.T.: 0.000 min
Response: 429564
Conc: 732.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.032 min
Delta R.T.: -0.006 min
Response: 646956
Conc: 461.61 ng/ml




#40 AR-1262-5

R.T.: 9.958 min
Delta R.T.: 0.020 min
Response: 315566
Conc: 346.55 ng/ml



#40 AR-1262-5


R.T.: 8.532 min
Delta R.T.: -0.006 min
Response: 251771
Conc: 362.56 ng/ml



#41 AR-1268-1


R.T.: 9.254 min
Delta R.T.: 0.022 min
Response: 663677
Conc: 243.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.968 min
Delta R.T.: -0.004 min
Response: 205925
Conc: 96.04 ng/ml




#42 AR-1268-2

R.T.: 9.304 min
Delta R.T.: -0.020 min
Response: 429564
Conc: 164.08 ng/ml



#42 AR-1268-2


R.T.: 8.032 min
Delta R.T.: -0.006 min
Response: 646956
Conc: 324.57 ng/ml



#43 AR-1268-3


R.T.: 9.538 min
Delta R.T.: 0.000 min
Response: 15310
Conc: 6.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.240 min
Delta R.T.: -0.003 min
Response: 14357
Conc: 8.22 ng/ml




#44 AR-1268-4

R.T.: 9.958 min
Delta R.T.: 0.000 min
Response: 315566
Conc: 310.57 ng/ml



#44 AR-1268-4


R.T.: 8.532 min
Delta R.T.: -0.004 min
Response: 251771
Conc: 328.03 ng/ml



#45 AR-1268-5

R.T.: 10.350 min
Delta R.T.: 0.000 min
Response: 94331
Conc: 12.95 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.804 min
Delta R.T.: -0.004 min
Response: 69122
Conc: 12.81 ng/ml