

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP111920\
 Data File : PP031440.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 19 Nov 2020 22:21
 Operator : DD\AJ
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 100 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 AR1660CCC500

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 20 01:00:56 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP111720.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Nov 18 01:50:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.791	4.065	2074772	2034814	50.928	48.670
2)	SA Decachlor...	10.664	9.373	1469843	1703218	47.856	50.865
Target Compounds							
3)	L1 AR-1016-1	6.095	5.320	633656	603238	503.620	473.614
4)	L1 AR-1016-2	6.118	5.341	932114	869425	495.657	463.863
5)	L1 AR-1016-3	6.184	5.533	581162	482568	507.726	482.966
6)	L1 AR-1016-4	6.290	5.584	486685	370035	506.009	502.479
7)	L1 AR-1016-5	6.604	5.812	462145	439030	527.277	451.659
8)	L2 AR-1221-1	5.033	4.321	64088	57620	136.515	126.062
9)	L2 AR-1221-2	5.135	4.420	99321	85844	285.636	243.094
10)	L2 AR-1221-3	5.220	4.509	357887	337588	335.703	311.835
11)	L3 AR-1232-1	5.220	4.509	357887	337588	413.742	392.600
12)	L3 AR-1232-2	5.803	5.341	488525	869425	1117.248	1056.749
13)	L3 AR-1232-3	6.118	5.533	932114	482568	1121.060	1113.524
14)	L3 AR-1232-4	6.290	5.629	486685	452728	1157.654	1278.913
15)	L3 AR-1232-5	6.390	5.812	358250	439030	1414.804	1103.122
16)	L4 AR-1242-1	6.095	5.320	633656	603238	661.149	630.496
17)	L4 AR-1242-2	6.118	5.341	932114	869425	655.996	617.943
18)	L4 AR-1242-3	6.184	5.533	581162	482568	654.553	623.987
19)	L4 AR-1242-4	6.290	5.629	486685	452728	653.834	641.635
20)	L4 AR-1242-5	7.069	6.192	68007	380786	92.209	430.856 #
21)	L5 AR-1248-1	6.095	5.320	633656	603238	851.737	803.177
22)	L5 AR-1248-2	6.390	5.584	358250	370035	381.095	367.877
23)	L5 AR-1248-3	6.604	5.629	462145	452728	394.459	423.164
24)	L5 AR-1248-4	7.029	5.812	81731	439030	64.725	343.243 #
25)	L5 AR-1248-5	7.069	6.236	68007	93003	54.138	74.044 #
26)	L6 AR-1254-1	7.002	6.192	247679	380786	192.822	200.095
27)	L6 AR-1254-2	7.229	6.351	317084	379008	164.247	231.544 #
28)	L6 AR-1254-3	7.608	6.790	227762	649206	105.067	237.792 #
29)	L6 AR-1254-4	7.901	7.011	186606	82315	123.590	52.969 #
30)	L6 AR-1254-5	8.329	7.439	1021145	1118967	624.644	462.807 #
31)	L7 AR-1260-1	7.775	6.908	734145	820659	525.661	491.146
32)	L7 AR-1260-2	8.041	7.105	890023	1010181	534.854	496.392
33)	L7 AR-1260-3	8.406	7.260	683179	965879	534.782	500.608
34)	L7 AR-1260-4	8.634	7.744	775389	821209	507.208	509.220
35)	L7 AR-1260-5	8.948	7.990	1545644	1961785	490.435	496.559
36)	L8 AR-1262-1	8.406	7.481	683179	905298	378.347	397.237
37)	L8 AR-1262-2	8.948	7.990	1545644	1961785	458.001	476.985
38)	L8 AR-1262-3	9.261	8.277	971048	421070	415.456	264.182 #
39)	L8 AR-1262-4	9.334	8.339	287445	1467342	152.760	468.682 #
40)	L8 AR-1262-5	9.961	8.837	481980	583761	378.309	413.663
41)	L9 AR-1268-1	9.261	8.277	971048	421070	230.090	85.549 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP111920\
 Data File : PP031440.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 19 Nov 2020 22:21
 Operator : DD\AJ
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 100 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 AR1660CCC500

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 20 01:00:56 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP111720.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Nov 18 01:50:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.334	8.339	287445	1467342	69.597	301.779 #
43) L9	AR-1268-3	0.000	8.550	0	24382	N.D.	5.854 #
44) L9	AR-1268-4	9.961	8.837	481980	583761	333.527	350.271
45) L9	AR-1268-5	10.350	9.124	141370	159943	12.546	12.256



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP111920\
Data File : PP031440.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 19 Nov 2020 22:21
Operator : DD\AJ
Sample : AR1660CCC500
Misc :
ALS Vial : 100 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 20 01:00:56 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP111720.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Nov 18 01:50:50 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.791 min
Delta R.T.: -0.005 min
Response: 2074772
Conc: 50.93 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#1 Tetrachloro-m-xylene

R.T.: 4.065 min
Delta R.T.: -0.005 min
Response: 2034814
Conc: 48.67 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.664 min
Delta R.T.: -0.008 min
Response: 1469843
Conc: 47.86 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.373 min
Delta R.T.: -0.009 min
Response: 1703218
Conc: 50.87 ng/ml



#3 AR-1016-1


R.T.: 6.095 min
Delta R.T.: -0.007 min
Response: 633656
Conc: 503.62 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#3 AR-1016-1

R.T.: 5.320 min
Delta R.T.: -0.010 min
Response: 603238
Conc: 473.61 ng/ml




#4 AR-1016-2

R.T.: 6.118 min
Delta R.T.: -0.007 min
Response: 932114
Conc: 495.66 ng/ml



#4 AR-1016-2


R.T.: 5.341 min
Delta R.T.: -0.009 min
Response: 869425
Conc: 463.86 ng/ml



#5 AR-1016-3


R.T.: 6.184 min
Delta R.T.: -0.007 min
Response: 581162
Conc: 507.73 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#5 AR-1016-3

R.T.: 5.533 min
Delta R.T.: -0.010 min
Response: 482568
Conc: 482.97 ng/ml




#6 AR-1016-4

R.T.: 6.290 min
Delta R.T.: -0.007 min
Response: 486685
Conc: 506.01 ng/ml



#6 AR-1016-4


R.T.: 5.584 min
Delta R.T.: -0.010 min
Response: 370035
Conc: 502.48 ng/ml



#7 AR-1016-5


R.T.: 6.604 min
Delta R.T.: -0.008 min
Response: 462145
Conc: 527.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#7 AR-1016-5

R.T.: 5.812 min
Delta R.T.: -0.011 min
Response: 439030
Conc: 451.66 ng/ml




#8 AR-1221-1

R.T.: 5.033 min
Delta R.T.: -0.011 min
Response: 64088
Conc: 136.52 ng/ml



#8 AR-1221-1


R.T.: 4.321 min
Delta R.T.: -0.009 min
Response: 57620
Conc: 126.06 ng/ml



#9 AR-1221-2


R.T.: 5.135 min
Delta R.T.: -0.005 min
Response: 99321
Conc: 285.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#9 AR-1221-2

R.T.: 4.420 min
Delta R.T.: -0.009 min
Response: 85844
Conc: 243.09 ng/ml




#10 AR-1221-3

R.T.: 5.220 min
Delta R.T.: -0.006 min
Response: 357887
Conc: 335.70 ng/ml



#10 AR-1221-3


R.T.: 4.509 min
Delta R.T.: -0.009 min
Response: 337588
Conc: 311.84 ng/ml



#11 AR-1232-1


R.T.: 5.220 min
Delta R.T.: -0.005 min
Response: 357887
Conc: 413.74 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#11 AR-1232-1

R.T.: 4.509 min
Delta R.T.: -0.008 min
Response: 337588
Conc: 392.60 ng/ml




#12 AR-1232-2

R.T.: 5.803 min
Delta R.T.: -0.006 min
Response: 488525
Conc: 1117.25 ng/ml



#12 AR-1232-2


R.T.: 5.341 min
Delta R.T.: -0.009 min
Response: 869425
Conc: 1056.75 ng/ml



#13 AR-1232-3


R.T.: 6.118 min
Delta R.T.: -0.006 min
Response: 932114
Conc: 1121.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#13 AR-1232-3

R.T.: 5.533 min
Delta R.T.: -0.009 min
Response: 482568
Conc: 1113.52 ng/ml




#14 AR-1232-4

R.T.: 6.290 min
Delta R.T.: -0.006 min
Response: 486685
Conc: 1157.65 ng/ml



#14 AR-1232-4


R.T.: 5.629 min
Delta R.T.: -0.009 min
Response: 452728
Conc: 1278.91 ng/ml



#15 AR-1232-5


R.T.: 6.390 min
Delta R.T.: -0.006 min
Response: 358250
Conc: 1414.80 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#15 AR-1232-5

R.T.: 5.812 min
Delta R.T.: -0.011 min
Response: 439030
Conc: 1103.12 ng/ml




#16 AR-1242-1

R.T.: 6.095 min
Delta R.T.: -0.007 min
Response: 633656
Conc: 661.15 ng/ml



#16 AR-1242-1


R.T.: 5.320 min
Delta R.T.: -0.009 min
Response: 603238
Conc: 630.50 ng/ml



#17 AR-1242-2


R.T.: 6.118 min
Delta R.T.: -0.007 min
Response: 932114
Conc: 656.00 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#17 AR-1242-2

R.T.: 5.341 min
Delta R.T.: -0.009 min
Response: 869425
Conc: 617.94 ng/ml




#18 AR-1242-3

R.T.: 6.184 min
Delta R.T.: -0.007 min
Response: 581162
Conc: 654.55 ng/ml



#18 AR-1242-3


R.T.: 5.533 min
Delta R.T.: -0.009 min
Response: 482568
Conc: 623.99 ng/ml



#19 AR-1242-4


R.T.: 6.290 min
Delta R.T.: -0.007 min
Response: 486685
Conc: 653.83 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#19 AR-1242-4

R.T.: 5.629 min
Delta R.T.: -0.009 min
Response: 452728
Conc: 641.63 ng/ml




#20 AR-1242-5

R.T.: 7.069 min
Delta R.T.: -0.006 min
Response: 68007
Conc: 92.21 ng/ml



#20 AR-1242-5


R.T.: 6.192 min
Delta R.T.: -0.010 min
Response: 380786
Conc: 430.86 ng/ml



#21 AR-1248-1


R.T.: 6.095 min
Delta R.T.: -0.006 min
Response: 633656
Conc: 851.74 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#21 AR-1248-1

R.T.: 5.320 min
Delta R.T.: -0.009 min
Response: 603238
Conc: 803.18 ng/ml




#22 AR-1248-2

R.T.: 6.390 min
Delta R.T.: -0.006 min
Response: 358250
Conc: 381.09 ng/ml



#22 AR-1248-2


R.T.: 5.584 min
Delta R.T.: -0.009 min
Response: 370035
Conc: 367.88 ng/ml



#23 AR-1248-3


R.T.: 6.604 min
Delta R.T.: -0.007 min
Response: 462145
Conc: 394.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#23 AR-1248-3

R.T.: 5.629 min
Delta R.T.: -0.009 min
Response: 452728
Conc: 423.16 ng/ml




#24 AR-1248-4

R.T.: 7.029 min
Delta R.T.: -0.007 min
Response: 81731
Conc: 64.72 ng/ml



#24 AR-1248-4


R.T.: 5.812 min
Delta R.T.: -0.010 min
Response: 439030
Conc: 343.24 ng/ml



#25 AR-1248-5


R.T.: 7.069 min
Delta R.T.: -0.007 min
Response: 68007
Conc: 54.14 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#25 AR-1248-5

R.T.: 6.236 min
Delta R.T.: -0.010 min
Response: 93003
Conc: 74.04 ng/ml




#26 AR-1254-1

R.T.: 7.002 min
Delta R.T.: -0.006 min
Response: 247679
Conc: 192.82 ng/ml



#26 AR-1254-1


R.T.: 6.192 min
Delta R.T.: -0.009 min
Response: 380786
Conc: 200.10 ng/ml



#27 AR-1254-2


R.T.: 7.229 min
Delta R.T.: -0.007 min
Response: 317084
Conc: 164.25 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#27 AR-1254-2

R.T.: 6.351 min
Delta R.T.: -0.010 min
Response: 379008
Conc: 231.54 ng/ml




#28 AR-1254-3

R.T.: 7.608 min
Delta R.T.: -0.007 min
Response: 227762
Conc: 105.07 ng/ml



#28 AR-1254-3


R.T.: 6.790 min
Delta R.T.: 0.009 min
Response: 649206
Conc: 237.79 ng/ml



#29 AR-1254-4


R.T.: 7.901 min
Delta R.T.: -0.008 min
Response: 186606
Conc: 123.59 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#29 AR-1254-4

R.T.: 7.011 min
Delta R.T.: -0.009 min
Response: 82315
Conc: 52.97 ng/ml




#30 AR-1254-5

R.T.: 8.329 min
Delta R.T.: -0.009 min
Response: 1021145
Conc: 624.64 ng/ml



#30 AR-1254-5


R.T.: 7.439 min
Delta R.T.: -0.011 min
Response: 1118967
Conc: 462.81 ng/ml



#31 AR-1260-1


R.T.: 7.775 min
Delta R.T.: -0.008 min
Response: 734145
Conc: 525.66 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#31 AR-1260-1

R.T.: 6.908 min
Delta R.T.: -0.012 min
Response: 820659
Conc: 491.15 ng/ml




#32 AR-1260-2

R.T.: 8.041 min
Delta R.T.: -0.008 min
Response: 890023
Conc: 534.85 ng/ml



#32 AR-1260-2


R.T.: 7.105 min
Delta R.T.: -0.011 min
Response: 1010181
Conc: 496.39 ng/ml



#33 AR-1260-3


R.T.: 8.406 min
Delta R.T.: -0.008 min
Response: 683179
Conc: 534.78 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#33 AR-1260-3

R.T.: 7.260 min
Delta R.T.: -0.011 min
Response: 965879
Conc: 500.61 ng/ml




#34 AR-1260-4

R.T.: 8.634 min
Delta R.T.: -0.010 min
Response: 775389
Conc: 507.21 ng/ml



#34 AR-1260-4


R.T.: 7.744 min
Delta R.T.: -0.011 min
Response: 821209
Conc: 509.22 ng/ml



#35 AR-1260-5


R.T.: 8.948 min
Delta R.T.: -0.009 min
Response: 1545644
Conc: 490.43 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#35 AR-1260-5

R.T.: 7.990 min
Delta R.T.: -0.012 min
Response: 1961785
Conc: 496.56 ng/ml




#36 AR-1262-1

R.T.: 8.406 min
Delta R.T.: -0.006 min
Response: 683179
Conc: 378.35 ng/ml



#36 AR-1262-1


R.T.: 7.481 min
Delta R.T.: -0.010 min
Response: 905298
Conc: 397.24 ng/ml



#37 AR-1262-2


R.T.: 8.948 min
Delta R.T.: -0.008 min
Response: 1545644
Conc: 458.00 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#37 AR-1262-2

R.T.: 7.990 min
Delta R.T.: -0.010 min
Response: 1961785
Conc: 476.99 ng/ml




#38 AR-1262-3

R.T.: 9.261 min
Delta R.T.: 0.005 min
Response: 971048
Conc: 415.46 ng/ml



#38 AR-1262-3


R.T.: 8.277 min
Delta R.T.: -0.010 min
Response: 421070
Conc: 264.18 ng/ml



#39 AR-1262-4


R.T.: 9.334 min
Delta R.T.: -0.010 min
Response: 287445
Conc: 152.76 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#39 AR-1262-4

R.T.: 8.339 min
Delta R.T.: -0.011 min
Response: 1467342
Conc: 468.68 ng/ml




#40 AR-1262-5

R.T.: 9.961 min
Delta R.T.: -0.009 min
Response: 481980
Conc: 378.31 ng/ml



#40 AR-1262-5


R.T.: 8.837 min
Delta R.T.: -0.011 min
Response: 583761
Conc: 413.66 ng/ml



#41 AR-1268-1


R.T.: 9.261 min
Delta R.T.: 0.006 min
Response: 971048
Conc: 230.09 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#41 AR-1268-1

R.T.: 8.277 min
Delta R.T.: -0.010 min
Response: 421070
Conc: 85.55 ng/ml




#42 AR-1268-2

R.T.: 9.334 min
Delta R.T.: -0.012 min
Response: 287445
Conc: 69.60 ng/ml



#42 AR-1268-2


R.T.: 8.339 min
Delta R.T.: -0.012 min
Response: 1467342
Conc: 301.78 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 9.562 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500




#43 AR-1268-3

R.T.: 8.550 min
Delta R.T.: -0.010 min
Response: 24382
Conc: 5.85 ng/ml




#44 AR-1268-4

R.T.: 9.961 min
Delta R.T.: -0.010 min
Response: 481980
Conc: 333.53 ng/ml



#44 AR-1268-4


R.T.: 8.837 min
Delta R.T.: -0.011 min
Response: 583761
Conc: 350.27 ng/ml



#45 AR-1268-5

R.T.: 10.350 min
Delta R.T.: -0.013 min
Response: 141370
Conc: 12.55 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1660CCC500



#45 AR-1268-5

R.T.: 9.124 min
Delta R.T.: -0.012 min
Response: 159943
Conc: 12.26 ng/ml