

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP112921\
 Data File : PP041387.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 29 Nov 2021 13:51
 Operator : AJ\MA
 Sample : M4830-04 10X
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 30 00:45:07 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP11521.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Nov 16 04:45:00 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.740f	3.755	451243	36701	21.397	1.321 #
2)	SA Decachlor...	10.651	9.015	53072	34247	2.430	2.389
Target Compounds							
3)	L1 AR-1016-1	6.065	5.003	11002952	10657976	15649.968	12558.630
4)	L1 AR-1016-2	6.089	5.021	15969310	16016324	14375.654	13032.246
5)	L1 AR-1016-3	6.154	5.212	10020195	9099678	14083.948	13504.719
6)	L1 AR-1016-4	6.261	5.265	9129936	5076023	16185.792	9333.844 #
7)	L1 AR-1016-5	6.575	5.492	7135870	7229091	12903.471	10850.605
8)	L2 AR-1221-1	4.997	4.011	720279	951142	3179.404	2979.327
9)	L2 AR-1221-2	5.099	4.112	1046569	1111113	6760.712	4382.004 #
10)	L2 AR-1221-3	5.186	4.198	4826292	5401497	9021.988	7189.115
11)	L3 AR-1232-1	5.186	4.198	4826292	5401497	10894.093	9018.916
12)	L3 AR-1232-2	5.770	5.021	9477461	16016324	41068.183	32221.401
13)	L3 AR-1232-3	6.089	5.212	15969310	9099678	37357.202	33985.811
14)	L3 AR-1232-4	6.261	5.309	9129936	6057930	44927.309	25822.709 #
15)	L3 AR-1232-5	6.359	5.492	4811921	7229091	34086.611	29397.244
16)	L4 AR-1242-1	6.065	5.003	11002952	10657976	21285.578	16791.131
17)	L4 AR-1242-2	6.089	5.021	15969310	16016324	19549.754	17416.312
18)	L4 AR-1242-3	6.154	5.212	10020195	9099678	19066.777	17925.398
19)	L4 AR-1242-4	6.261	5.309	9129936	6057930	22623.568	12340.826 #
20)	L4 AR-1242-5	7.042	5.871	4567978	5130274	10218.756	9502.112
21)	L5 AR-1248-1	6.065	5.003	11002952	10657976	29614.110	22062.737 #
22)	L5 AR-1248-2	6.359	5.265	4811921	5076023	8677.903	7481.866
23)	L5 AR-1248-3	6.575	5.309	7135870	6057930	10597.118	8681.755
24)	L5 AR-1248-4	7.004	5.492	4537584	7229091	6081.918	9029.111 #
25)	L5 AR-1248-5	7.042	5.913	4567978	4014353	6041.693	5544.975
26)	L6 AR-1254-1	6.972	5.871	3302505	5130274	4276.370	4505.312
27)	L6 AR-1254-2	7.207	6.031	3361636	809857	2719.679	825.931 #
28)	L6 AR-1254-3	7.582	6.450	721536	772102	538.846	533.783
29)	L6 AR-1254-4	7.878	6.690	341564	313844	357.908	378.354
30)	L6 AR-1254-5	8.305	7.118	164196	157480	154.477	135.100
31)	L7 AR-1260-1	7.748	6.595	109255	419820	110.845	438.529 #
32)	L7 AR-1260-2	8.013	6.785	136451	96884	115.461	89.294
33)	L7 AR-1260-3	8.378	6.936	60091	106654	66.194	106.295 #
34)	L7 AR-1260-4	8.605	7.420	128507	50916	118.933	62.078 #
35)	L7 AR-1260-5	8.923	7.670	123174	101826	59.104	58.344
36)	L8 AR-1262-1	8.378	7.118	60091	157480	50.294	265.857 #
37)	L8 AR-1262-2	8.923	7.670	123174	101826	58.397	61.518
38)	L8 AR-1262-3	9.240	7.954	78533	24701	77.799	34.292 #
39)	L8 AR-1262-4	9.291f	8.018	46003	77731	68.926	60.451
40)	L8 AR-1262-5	9.943	8.518	30472	19543	36.995	32.548
41)	L9 AR-1268-1	9.240f	7.954	78533	24701	28.863	11.859 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP112921\
Data File : PP041387.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 29 Nov 2021 13:51
Operator : AJ\MA
Sample : M4830-04 10X
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 30 00:45:07 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP111521.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Nov 16 04:45:00 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	9.291f	8.018	46003	77731	17.878	40.794 #
44)	L9 AR-1268-4	9.943	8.518	30472	19543	31.756	27.802



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP112921\
Data File : PP041387.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 29 Nov 2021 13:51
Operator : AJ\MA
Sample : M4830-04 10X
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 30 00:45:07 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP111521.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Nov 16 04:45:00 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.740 min
Delta R.T.: -0.017 min
Response: 451243
Conc: 21.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.755 min
Delta R.T.: -0.005 min
Response: 36701
Conc: 1.32 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.651 min
Delta R.T.: -0.009 min
Response: 53072
Conc: 2.43 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.015 min
Delta R.T.: -0.011 min
Response: 34247
Conc: 2.39 ng/ml



#3 AR-1016-1


R.T.: 6.065 min
Delta R.T.: -0.009 min
Response: 11002952
Conc: 15649.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.003 min
Delta R.T.: -0.006 min
Response: 10657976
Conc: 12558.63 ng/ml




#4 AR-1016-2

R.T.: 6.089 min
Delta R.T.: -0.010 min
Response: 15969310
Conc: 14375.65 ng/ml



#4 AR-1016-2


R.T.: 5.021 min
Delta R.T.: -0.007 min
Response: 16016324
Conc: 13032.25 ng/ml



#5 AR-1016-3


R.T.: 6.154 min
Delta R.T.: -0.009 min
Response: 10020195
Conc: 14083.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.212 min
Delta R.T.: -0.007 min
Response: 9099678
Conc: 13504.72 ng/ml




#6 AR-1016-4

R.T.: 6.261 min
Delta R.T.: -0.009 min
Response: 9129936
Conc: 16185.79 ng/ml



#6 AR-1016-4


R.T.: 5.265 min
Delta R.T.: -0.007 min
Response: 5076023
Conc: 9333.84 ng/ml



#7 AR-1016-5


R.T.: 6.575 min
Delta R.T.: -0.008 min
Response: 7135870
Conc: 12903.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.492 min
Delta R.T.: -0.007 min
Response: 7229091
Conc: 10850.61 ng/ml




#8 AR-1221-1

R.T.: 4.997 min
Delta R.T.: -0.012 min
Response: 720279
Conc: 3179.40 ng/ml



#8 AR-1221-1


R.T.: 4.011 min
Delta R.T.: -0.006 min
Response: 951142
Conc: 2979.33 ng/ml



#9 AR-1221-2


R.T.: 5.099 min
Delta R.T.: -0.008 min
Response: 1046569
Conc: 6760.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.112 min
Delta R.T.: -0.004 min
Response: 1111113
Conc: 4382.00 ng/ml




#10 AR-1221-3

R.T.: 5.186 min
Delta R.T.: -0.009 min
Response: 4826292
Conc: 9021.99 ng/ml



#10 AR-1221-3


R.T.: 4.198 min
Delta R.T.: -0.005 min
Response: 5401497
Conc: 7189.11 ng/ml



#11 AR-1232-1


R.T.: 5.186 min
Delta R.T.: -0.008 min
Response: 4826292
Conc: 10894.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.198 min
Delta R.T.: -0.005 min
Response: 5401497
Conc: 9018.92 ng/ml




#12 AR-1232-2

R.T.: 5.770 min
Delta R.T.: -0.007 min
Response: 9477461
Conc: 41068.18 ng/ml



#12 AR-1232-2


R.T.: 5.021 min
Delta R.T.: -0.006 min
Response: 16016324
Conc: 32221.40 ng/ml



#13 AR-1232-3


R.T.: 6.089 min
Delta R.T.: -0.009 min
Response: 15969310
Conc: 37357.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.212 min
Delta R.T.: -0.006 min
Response: 9099678
Conc: 33985.81 ng/ml




#14 AR-1232-4

R.T.: 6.261 min
Delta R.T.: -0.009 min
Response: 9129936
Conc: 44927.31 ng/ml



#14 AR-1232-4


R.T.: 5.309 min
Delta R.T.: -0.006 min
Response: 6057930
Conc: 25822.71 ng/ml



#15 AR-1232-5


R.T.: 6.359 min
Delta R.T.: -0.008 min
Response: 4811921
Conc: 34086.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.492 min
Delta R.T.: -0.006 min
Response: 7229091
Conc: 29397.24 ng/ml




#16 AR-1242-1

R.T.: 6.065 min
Delta R.T.: -0.009 min
Response: 11002952
Conc: 21285.58 ng/ml



#16 AR-1242-1


R.T.: 5.003 min
Delta R.T.: -0.006 min
Response: 10657976
Conc: 16791.13 ng/ml



#17 AR-1242-2


R.T.: 6.089 min
Delta R.T.: -0.009 min
Response: 15969310
Conc: 19549.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.021 min
Delta R.T.: -0.006 min
Response: 16016324
Conc: 17416.31 ng/ml




#18 AR-1242-3

R.T.: 6.154 min
Delta R.T.: -0.008 min
Response: 10020195
Conc: 19066.78 ng/ml



#18 AR-1242-3


R.T.: 5.212 min
Delta R.T.: -0.006 min
Response: 9099678
Conc: 17925.40 ng/ml



#19 AR-1242-4


R.T.: 6.261 min
Delta R.T.: -0.008 min
Response: 9129936
Conc: 22623.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.309 min
Delta R.T.: -0.006 min
Response: 6057930
Conc: 12340.83 ng/ml




#20 AR-1242-5

R.T.: 7.042 min
Delta R.T.: -0.009 min
Response: 4567978
Conc: 10218.76 ng/ml



#20 AR-1242-5


R.T.: 5.871 min
Delta R.T.: -0.007 min
Response: 5130274
Conc: 9502.11 ng/ml



#21 AR-1248-1


R.T.: 6.065 min
Delta R.T.: -0.008 min
Response: 11002952
Conc: 29614.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.003 min
Delta R.T.: -0.006 min
Response: 10657976
Conc: 22062.74 ng/ml




#22 AR-1248-2

R.T.: 6.359 min
Delta R.T.: -0.007 min
Response: 4811921
Conc: 8677.90 ng/ml



#22 AR-1248-2


R.T.: 5.265 min
Delta R.T.: -0.006 min
Response: 5076023
Conc: 7481.87 ng/ml



#23 AR-1248-3


R.T.: 6.575 min
Delta R.T.: -0.007 min
Response: 7135870
Conc: 10597.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.309 min
Delta R.T.: -0.006 min
Response: 6057930
Conc: 8681.76 ng/ml




#24 AR-1248-4

R.T.: 7.004 min
Delta R.T.: -0.007 min
Response: 4537584
Conc: 6081.92 ng/ml



#24 AR-1248-4


R.T.: 5.492 min
Delta R.T.: -0.006 min
Response: 7229091
Conc: 9029.11 ng/ml



#25 AR-1248-5


R.T.: 7.042 min
Delta R.T.: -0.009 min
Response: 4567978
Conc: 6041.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.913 min
Delta R.T.: -0.007 min
Response: 4014353
Conc: 5544.98 ng/ml




#26 AR-1254-1

R.T.: 6.972 min
Delta R.T.: -0.006 min
Response: 3302505
Conc: 4276.37 ng/ml



#26 AR-1254-1


R.T.: 5.871 min
Delta R.T.: -0.006 min
Response: 5130274
Conc: 4505.31 ng/ml



#27 AR-1254-2


R.T.: 7.207 min
Delta R.T.: -0.001 min
Response: 3361636
Conc: 2719.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.031 min
Delta R.T.: -0.006 min
Response: 809857
Conc: 825.93 ng/ml




#28 AR-1254-3

R.T.: 7.582 min
Delta R.T.: -0.007 min
Response: 721536
Conc: 538.85 ng/ml



#28 AR-1254-3


R.T.: 6.450 min
Delta R.T.: -0.006 min
Response: 772102
Conc: 533.78 ng/ml



#29 AR-1254-4


R.T.: 7.878 min
Delta R.T.: -0.006 min
Response: 341564
Conc: 357.91 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.690 min
Delta R.T.: -0.007 min
Response: 313844
Conc: 378.35 ng/ml




#30 AR-1254-5

R.T.: 8.305 min
Delta R.T.: -0.007 min
Response: 164196
Conc: 154.48 ng/ml



#30 AR-1254-5


R.T.: 7.118 min
Delta R.T.: -0.007 min
Response: 157480
Conc: 135.10 ng/ml



#31 AR-1260-1


R.T.: 7.748 min
Delta R.T.: -0.009 min
Response: 109255
Conc: 110.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.595 min
Delta R.T.: 0.000 min
Response: 419820
Conc: 438.53 ng/ml




#32 AR-1260-2

R.T.: 8.013 min
Delta R.T.: -0.009 min
Response: 136451
Conc: 115.46 ng/ml



#32 AR-1260-2


R.T.: 6.785 min
Delta R.T.: -0.008 min
Response: 96884
Conc: 89.29 ng/ml



#33 AR-1260-3


R.T.: 8.378 min
Delta R.T.: -0.008 min
Response: 60091
Conc: 66.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.936 min
Delta R.T.: -0.010 min
Response: 106654
Conc: 106.30 ng/ml




#34 AR-1260-4

R.T.: 8.605 min
Delta R.T.: -0.011 min
Response: 128507
Conc: 118.93 ng/ml



#34 AR-1260-4


R.T.: 7.420 min
Delta R.T.: -0.009 min
Response: 50916
Conc: 62.08 ng/ml



#35 AR-1260-5


R.T.: 8.923 min
Delta R.T.: -0.008 min
Response: 123174
Conc: 59.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.670 min
Delta R.T.: -0.009 min
Response: 101826
Conc: 58.34 ng/ml




#36 AR-1262-1

R.T.: 8.378 min
Delta R.T.: -0.006 min
Response: 60091
Conc: 50.29 ng/ml



#36 AR-1262-1


R.T.: 7.118 min
Delta R.T.: -0.006 min
Response: 157480
Conc: 265.86 ng/ml



#37 AR-1262-2


R.T.: 8.923 min
Delta R.T.: -0.007 min
Response: 123174
Conc: 58.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.670 min
Delta R.T.: -0.007 min
Response: 101826
Conc: 61.52 ng/ml




#38 AR-1262-3

R.T.: 9.240 min
Delta R.T.: 0.014 min
Response: 78533
Conc: 77.80 ng/ml



#38 AR-1262-3


R.T.: 7.954 min
Delta R.T.: -0.008 min
Response: 24701
Conc: 34.29 ng/ml



#39 AR-1262-4


R.T.: 9.291 min
Delta R.T.: -0.024 min
Response: 46003
Conc: 68.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.018 min
Delta R.T.: -0.008 min
Response: 77731
Conc: 60.45 ng/ml




#40 AR-1262-5

R.T.: 9.943 min
Delta R.T.: -0.008 min
Response: 30472
Conc: 37.00 ng/ml



#40 AR-1262-5


R.T.: 8.518 min
Delta R.T.: -0.007 min
Response: 19543
Conc: 32.55 ng/ml



#41 AR-1268-1


R.T.: 9.240 min
Delta R.T.: 0.016 min
Response: 78533
Conc: 28.86 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.954 min
Delta R.T.: -0.008 min
Response: 24701
Conc: 11.86 ng/ml




#42 AR-1268-2

R.T.: 9.291 min
Delta R.T.: -0.025 min
Response: 46003
Conc: 17.88 ng/ml



#42 AR-1268-2


R.T.: 8.018 min
Delta R.T.: -0.009 min
Response: 77731
Conc: 40.79 ng/ml



#44 AR-1268-4

R.T.: 9.943 min
Delta R.T.: -0.005 min
Response: 30472
Conc: 31.76 ng/ml

Instrument :
ECD_P
ClientSampleId :



#44 AR-1268-4

R.T.: 8.518 min
Delta R.T.: -0.008 min
Response: 19543
Conc: 27.80 ng/ml