

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP120225\
 Data File : PP076715.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Dec 2025 14:35
 Operator : YP\AJ
 Sample : Q3530-08
 Misc : (Sig #1); MDL-1262-WATER-50 PPB-QT4-2025 (Sig #2)
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 04 07:07:46 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP112125.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Nov 21 22:52:01 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.616	3.772	41615185	45268010	22.672	21.733
2)	SA Decachlor...	10.372	8.768	35719320	39578644	23.834	22.430
Target Compounds							
3)	L1 AR-1016-1	5.756	4.864	114254	260620	1.692	3.467 #
4)	L1 AR-1016-2	5.786	4.864	289381	260620	2.868	2.344
5)	L1 AR-1016-3	5.854	5.046	279238	79329	4.296	1.369 #
6)	L1 AR-1016-4	5.954	5.091	222164	292824	4.149	6.264 #
7)	L1 AR-1016-5	6.239	5.297	103040	435681	1.998	7.034 #
8)	L2 AR-1221-1	0.000	4.000	0	150188	N.D.	5.621 #
9)	L2 AR-1221-2	4.918	4.071	845365	814842	42.423	40.759
10)	L2 AR-1221-3	4.981	4.145	179007	146746	3.210	2.435
11)	L3 AR-1232-1	4.981	4.145	179007	146746	4.118	3.117
12)	L3 AR-1232-2	5.496	4.864	117216	260620	5.241	5.651
13)	L3 AR-1232-3	5.786	5.046	289381	79329	6.588	3.272 #
14)	L3 AR-1232-4	5.954	5.127	222164	72165	9.783	3.351 #
15)	L3 AR-1232-5	6.044	5.297	370020	435681	21.992	18.511
16)	L4 AR-1242-1	5.786	4.864	289381	260620	5.572	4.533
17)	L4 AR-1242-2	5.786	4.864	289381	260620	3.724	3.092
18)	L4 AR-1242-3	5.854	5.046	279238	79329	5.550	1.801 #
19)	L4 AR-1242-4	5.954	5.127	222164	72165	5.343	1.669 #
20)	L4 AR-1242-5	6.679	5.648	756018	2148911	16.354	36.845 #
21)	L5 AR-1248-1	5.756	4.864	114254	260620	2.824	5.913 #
22)	L5 AR-1248-2	6.044	5.091	370020	292824	6.562	5.029
23)	L5 AR-1248-3	6.239	5.127	103040	72165	1.654	1.176 #
24)	L5 AR-1248-4	6.616	5.297	3063740	435681	41.321	5.953 #
25)	L5 AR-1248-5	6.679	5.648f	756018	2148911	10.397	25.534 #
26)	L6 AR-1254-1	6.616	5.648	3063740	2148911	38.192	18.174 #
27)	L6 AR-1254-2	6.833	5.793	1920635	2696706	17.038	24.941 #
28)	L6 AR-1254-3	7.191	6.212	3388774	2884958	28.206	17.571 #
29)	L6 AR-1254-4	7.478	6.423	1647579	279127	18.282	2.689 #
30)	L6 AR-1254-5	7.890	6.837	4136118	3182878	42.731	22.610 #
31)	L7 AR-1260-1	7.360	6.326	4981448	3894488	57.353	35.696 #
32)	L7 AR-1260-2	7.613	6.513	5361524	5327691	51.874	40.063
33)	L7 AR-1260-3	7.971	6.667	5403419	4179418	67.219	33.734 #
34)	L7 AR-1260-4	8.198	7.134	4817676	5385717	51.432	51.846
35)	L7 AR-1260-5	8.521	7.375	8735319	10255163	51.379	41.498
36)	L8 AR-1262-1	8.198	6.877	4817676	5997062	48.685	44.984
37)	L8 AR-1262-2	8.521	7.134	8735319	5385717	50.654	44.912
38)	L8 AR-1262-3	8.844	7.657	6116783	7276910	48.652	73.866 #
39)	L8 AR-1262-4	8.930	7.720	4593186	10665063	46.294	61.123 #
40)	L8 AR-1262-5	9.597	8.215	3287544	3279679	46.277	40.813
41)	L9 AR-1268-1	8.844	7.657	6116783	7276910	28.461	25.865

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP120225\
 Data File : PP076715.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Dec 2025 14:35
 Operator : YP\AJ
 Sample : Q3530-08
 Misc : (Sig #1); MDL-1262-WATER-50 PPB-QT4-2025 (Sig #2)
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 04 07:07:46 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP112125.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Nov 21 22:52:01 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.930	7.720	4593186	10665063	22.825	41.902 #
43) L9	AR-1268-3	9.171	7.927	323898	535677	1.949	2.595 #
44) L9	AR-1268-4	9.597	8.215	3287544	3279679	39.467	34.920
45) L9	AR-1268-5	10.022	8.511	1303945	1624975	2.586	2.553



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP120225\
Data File : PP076715.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Dec 2025 14:35
Operator : YP\AJ
Sample : Q3530-08
Misc : (Sig #1); MDL-1262-WATER-50 PPB-QT4-2025 (Sig #2)
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 04 07:07:46 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP112125.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Nov 21 22:52:01 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.616 min
Delta R.T.: -0.002 min
Response: 41615185
Conc: 22.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.772 min
Delta R.T.: -0.003 min
Response: 45268010
Conc: 21.73 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.372 min
Delta R.T.: 0.002 min
Response: 35719320
Conc: 23.83 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.768 min
Delta R.T.: -0.003 min
Response: 39578644
Conc: 22.43 ng/ml



#3 AR-1016-1


R.T.: 5.756 min
Delta R.T.: -0.014 min
Response: 114254
Conc: 1.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.864 min
Delta R.T.: 0.010 min
Response: 260620
Conc: 3.47 ng/ml




#4 AR-1016-2

R.T.: 5.786 min
Delta R.T.: -0.005 min
Response: 289381
Conc: 2.87 ng/ml



#4 AR-1016-2


R.T.: 4.864 min
Delta R.T.: -0.007 min
Response: 260620
Conc: 2.34 ng/ml



#5 AR-1016-3


R.T.: 5.854 min
Delta R.T.: 0.000 min
Response: 279238
Conc: 4.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.046 min
Delta R.T.: 0.000 min
Response: 79329
Conc: 1.37 ng/ml




#6 AR-1016-4

R.T.: 5.954 min
Delta R.T.: 0.003 min
Response: 222164
Conc: 4.15 ng/ml



#6 AR-1016-4


R.T.: 5.091 min
Delta R.T.: 0.002 min
Response: 292824
Conc: 6.26 ng/ml



#7 AR-1016-5


R.T.: 6.239 min
Delta R.T.: -0.005 min
Response: 103040
Conc: 2.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.297 min
Delta R.T.: -0.003 min
Response: 435681
Conc: 7.03 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.818 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 4.000 min
Delta R.T.: 0.017 min
Response: 150188
Conc: 5.62 ng/ml



#9 AR-1221-2


R.T.: 4.918 min
Delta R.T.: 0.015 min
Response: 845365
Conc: 42.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.071 min
Delta R.T.: 0.002 min
Response: 814842
Conc: 40.76 ng/ml




#10 AR-1221-3

R.T.: 4.981 min
Delta R.T.: 0.002 min
Response: 179007
Conc: 3.21 ng/ml



#10 AR-1221-3


R.T.: 4.145 min
Delta R.T.: 0.000 min
Response: 146746
Conc: 2.43 ng/ml



#11 AR-1232-1


R.T.: 4.981 min
Delta R.T.: -0.001 min
Response: 179007
Conc: 4.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.145 min
Delta R.T.: 0.000 min
Response: 146746
Conc: 3.12 ng/ml




#12 AR-1232-2

R.T.: 5.496 min
Delta R.T.: -0.012 min
Response: 117216
Conc: 5.24 ng/ml



#12 AR-1232-2


R.T.: 4.864 min
Delta R.T.: -0.008 min
Response: 260620
Conc: 5.65 ng/ml



#13 AR-1232-3


R.T.: 5.786 min
Delta R.T.: -0.009 min
Response: 289381
Conc: 6.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.046 min
Delta R.T.: 0.000 min
Response: 79329
Conc: 3.27 ng/ml




#14 AR-1232-4

R.T.: 5.954 min
Delta R.T.: 0.000 min
Response: 222164
Conc: 9.78 ng/ml



#14 AR-1232-4


R.T.: 5.127 min
Delta R.T.: -0.003 min
Response: 72165
Conc: 3.35 ng/ml



#15 AR-1232-5


R.T.: 6.044 min
Delta R.T.: 0.000 min
Response: 370020
Conc: 21.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.297 min
Delta R.T.: -0.003 min
Response: 435681
Conc: 18.51 ng/ml




#16 AR-1242-1

R.T.: 5.786 min
Delta R.T.: 0.013 min
Response: 289381
Conc: 5.57 ng/ml



#16 AR-1242-1


R.T.: 4.864 min
Delta R.T.: 0.011 min
Response: 260620
Conc: 4.53 ng/ml



#17 AR-1242-2


R.T.: 5.786 min
Delta R.T.: -0.008 min
Response: 289381
Conc: 3.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.864 min
Delta R.T.: -0.006 min
Response: 260620
Conc: 3.09 ng/ml




#18 AR-1242-3

R.T.: 5.854 min
Delta R.T.: -0.003 min
Response: 279238
Conc: 5.55 ng/ml



#18 AR-1242-3


R.T.: 5.046 min
Delta R.T.: 0.001 min
Response: 79329
Conc: 1.80 ng/ml



#19 AR-1242-4


R.T.: 5.954 min
Delta R.T.: 0.000 min
Response: 222164
Conc: 5.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.127 min
Delta R.T.: -0.002 min
Response: 72165
Conc: 1.67 ng/ml




#20 AR-1242-5

R.T.: 6.679 min
Delta R.T.: -0.004 min
Response: 756018
Conc: 16.35 ng/ml



#20 AR-1242-5


R.T.: 5.648 min
Delta R.T.: -0.001 min
Response: 2148911
Conc: 36.85 ng/ml



#21 AR-1248-1


R.T.: 5.756 min
Delta R.T.: -0.012 min
Response: 114254
Conc: 2.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.864 min
Delta R.T.: 0.012 min
Response: 260620
Conc: 5.91 ng/ml




#22 AR-1248-2

R.T.: 6.044 min
Delta R.T.: 0.004 min
Response: 370020
Conc: 6.56 ng/ml



#22 AR-1248-2


R.T.: 5.091 min
Delta R.T.: 0.004 min
Response: 292824
Conc: 5.03 ng/ml



#23 AR-1248-3


R.T.: 6.239 min
Delta R.T.: -0.003 min
Response: 103040
Conc: 1.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.127 min
Delta R.T.: -0.001 min
Response: 72165
Conc: 1.18 ng/ml




#24 AR-1248-4

R.T.: 6.616 min
Delta R.T.: -0.024 min
Response: 3063740
Conc: 41.32 ng/ml



#24 AR-1248-4


R.T.: 5.297 min
Delta R.T.: -0.001 min
Response: 435681
Conc: 5.95 ng/ml



#25 AR-1248-5


R.T.: 6.679 min
Delta R.T.: 0.000 min
Response: 756018
Conc: 10.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.648 min
Delta R.T.: -0.042 min
Response: 2148911
Conc: 25.53 ng/ml




#26 AR-1254-1

R.T.: 6.616 min
Delta R.T.: 0.002 min
Response: 3063740
Conc: 38.19 ng/ml



#26 AR-1254-1


R.T.: 5.648 min
Delta R.T.: 0.000 min
Response: 2148911
Conc: 18.17 ng/ml



#27 AR-1254-2


R.T.: 6.833 min
Delta R.T.: 0.001 min
Response: 1920635
Conc: 17.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.793 min
Delta R.T.: -0.002 min
Response: 2696706
Conc: 24.94 ng/ml




#28 AR-1254-3

R.T.: 7.191 min
Delta R.T.: -0.003 min
Response: 3388774
Conc: 28.21 ng/ml



#28 AR-1254-3


R.T.: 6.212 min
Delta R.T.: 0.016 min
Response: 2884958
Conc: 17.57 ng/ml



#29 AR-1254-4


R.T.: 7.478 min
Delta R.T.: 0.003 min
Response: 1647579
Conc: 18.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.423 min
Delta R.T.: 0.000 min
Response: 279127
Conc: 2.69 ng/ml




#30 AR-1254-5

R.T.: 7.890 min
Delta R.T.: 0.000 min
Response: 4136118
Conc: 42.73 ng/ml



#30 AR-1254-5


R.T.: 6.837 min
Delta R.T.: -0.002 min
Response: 3182878
Conc: 22.61 ng/ml



#31 AR-1260-1


R.T.: 7.360 min
Delta R.T.: -0.001 min
Response: 4981448
Conc: 57.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.326 min
Delta R.T.: -0.003 min
Response: 3894488
Conc: 35.70 ng/ml




#32 AR-1260-2

R.T.: 7.613 min
Delta R.T.: -0.001 min
Response: 5361524
Conc: 51.87 ng/ml



#32 AR-1260-2


R.T.: 6.513 min
Delta R.T.: -0.003 min
Response: 5327691
Conc: 40.06 ng/ml



#33 AR-1260-3


R.T.: 7.971 min
Delta R.T.: 0.000 min
Response: 5403419
Conc: 67.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.667 min
Delta R.T.: -0.001 min
Response: 4179418
Conc: 33.73 ng/ml




#34 AR-1260-4

R.T.: 8.198 min
Delta R.T.: 0.000 min
Response: 4817676
Conc: 51.43 ng/ml



#34 AR-1260-4


R.T.: 7.134 min
Delta R.T.: -0.003 min
Response: 5385717
Conc: 51.85 ng/ml



#35 AR-1260-5


R.T.: 8.521 min
Delta R.T.: 0.000 min
Response: 8735319
Conc: 51.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.375 min
Delta R.T.: -0.003 min
Response: 10255163
Conc: 41.50 ng/ml




#36 AR-1262-1

R.T.: 8.198 min
Delta R.T.: 0.002 min
Response: 4817676
Conc: 48.68 ng/ml



#36 AR-1262-1


R.T.: 6.877 min
Delta R.T.: 0.000 min
Response: 5997062
Conc: 44.98 ng/ml



#37 AR-1262-2


R.T.: 8.521 min
Delta R.T.: 0.002 min
Response: 8735319
Conc: 50.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.134 min
Delta R.T.: 0.000 min
Response: 5385717
Conc: 44.91 ng/ml




#38 AR-1262-3

R.T.: 8.844 min
Delta R.T.: 0.002 min
Response: 6116783
Conc: 48.65 ng/ml



#38 AR-1262-3


R.T.: 7.657 min
Delta R.T.: 0.000 min
Response: 7276910
Conc: 73.87 ng/ml



#39 AR-1262-4


R.T.: 8.930 min
Delta R.T.: 0.002 min
Response: 4593186
Conc: 46.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.720 min
Delta R.T.: 0.000 min
Response: 10665063
Conc: 61.12 ng/ml




#40 AR-1262-5

R.T.: 9.597 min
Delta R.T.: 0.005 min
Response: 3287544
Conc: 46.28 ng/ml



#40 AR-1262-5


R.T.: 8.215 min
Delta R.T.: 0.000 min
Response: 3279679
Conc: 40.81 ng/ml



#41 AR-1268-1


R.T.: 8.844 min
Delta R.T.: 0.004 min
Response: 6116783
Conc: 28.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.657 min
Delta R.T.: -0.003 min
Response: 7276910
Conc: 25.87 ng/ml




#42 AR-1268-2

R.T.: 8.930 min
Delta R.T.: -0.005 min
Response: 4593186
Conc: 22.82 ng/ml



#42 AR-1268-2


R.T.: 7.720 min
Delta R.T.: -0.004 min
Response: 10665063
Conc: 41.90 ng/ml



#43 AR-1268-3


R.T.: 9.171 min
Delta R.T.: 0.000 min
Response: 323898
Conc: 1.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.927 min
Delta R.T.: -0.003 min
Response: 535677
Conc: 2.60 ng/ml




#44 AR-1268-4

R.T.: 9.597 min
Delta R.T.: 0.002 min
Response: 3287544
Conc: 39.47 ng/ml



#44 AR-1268-4


R.T.: 8.215 min
Delta R.T.: -0.003 min
Response: 3279679
Conc: 34.92 ng/ml



#45 AR-1268-5

R.T.: 10.022 min
Delta R.T.: 0.002 min
Response: 1303945
Conc: 2.59 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.511 min
Delta R.T.: -0.002 min
Response: 1624975
Conc: 2.55 ng/ml