

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP120720\
 Data File : PP031882.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 07 Dec 2020 18:26
 Operator : DD\AJ
 Sample : L4963-02MS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 08 00:51:50 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP112220.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Nov 24 12:23:58 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.787	4.060	1124059	959247	23.213	20.018
2)	SA Decachlor...	10.662	9.362	502193	536351	14.786	14.485
Target Compounds							
3)	L1 AR-1016-1	6.092	5.313	747677	757842	493.257	512.840
4)	L1 AR-1016-2	6.115	5.334	1100958	990162	487.574	455.393
5)	L1 AR-1016-3	6.180	5.525	674298	550462	488.079	470.980
6)	L1 AR-1016-4	6.286	5.576	606994	381130	522.362	436.630
7)	L1 AR-1016-5	6.600	5.806	482257	452304	437.519	397.664
8)	L2 AR-1221-1	5.029	4.314	84683	66341	155.711	130.761
9)	L2 AR-1221-2	5.130	4.415	95086	101329	229.256	262.677
10)	L2 AR-1221-3	5.216	4.503	423480	421199	343.927	349.196
11)	L3 AR-1232-1	5.216	4.503	423480	421199	405.928	405.428
12)	L3 AR-1232-2	5.799	5.334	738607	990162	1362.065	1016.774 #
13)	L3 AR-1232-3	6.115	5.525	1100958	550462	1090.165	1043.771
14)	L3 AR-1232-4	6.286	5.621	606994	461062	1144.778	1091.721
15)	L3 AR-1232-5	6.386	5.806	375600	452304	1169.240	1560.819 #
16)	L4 AR-1242-1	6.092	5.313	747677	757842	624.787	663.837
17)	L4 AR-1242-2	6.115	5.334	1100958	990162	618.765	588.775
18)	L4 AR-1242-3	6.180	5.525	674298	550462	605.605	602.834
19)	L4 AR-1242-4	6.286	5.621	606994	461062	656.777	548.878
20)	L4 AR-1242-5	7.066	6.185	71770	411123	78.341	398.478 #
21)	L5 AR-1248-1	6.092	5.313	747677	757842	809.683	879.868
22)	L5 AR-1248-2	6.386	5.576	375600	381130	317.536	319.201
23)	L5 AR-1248-3	6.600	5.621	482257	461062	329.652	364.268
24)	L5 AR-1248-4	7.027	5.806	76455	452304	48.753	295.227 #
25)	L5 AR-1248-5	7.066	6.229	71770	62829	45.210	43.063
26)	L6 AR-1254-1	6.996	6.185	330630	411123	216.969	190.052
27)	L6 AR-1254-2	7.226	6.343	455192	368445	195.998	197.771
28)	L6 AR-1254-3	7.607	6.782	486932	755924	192.742	244.536 #
29)	L6 AR-1254-4	7.899	7.002	473933	87149	279.309	51.297 #
30)	L6 AR-1254-5	8.326	7.431	1196828	1345024	640.216	498.234
31)	L7 AR-1260-1	7.773	6.900	1198780	915144	685.000	463.108 #
32)	L7 AR-1260-2	8.038	7.097	1120683	1138231	545.413	467.399
33)	L7 AR-1260-3	8.404	7.251	719162	1029164	440.924	450.669
34)	L7 AR-1260-4	8.632	7.734	813024	813553	441.538	428.159
35)	L7 AR-1260-5	8.947	7.982	1490853	1920636	404.331	423.239
36)	L8 AR-1262-1	8.404	7.472	719162	854444	316.525	307.439
37)	L8 AR-1262-2	8.947	7.982	1490853	1920636	375.190	395.409
38)	L8 AR-1262-3	9.259	8.268	1158968	615867	416.705	313.116
39)	L8 AR-1262-4	9.334	8.332	804993	1508036	367.219	415.989
40)	L8 AR-1262-5	9.960	8.829	519135	576249	355.567	355.011
41)	L9 AR-1268-1	9.259	8.268	1158968	615867	241.172	111.307 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP120720\
 Data File : PP031882.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 07 Dec 2020 18:26
 Operator : DD\AJ
 Sample : L4963-02MS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 08 00:51:50 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP112220.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Nov 24 12:23:58 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.334	8.332	804993	1508036	172.925	278.920 #
43) L9	AR-1268-3	9.550	8.539	116521	132839	28.815	28.962
44) L9	AR-1268-4	9.960	8.829	519135	576249	334.217	316.150
45) L9	AR-1268-5	10.347	9.115	482816	512945	39.580	37.042



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP120720\
Data File : PP031882.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 07 Dec 2020 18:26
Operator : DD\AJ
Sample : L4963-02MS
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 08 00:51:50 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP112220.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Nov 24 12:23:58 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.787 min
Delta R.T.: -0.003 min
Response: 1124059
Conc: 23.21 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.060 min
Delta R.T.: -0.002 min
Response: 959247
Conc: 20.02 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.662 min
Delta R.T.: -0.003 min
Response: 502193
Conc: 14.79 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.362 min
Delta R.T.: -0.008 min
Response: 536351
Conc: 14.49 ng/ml



#3 AR-1016-1


R.T.: 6.092 min
Delta R.T.: -0.003 min
Response: 747677
Conc: 493.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.313 min
Delta R.T.: -0.005 min
Response: 757842
Conc: 512.84 ng/ml




#4 AR-1016-2

R.T.: 6.115 min
Delta R.T.: -0.003 min
Response: 1100958
Conc: 487.57 ng/ml



#4 AR-1016-2


R.T.: 5.334 min
Delta R.T.: -0.005 min
Response: 990162
Conc: 455.39 ng/ml



#5 AR-1016-3


R.T.: 6.180 min
Delta R.T.: -0.003 min
Response: 674298
Conc: 488.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.525 min
Delta R.T.: -0.005 min
Response: 550462
Conc: 470.98 ng/ml




#6 AR-1016-4

R.T.: 6.286 min
Delta R.T.: -0.003 min
Response: 606994
Conc: 522.36 ng/ml



#6 AR-1016-4


R.T.: 5.576 min
Delta R.T.: -0.006 min
Response: 381130
Conc: 436.63 ng/ml



#7 AR-1016-5


R.T.: 6.600 min
Delta R.T.: -0.003 min
Response: 482257
Conc: 437.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.806 min
Delta R.T.: -0.005 min
Response: 452304
Conc: 397.66 ng/ml




#8 AR-1221-1

R.T.: 5.029 min
Delta R.T.: -0.007 min
Response: 84683
Conc: 155.71 ng/ml



#8 AR-1221-1


R.T.: 4.314 min
Delta R.T.: -0.005 min
Response: 66341
Conc: 130.76 ng/ml



#9 AR-1221-2


R.T.: 5.130 min
Delta R.T.: -0.002 min
Response: 95086
Conc: 229.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.415 min
Delta R.T.: -0.003 min
Response: 101329
Conc: 262.68 ng/ml




#10 AR-1221-3

R.T.: 5.216 min
Delta R.T.: -0.002 min
Response: 423480
Conc: 343.93 ng/ml



#10 AR-1221-3


R.T.: 4.503 min
Delta R.T.: -0.004 min
Response: 421199
Conc: 349.20 ng/ml



#11 AR-1232-1


R.T.: 5.216 min
Delta R.T.: -0.002 min
Response: 423480
Conc: 405.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.503 min
Delta R.T.: -0.003 min
Response: 421199
Conc: 405.43 ng/ml




#12 AR-1232-2

R.T.: 5.799 min
Delta R.T.: -0.003 min
Response: 738607
Conc: 1362.06 ng/ml



#12 AR-1232-2


R.T.: 5.334 min
Delta R.T.: -0.005 min
Response: 990162
Conc: 1016.77 ng/ml



#13 AR-1232-3


R.T.: 6.115 min
Delta R.T.: -0.002 min
Response: 1100958
Conc: 1090.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.525 min
Delta R.T.: -0.005 min
Response: 550462
Conc: 1043.77 ng/ml




#14 AR-1232-4

R.T.: 6.286 min
Delta R.T.: -0.002 min
Response: 606994
Conc: 1144.78 ng/ml



#14 AR-1232-4


R.T.: 5.621 min
Delta R.T.: -0.005 min
Response: 461062
Conc: 1091.72 ng/ml



#15 AR-1232-5


R.T.: 6.386 min
Delta R.T.: -0.003 min
Response: 375600
Conc: 1169.24 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.806 min
Delta R.T.: -0.001 min
Response: 452304
Conc: 1560.82 ng/ml




#16 AR-1242-1

R.T.: 6.092 min
Delta R.T.: -0.003 min
Response: 747677
Conc: 624.79 ng/ml



#16 AR-1242-1


R.T.: 5.313 min
Delta R.T.: -0.005 min
Response: 757842
Conc: 663.84 ng/ml



#17 AR-1242-2


R.T.: 6.115 min
Delta R.T.: -0.003 min
Response: 1100958
Conc: 618.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.334 min
Delta R.T.: -0.005 min
Response: 990162
Conc: 588.78 ng/ml




#18 AR-1242-3

R.T.: 6.180 min
Delta R.T.: -0.003 min
Response: 674298
Conc: 605.60 ng/ml



#18 AR-1242-3


R.T.: 5.525 min
Delta R.T.: -0.005 min
Response: 550462
Conc: 602.83 ng/ml



#19 AR-1242-4


R.T.: 6.286 min
Delta R.T.: -0.003 min
Response: 606994
Conc: 656.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.621 min
Delta R.T.: -0.004 min
Response: 461062
Conc: 548.88 ng/ml




#20 AR-1242-5

R.T.: 7.066 min
Delta R.T.: -0.001 min
Response: 71770
Conc: 78.34 ng/ml



#20 AR-1242-5


R.T.: 6.185 min
Delta R.T.: -0.005 min
Response: 411123
Conc: 398.48 ng/ml



#21 AR-1248-1


R.T.: 6.092 min
Delta R.T.: -0.002 min
Response: 747677
Conc: 809.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.313 min
Delta R.T.: -0.005 min
Response: 757842
Conc: 879.87 ng/ml




#22 AR-1248-2

R.T.: 6.386 min
Delta R.T.: -0.003 min
Response: 375600
Conc: 317.54 ng/ml



#22 AR-1248-2


R.T.: 5.576 min
Delta R.T.: -0.005 min
Response: 381130
Conc: 319.20 ng/ml



#23 AR-1248-3


R.T.: 6.600 min
Delta R.T.: -0.003 min
Response: 482257
Conc: 329.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.621 min
Delta R.T.: -0.005 min
Response: 461062
Conc: 364.27 ng/ml




#24 AR-1248-4

R.T.: 7.027 min
Delta R.T.: -0.002 min
Response: 76455
Conc: 48.75 ng/ml



#24 AR-1248-4


R.T.: 5.806 min
Delta R.T.: -0.005 min
Response: 452304
Conc: 295.23 ng/ml



#25 AR-1248-5


R.T.: 7.066 min
Delta R.T.: -0.002 min
Response: 71770
Conc: 45.21 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 6.229 min
Delta R.T.: -0.004 min
Response: 62829
Conc: 43.06 ng/ml




#26 AR-1254-1

R.T.: 6.996 min
Delta R.T.: -0.002 min
Response: 330630
Conc: 216.97 ng/ml



#26 AR-1254-1


R.T.: 6.185 min
Delta R.T.: -0.005 min
Response: 411123
Conc: 190.05 ng/ml



#27 AR-1254-2


R.T.: 7.226 min
Delta R.T.: -0.002 min
Response: 455192
Conc: 196.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.343 min
Delta R.T.: -0.006 min
Response: 368445
Conc: 197.77 ng/ml




#28 AR-1254-3

R.T.: 7.607 min
Delta R.T.: 0.000 min
Response: 486932
Conc: 192.74 ng/ml



#28 AR-1254-3


R.T.: 6.782 min
Delta R.T.: 0.014 min
Response: 755924
Conc: 244.54 ng/ml



#29 AR-1254-4


R.T.: 7.899 min
Delta R.T.: -0.002 min
Response: 473933
Conc: 279.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 7.002 min
Delta R.T.: -0.006 min
Response: 87149
Conc: 51.30 ng/ml




#30 AR-1254-5

R.T.: 8.326 min
Delta R.T.: -0.002 min
Response: 1196828
Conc: 640.22 ng/ml



#30 AR-1254-5


R.T.: 7.431 min
Delta R.T.: -0.006 min
Response: 1345024
Conc: 498.23 ng/ml



#31 AR-1260-1


R.T.: 7.773 min
Delta R.T.: -0.002 min
Response: 1198780
Conc: 685.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.900 min
Delta R.T.: -0.007 min
Response: 915144
Conc: 463.11 ng/ml




#32 AR-1260-2

R.T.: 8.038 min
Delta R.T.: -0.002 min
Response: 1120683
Conc: 545.41 ng/ml



#32 AR-1260-2


R.T.: 7.097 min
Delta R.T.: -0.006 min
Response: 1138231
Conc: 467.40 ng/ml



#33 AR-1260-3


R.T.: 8.404 min
Delta R.T.: -0.003 min
Response: 719162
Conc: 440.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 7.251 min
Delta R.T.: -0.007 min
Response: 1029164
Conc: 450.67 ng/ml




#34 AR-1260-4

R.T.: 8.632 min
Delta R.T.: -0.002 min
Response: 813024
Conc: 441.54 ng/ml



#34 AR-1260-4


R.T.: 7.734 min
Delta R.T.: -0.007 min
Response: 813553
Conc: 428.16 ng/ml



#35 AR-1260-5


R.T.: 8.947 min
Delta R.T.: 0.000 min
Response: 1490853
Conc: 404.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.982 min
Delta R.T.: -0.006 min
Response: 1920636
Conc: 423.24 ng/ml




#36 AR-1262-1

R.T.: 8.404 min
Delta R.T.: -0.001 min
Response: 719162
Conc: 316.52 ng/ml



#36 AR-1262-1


R.T.: 7.472 min
Delta R.T.: -0.006 min
Response: 854444
Conc: 307.44 ng/ml



#37 AR-1262-2


R.T.: 8.947 min
Delta R.T.: 0.000 min
Response: 1490853
Conc: 375.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.982 min
Delta R.T.: -0.005 min
Response: 1920636
Conc: 395.41 ng/ml




#38 AR-1262-3

R.T.: 9.259 min
Delta R.T.: 0.012 min
Response: 1158968
Conc: 416.71 ng/ml



#38 AR-1262-3


R.T.: 8.268 min
Delta R.T.: -0.005 min
Response: 615867
Conc: 313.12 ng/ml



#39 AR-1262-4


R.T.: 9.334 min
Delta R.T.: 0.000 min
Response: 804993
Conc: 367.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.332 min
Delta R.T.: -0.005 min
Response: 1508036
Conc: 415.99 ng/ml




#40 AR-1262-5

R.T.: 9.960 min
Delta R.T.: 0.000 min
Response: 519135
Conc: 355.57 ng/ml



#40 AR-1262-5


R.T.: 8.829 min
Delta R.T.: -0.004 min
Response: 576249
Conc: 355.01 ng/ml



#41 AR-1268-1


R.T.: 9.259 min
Delta R.T.: 0.015 min
Response: 1158968
Conc: 241.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 8.268 min
Delta R.T.: -0.006 min
Response: 615867
Conc: 111.31 ng/ml




#42 AR-1268-2

R.T.: 9.334 min
Delta R.T.: -0.001 min
Response: 804993
Conc: 172.92 ng/ml



#42 AR-1268-2


R.T.: 8.332 min
Delta R.T.: -0.006 min
Response: 1508036
Conc: 278.92 ng/ml



#43 AR-1268-3


R.T.: 9.550 min
Delta R.T.: 0.000 min
Response: 116521
Conc: 28.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.539 min
Delta R.T.: -0.006 min
Response: 132839
Conc: 28.96 ng/ml




#44 AR-1268-4

R.T.: 9.960 min
Delta R.T.: 0.000 min
Response: 519135
Conc: 334.22 ng/ml



#44 AR-1268-4


R.T.: 8.829 min
Delta R.T.: -0.004 min
Response: 576249
Conc: 316.15 ng/ml



#45 AR-1268-5

R.T.: 10.347 min
Delta R.T.: 0.000 min
Response: 482816
Conc: 39.58 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 9.115 min
Delta R.T.: -0.005 min
Response: 512945
Conc: 37.04 ng/ml