

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP121120\
 Data File : PP032068.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 12 Dec 2020 20:11
 Operator : DD\AJ
 Sample : PB133553BS
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB133553BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 14 05:03:01 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP121120.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Dec 12 05:15:55 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.781	4.053	1080989	923860	20.985	19.533
2)	SA Decachlor...	10.645	9.345	730843	830973	23.305	24.778
Target Compounds							
3)	L1 AR-1016-1	6.084	5.304	685556	605885	470.022	463.517
4)	L1 AR-1016-2	6.107	5.325	1034516	918853	460.558	464.094
5)	L1 AR-1016-3	6.173	5.516	626877	496209	453.549	464.027
6)	L1 AR-1016-4	6.278	5.567	536675	365664	465.391	430.946
7)	L1 AR-1016-5	6.593	5.796	480853	486588	450.664	447.801
8)	L2 AR-1221-1	5.022	4.307	74363	58866	142.886	123.050
9)	L2 AR-1221-2	5.124	4.407	89309	79847	225.179	221.882
10)	L2 AR-1221-3	5.209	4.495	389072	347501	322.928	310.704
11)	L3 AR-1232-1	5.209	4.495	389072	347501	376.252	375.071
12)	L3 AR-1232-2	5.792	5.325	533277	918853	994.483	1070.878
13)	L3 AR-1232-3	6.107	5.516	1034516	496209	1075.960	1092.840
14)	L3 AR-1232-4	6.278	5.612	536675	458040	1121.515	1167.491
15)	L3 AR-1232-5	6.378	5.796	369038	486588	1212.390	1124.980
16)	L4 AR-1242-1	6.084	5.304	685556	605885	598.332	584.948
17)	L4 AR-1242-2	6.107	5.325	1034516	918853	587.341	594.449
18)	L4 AR-1242-3	6.173	5.516	626877	496209	564.888	589.336
19)	L4 AR-1242-4	6.278	5.612	536675	458040	589.728	564.708
20)	L4 AR-1242-5	7.057	6.174	62666	377342	72.247	424.299 #
21)	L5 AR-1248-1	6.084	5.304	685556	605885	787.653	774.323
22)	L5 AR-1248-2	6.378	5.567	369038	365664	311.549	316.501
23)	L5 AR-1248-3	6.593	5.612	480853	458040	329.598	374.978
24)	L5 AR-1248-4	7.018	5.796	79948	486588	55.885	331.835 #
25)	L5 AR-1248-5	7.057	6.218	62666	53391	42.231	42.555
26)	L6 AR-1254-1	6.989	6.174	350466	377342	225.636	182.553
27)	L6 AR-1254-2	7.217	6.333	361348	350238	157.088	195.367
28)	L6 AR-1254-3	7.596	6.771f	203390	650727	83.530	227.686 #
29)	L6 AR-1254-4	7.889	6.993	125356	60297	81.441	43.632 #
30)	L6 AR-1254-5	8.317	7.419	1244261	1267085	725.999	532.609 #
31)	L7 AR-1260-1	7.764	6.889	830509	913006	479.206	481.581
32)	L7 AR-1260-2	8.029	7.085	1032668	1064487	502.614	489.335
33)	L7 AR-1260-3	8.393	7.240	733741	1051342	420.492	494.826
34)	L7 AR-1260-4	8.622	7.722	846381	765715	469.688	431.000
35)	L7 AR-1260-5	8.935	7.969	1618719	1806097	450.281	472.122
36)	L8 AR-1262-1	8.393	7.460	733741	845489	271.926	314.604
37)	L8 AR-1262-2	8.935	7.969	1618719	1806097	399.170	433.149
38)	L8 AR-1262-3	9.249f	8.255	1030941	358901	359.778	198.100 #
39)	L8 AR-1262-4	9.320	8.318	273482	1326369	112.184	394.243 #
40)	L8 AR-1262-5	9.946	8.816	399229	412072	294.503	314.530
41)	L9 AR-1268-1	9.249f	8.255	1030941	358901	198.401	71.215 #
42)	L9 AR-1268-2	9.320	8.318	273482	1326369	56.185	259.418 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP121220\
 Data File : PP032068.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 12 Dec 2020 20:11
 Operator : DD\AJ
 Sample : PB133553BS
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB133553BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 14 05:03:01 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP121120.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Dec 12 05:15:55 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	9.536	8.526	78475	36093	18.160	8.186 #
44) L9	AR-1268-4	9.946	8.816	399229	412072	287.362	281.968
45) L9	AR-1268-5	10.331	9.100	133628	137502	11.094	10.873



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP121220\
Data File : PP032068.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 12 Dec 2020 20:11
Operator : DD\AJ
Sample : PB133553BS
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB133553BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 14 05:03:01 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP121120.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Dec 12 05:15:55 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.781 min
Delta R.T.: -0.001 min
Response: 1080989
Conc: 20.98 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#1 Tetrachloro-m-xylene

R.T.: 4.053 min
Delta R.T.: 0.000 min
Response: 923860
Conc: 19.53 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.645 min
Delta R.T.: -0.002 min
Response: 730843
Conc: 23.31 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.345 min
Delta R.T.: -0.002 min
Response: 830973
Conc: 24.78 ng/ml



#3 AR-1016-1


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 685556
Conc: 470.02 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#3 AR-1016-1

R.T.: 5.304 min
Delta R.T.: -0.002 min
Response: 605885
Conc: 463.52 ng/ml




#4 AR-1016-2

R.T.: 6.107 min
Delta R.T.: 0.000 min
Response: 1034516
Conc: 460.56 ng/ml



#4 AR-1016-2


R.T.: 5.325 min
Delta R.T.: -0.001 min
Response: 918853
Conc: 464.09 ng/ml



#5 AR-1016-3


R.T.: 6.173 min
Delta R.T.: 0.000 min
Response: 626877
Conc: 453.55 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#5 AR-1016-3

R.T.: 5.516 min
Delta R.T.: -0.001 min
Response: 496209
Conc: 464.03 ng/ml




#6 AR-1016-4

R.T.: 6.278 min
Delta R.T.: 0.000 min
Response: 536675
Conc: 465.39 ng/ml



#6 AR-1016-4


R.T.: 5.567 min
Delta R.T.: -0.002 min
Response: 365664
Conc: 430.95 ng/ml



#7 AR-1016-5


R.T.: 6.593 min
Delta R.T.: 0.000 min
Response: 480853
Conc: 450.66 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#7 AR-1016-5

R.T.: 5.796 min
Delta R.T.: -0.002 min
Response: 486588
Conc: 447.80 ng/ml




#8 AR-1221-1

R.T.: 5.022 min
Delta R.T.: -0.004 min
Response: 74363
Conc: 142.89 ng/ml



#8 AR-1221-1


R.T.: 4.307 min
Delta R.T.: 0.000 min
Response: 58866
Conc: 123.05 ng/ml



#9 AR-1221-2


R.T.: 5.124 min
Delta R.T.: 0.000 min
Response: 89309
Conc: 225.18 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#9 AR-1221-2

R.T.: 4.407 min
Delta R.T.: 0.000 min
Response: 79847
Conc: 221.88 ng/ml




#10 AR-1221-3

R.T.: 5.209 min
Delta R.T.: 0.000 min
Response: 389072
Conc: 322.93 ng/ml



#10 AR-1221-3


R.T.: 4.495 min
Delta R.T.: 0.000 min
Response: 347501
Conc: 310.70 ng/ml



#11 AR-1232-1


R.T.: 5.209 min
Delta R.T.: 0.000 min
Response: 389072
Conc: 376.25 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#11 AR-1232-1

R.T.: 4.495 min
Delta R.T.: 0.000 min
Response: 347501
Conc: 375.07 ng/ml




#12 AR-1232-2

R.T.: 5.792 min
Delta R.T.: 0.000 min
Response: 533277
Conc: 994.48 ng/ml



#12 AR-1232-2


R.T.: 5.325 min
Delta R.T.: 0.000 min
Response: 918853
Conc: 1070.88 ng/ml



#13 AR-1232-3


R.T.: 6.107 min
Delta R.T.: 0.000 min
Response: 1034516
Conc: 1075.96 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#13 AR-1232-3

R.T.: 5.516 min
Delta R.T.: 0.000 min
Response: 496209
Conc: 1092.84 ng/ml




#14 AR-1232-4

R.T.: 6.278 min
Delta R.T.: 0.000 min
Response: 536675
Conc: 1121.51 ng/ml



#14 AR-1232-4


R.T.: 5.612 min
Delta R.T.: 0.000 min
Response: 458040
Conc: 1167.49 ng/ml



#15 AR-1232-5


R.T.: 6.378 min
Delta R.T.: 0.000 min
Response: 369038
Conc: 1212.39 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#15 AR-1232-5

R.T.: 5.796 min
Delta R.T.: 0.000 min
Response: 486588
Conc: 1124.98 ng/ml




#16 AR-1242-1

R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 685556
Conc: 598.33 ng/ml



#16 AR-1242-1


R.T.: 5.304 min
Delta R.T.: 0.000 min
Response: 605885
Conc: 584.95 ng/ml



#17 AR-1242-2


R.T.: 6.107 min
Delta R.T.: 0.000 min
Response: 1034516
Conc: 587.34 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#17 AR-1242-2

R.T.: 5.325 min
Delta R.T.: 0.000 min
Response: 918853
Conc: 594.45 ng/ml




#18 AR-1242-3

R.T.: 6.173 min
Delta R.T.: 0.000 min
Response: 626877
Conc: 564.89 ng/ml



#18 AR-1242-3


R.T.: 5.516 min
Delta R.T.: 0.000 min
Response: 496209
Conc: 589.34 ng/ml



#19 AR-1242-4


R.T.: 6.278 min
Delta R.T.: 0.000 min
Response: 536675
Conc: 589.73 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#19 AR-1242-4

R.T.: 5.612 min
Delta R.T.: 0.000 min
Response: 458040
Conc: 564.71 ng/ml




#20 AR-1242-5

R.T.: 7.057 min
Delta R.T.: 0.000 min
Response: 62666
Conc: 72.25 ng/ml



#20 AR-1242-5


R.T.: 6.174 min
Delta R.T.: 0.000 min
Response: 377342
Conc: 424.30 ng/ml



#21 AR-1248-1


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 685556
Conc: 787.65 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#21 AR-1248-1

R.T.: 5.304 min
Delta R.T.: 0.000 min
Response: 605885
Conc: 774.32 ng/ml




#22 AR-1248-2

R.T.: 6.378 min
Delta R.T.: 0.000 min
Response: 369038
Conc: 311.55 ng/ml



#22 AR-1248-2


R.T.: 5.567 min
Delta R.T.: 0.000 min
Response: 365664
Conc: 316.50 ng/ml



#23 AR-1248-3


R.T.: 6.593 min
Delta R.T.: 0.000 min
Response: 480853
Conc: 329.60 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#23 AR-1248-3

R.T.: 5.612 min
Delta R.T.: 0.000 min
Response: 458040
Conc: 374.98 ng/ml




#24 AR-1248-4

R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 79948
Conc: 55.88 ng/ml



#24 AR-1248-4


R.T.: 5.796 min
Delta R.T.: 0.000 min
Response: 486588
Conc: 331.83 ng/ml



#25 AR-1248-5


R.T.: 7.057 min
Delta R.T.: 0.000 min
Response: 62666
Conc: 42.23 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#25 AR-1248-5

R.T.: 6.218 min
Delta R.T.: 0.000 min
Response: 53391
Conc: 42.56 ng/ml




#26 AR-1254-1

R.T.: 6.989 min
Delta R.T.: 0.001 min
Response: 350466
Conc: 225.64 ng/ml



#26 AR-1254-1


R.T.: 6.174 min
Delta R.T.: 0.000 min
Response: 377342
Conc: 182.55 ng/ml



#27 AR-1254-2


R.T.: 7.217 min
Delta R.T.: 0.000 min
Response: 361348
Conc: 157.09 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#27 AR-1254-2

R.T.: 6.333 min
Delta R.T.: 0.000 min
Response: 350238
Conc: 195.37 ng/ml




#28 AR-1254-3

R.T.: 7.596 min
Delta R.T.: 0.000 min
Response: 203390
Conc: 83.53 ng/ml



#28 AR-1254-3


R.T.: 6.771 min
Delta R.T.: 0.018 min
Response: 650727
Conc: 227.69 ng/ml



#29 AR-1254-4


R.T.: 7.889 min
Delta R.T.: -0.002 min
Response: 125356
Conc: 81.44 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#29 AR-1254-4

R.T.: 6.993 min
Delta R.T.: 0.000 min
Response: 60297
Conc: 43.63 ng/ml




#30 AR-1254-5

R.T.: 8.317 min
Delta R.T.: 0.000 min
Response: 1244261
Conc: 726.00 ng/ml



#30 AR-1254-5


R.T.: 7.419 min
Delta R.T.: -0.002 min
Response: 1267085
Conc: 532.61 ng/ml



#31 AR-1260-1


R.T.: 7.764 min
Delta R.T.: 0.000 min
Response: 830509
Conc: 479.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#31 AR-1260-1

R.T.: 6.889 min
Delta R.T.: -0.002 min
Response: 913006
Conc: 481.58 ng/ml




#32 AR-1260-2

R.T.: 8.029 min
Delta R.T.: 0.000 min
Response: 1032668
Conc: 502.61 ng/ml



#32 AR-1260-2


R.T.: 7.085 min
Delta R.T.: -0.002 min
Response: 1064487
Conc: 489.33 ng/ml



#33 AR-1260-3


R.T.: 8.393 min
Delta R.T.: -0.001 min
Response: 733741
Conc: 420.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#33 AR-1260-3

R.T.: 7.240 min
Delta R.T.: -0.003 min
Response: 1051342
Conc: 494.83 ng/ml




#34 AR-1260-4

R.T.: 8.622 min
Delta R.T.: -0.001 min
Response: 846381
Conc: 469.69 ng/ml



#34 AR-1260-4


R.T.: 7.722 min
Delta R.T.: -0.003 min
Response: 765715
Conc: 431.00 ng/ml



#35 AR-1260-5


R.T.: 8.935 min
Delta R.T.: -0.001 min
Response: 1618719
Conc: 450.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#35 AR-1260-5

R.T.: 7.969 min
Delta R.T.: -0.003 min
Response: 1806097
Conc: 472.12 ng/ml




#36 AR-1262-1

R.T.: 8.393 min
Delta R.T.: 0.000 min
Response: 733741
Conc: 271.93 ng/ml



#36 AR-1262-1


R.T.: 7.460 min
Delta R.T.: 0.000 min
Response: 845489
Conc: 314.60 ng/ml



#37 AR-1262-2


R.T.: 8.935 min
Delta R.T.: 0.000 min
Response: 1618719
Conc: 399.17 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#37 AR-1262-2

R.T.: 7.969 min
Delta R.T.: 0.000 min
Response: 1806097
Conc: 433.15 ng/ml




#38 AR-1262-3

R.T.: 9.249 min
Delta R.T.: 0.016 min
Response: 1030941
Conc: 359.78 ng/ml



#38 AR-1262-3


R.T.: 8.255 min
Delta R.T.: 0.000 min
Response: 358901
Conc: 198.10 ng/ml



#39 AR-1262-4


R.T.: 9.320 min
Delta R.T.: -0.002 min
Response: 273482
Conc: 112.18 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#39 AR-1262-4

R.T.: 8.318 min
Delta R.T.: -0.002 min
Response: 1326369
Conc: 394.24 ng/ml




#40 AR-1262-5

R.T.: 9.946 min
Delta R.T.: 0.000 min
Response: 399229
Conc: 294.50 ng/ml



#40 AR-1262-5


R.T.: 8.816 min
Delta R.T.: 0.000 min
Response: 412072
Conc: 314.53 ng/ml



#41 AR-1268-1


R.T.: 9.249 min
Delta R.T.: 0.017 min
Response: 1030941
Conc: 198.40 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#41 AR-1268-1

R.T.: 8.255 min
Delta R.T.: -0.001 min
Response: 358901
Conc: 71.22 ng/ml




#42 AR-1268-2

R.T.: 9.320 min
Delta R.T.: -0.003 min
Response: 273482
Conc: 56.18 ng/ml



#42 AR-1268-2


R.T.: 8.318 min
Delta R.T.: -0.002 min
Response: 1326369
Conc: 259.42 ng/ml



#43 AR-1268-3


R.T.: 9.536 min
Delta R.T.: -0.001 min
Response: 78475
Conc: 18.16 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS




#43 AR-1268-3

R.T.: 8.526 min
Delta R.T.: 0.000 min
Response: 36093
Conc: 8.19 ng/ml




#44 AR-1268-4

R.T.: 9.946 min
Delta R.T.: 0.002 min
Response: 399229
Conc: 287.36 ng/ml



#44 AR-1268-4


R.T.: 8.816 min
Delta R.T.: 0.000 min
Response: 412072
Conc: 281.97 ng/ml



#45 AR-1268-5

R.T.: 10.331 min
Delta R.T.: -0.001 min
Response: 133628
Conc: 11.09 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB133553BS



#45 AR-1268-5

R.T.: 9.100 min
Delta R.T.: 0.000 min
Response: 137502
Conc: 10.87 ng/ml