

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP121520\
 Data File : PP032165.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 15 Dec 2020 19:03
 Operator : DD\AJ
 Sample : L5090-01
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 DARK-GREEN-CHIPS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 16 04:48:23 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP121120.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Dec 12 05:15:55 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.777	4.049	1113576	985788	21.617	20.843
2)	SA Decachlor...	10.636	9.337	2147878	2305012	68.492	68.732
Target Compounds							
3)	L1 AR-1016-1	6.080	5.299	87086	52208	59.707	39.940 #
4)	L1 AR-1016-2	6.104	5.320	120736	120021	53.751	60.620
5)	L1 AR-1016-3	6.169	5.511	75008	71929	54.268	67.264
6)	L1 AR-1016-4	6.275	5.561	47225	137457	40.952	161.997 #
7)	L1 AR-1016-5	6.588	5.790	128900	118517	120.808	109.070
10)	L2 AR-1221-3	0.000	4.492	0	37599	N.D.	33.618 #
11)	L3 AR-1232-1	0.000	4.492	0	37599	N.D.	40.582 #
12)	L3 AR-1232-2	0.000	5.320	0	120021	N.D.	139.879 #
13)	L3 AR-1232-3	6.104	5.511	120736	71929	125.573	158.415 #
14)	L3 AR-1232-4	6.275	5.606	47225	81437	98.688	207.575 #
15)	L3 AR-1232-5	6.374	5.790	137502	118517	451.732	274.008 #
16)	L4 AR-1242-1	6.080	5.299	87086	52208	76.006	50.404 #
17)	L4 AR-1242-2	6.104	5.320	120736	120021	68.547	77.648
18)	L4 AR-1242-3	6.169	5.511	75008	71929	67.590	85.428 #
19)	L4 AR-1242-4	6.275	5.606	47225	81437	51.893	100.403 #
20)	L4 AR-1242-5	7.054	6.169	243320	456745	280.523	513.583 #
21)	L5 AR-1248-1	6.080	5.299	87086	52208	100.056	66.722 #
22)	L5 AR-1248-2	6.374	5.561	137502	137457	116.082	118.976
23)	L5 AR-1248-3	6.588	5.606	128900	81437	88.354	66.670
24)	L5 AR-1248-4	7.013	5.790	245806	118517	171.822	80.824 #
25)	L5 AR-1248-5	7.054	6.213	243320	143819	163.975	114.631 #
26)	L6 AR-1254-1	6.984	6.169	375006	456745	241.435	220.967
27)	L6 AR-1254-2	7.213	6.327	568745	332612	247.250	185.535
28)	L6 AR-1254-3	7.592	6.748	768726	726663	315.708	254.255
29)	L6 AR-1254-4	7.886	6.987	367545	325215	238.788	235.331
30)	L6 AR-1254-5	8.313	7.414	420801	1705623	245.528	716.945 #
31)	L7 AR-1260-1	7.758	6.882	228013	421336	131.564	222.241 #
32)	L7 AR-1260-2	8.021	7.082	687849	599662	334.786	275.659
33)	L7 AR-1260-3	8.389	7.234	273045	332909	156.477	156.687
34)	L7 AR-1260-4	8.615	7.715	336990	236137	187.008	132.915 #
35)	L7 AR-1260-5	8.931	7.961	577333	821947	160.597	214.861 #
36)	L8 AR-1262-1	8.389	7.453	273045	301848	101.191	112.317
37)	L8 AR-1262-2	8.931	7.961	577333	821947	142.368	197.124 #
38)	L8 AR-1262-3	9.227	8.249	578786	430614	201.985	237.683
39)	L8 AR-1262-4	9.316	8.313	489952	560738	200.982	166.671
40)	L8 AR-1262-5	9.939	8.809	316521	304133	233.491	232.141
41)	L9 AR-1268-1	9.227	8.249	578786	430614	111.385	85.445
42)	L9 AR-1268-2	9.316	8.313	489952	560738	100.657	109.672
43)	L9 AR-1268-3	9.530	8.519	231169	255943	53.494	58.050
44)	L9 AR-1268-4	9.939	8.809	316521	304133	227.829	208.109

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP121520\
Data File : PP032165.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 15 Dec 2020 19:03
Operator : DD\AJ
Sample : L5090-01
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 16 04:48:23 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP121120.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Dec 12 05:15:55 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
45)	L9 AR-1268-5	10.324	9.093	1223262	1239470	101.560	98.015



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP121520\
Data File : PP032165.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 15 Dec 2020 19:03
Operator : DD\AJ
Sample : L5090-01
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 16 04:48:23 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP121120.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Dec 12 05:15:55 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.777 min
Delta R.T.: -0.005 min
Response: 1113576
Conc: 21.62 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#1 Tetrachloro-m-xylene

R.T.: 4.049 min
Delta R.T.: -0.005 min
Response: 985788
Conc: 20.84 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.636 min
Delta R.T.: -0.010 min
Response: 2147878
Conc: 68.49 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.337 min
Delta R.T.: -0.011 min
Response: 2305012
Conc: 68.73 ng/ml



#3 AR-1016-1


R.T.: 6.080 min
Delta R.T.: -0.005 min
Response: 87086
Conc: 59.71 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#3 AR-1016-1

R.T.: 5.299 min
Delta R.T.: -0.007 min
Response: 52208
Conc: 39.94 ng/ml




#4 AR-1016-2

R.T.: 6.104 min
Delta R.T.: -0.004 min
Response: 120736
Conc: 53.75 ng/ml



#4 AR-1016-2


R.T.: 5.320 min
Delta R.T.: -0.006 min
Response: 120021
Conc: 60.62 ng/ml



#5 AR-1016-3


R.T.: 6.169 min
Delta R.T.: -0.004 min
Response: 75008
Conc: 54.27 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#5 AR-1016-3

R.T.: 5.511 min
Delta R.T.: -0.007 min
Response: 71929
Conc: 67.26 ng/ml




#6 AR-1016-4

R.T.: 6.275 min
Delta R.T.: -0.004 min
Response: 47225
Conc: 40.95 ng/ml



#6 AR-1016-4


R.T.: 5.561 min
Delta R.T.: -0.007 min
Response: 137457
Conc: 162.00 ng/ml



#7 AR-1016-5


R.T.: 6.588 min
Delta R.T.: -0.005 min
Response: 128900
Conc: 120.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#7 AR-1016-5

R.T.: 5.790 min
Delta R.T.: -0.008 min
Response: 118517
Conc: 109.07 ng/ml




#10 AR-1221-3

R.T.: 0.000 min
Exp R.T. : 5.210 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 4.492 min
Delta R.T.: -0.003 min
Response: 37599
Conc: 33.62 ng/ml



#11 AR-1232-1


R.T.: 0.000 min
Exp R.T. : 5.210 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#11 AR-1232-1

R.T.: 4.492 min
Delta R.T.: -0.004 min
Response: 37599
Conc: 40.58 ng/ml




#12 AR-1232-2

R.T.: 0.000 min
Exp R.T. : 5.792 min
Response: 0
Conc: N.D.



#12 AR-1232-2


R.T.: 5.320 min
Delta R.T.: -0.006 min
Response: 120021
Conc: 139.88 ng/ml



#13 AR-1232-3


R.T.: 6.104 min
Delta R.T.: -0.004 min
Response: 120736
Conc: 125.57 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#13 AR-1232-3

R.T.: 5.511 min
Delta R.T.: -0.006 min
Response: 71929
Conc: 158.41 ng/ml




#14 AR-1232-4

R.T.: 6.275 min
Delta R.T.: -0.004 min
Response: 47225
Conc: 98.69 ng/ml



#14 AR-1232-4


R.T.: 5.606 min
Delta R.T.: -0.006 min
Response: 81437
Conc: 207.57 ng/ml



#15 AR-1232-5


R.T.: 6.374 min
Delta R.T.: -0.005 min
Response: 137502
Conc: 451.73 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#15 AR-1232-5

R.T.: 5.790 min
Delta R.T.: -0.006 min
Response: 118517
Conc: 274.01 ng/ml




#16 AR-1242-1

R.T.: 6.080 min
Delta R.T.: -0.005 min
Response: 87086
Conc: 76.01 ng/ml



#16 AR-1242-1


R.T.: 5.299 min
Delta R.T.: -0.005 min
Response: 52208
Conc: 50.40 ng/ml



#17 AR-1242-2


R.T.: 6.104 min
Delta R.T.: -0.003 min
Response: 120736
Conc: 68.55 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#17 AR-1242-2

R.T.: 5.320 min
Delta R.T.: -0.005 min
Response: 120021
Conc: 77.65 ng/ml




#18 AR-1242-3

R.T.: 6.169 min
Delta R.T.: -0.004 min
Response: 75008
Conc: 67.59 ng/ml



#18 AR-1242-3


R.T.: 5.511 min
Delta R.T.: -0.006 min
Response: 71929
Conc: 85.43 ng/ml



#19 AR-1242-4


R.T.: 6.275 min
Delta R.T.: -0.003 min
Response: 47225
Conc: 51.89 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#19 AR-1242-4

R.T.: 5.606 min
Delta R.T.: -0.006 min
Response: 81437
Conc: 100.40 ng/ml




#20 AR-1242-5

R.T.: 7.054 min
Delta R.T.: -0.003 min
Response: 243320
Conc: 280.52 ng/ml



#20 AR-1242-5


R.T.: 6.169 min
Delta R.T.: -0.006 min
Response: 456745
Conc: 513.58 ng/ml



#21 AR-1248-1


R.T.: 6.080 min
Delta R.T.: -0.004 min
Response: 87086
Conc: 100.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#21 AR-1248-1

R.T.: 5.299 min
Delta R.T.: -0.005 min
Response: 52208
Conc: 66.72 ng/ml




#22 AR-1248-2

R.T.: 6.374 min
Delta R.T.: -0.004 min
Response: 137502
Conc: 116.08 ng/ml



#22 AR-1248-2


R.T.: 5.561 min
Delta R.T.: -0.006 min
Response: 137457
Conc: 118.98 ng/ml



#23 AR-1248-3


R.T.: 6.588 min
Delta R.T.: -0.004 min
Response: 128900
Conc: 88.35 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#23 AR-1248-3

R.T.: 5.606 min
Delta R.T.: -0.006 min
Response: 81437
Conc: 66.67 ng/ml




#24 AR-1248-4

R.T.: 7.013 min
Delta R.T.: -0.005 min
Response: 245806
Conc: 171.82 ng/ml



#24 AR-1248-4


R.T.: 5.790 min
Delta R.T.: -0.006 min
Response: 118517
Conc: 80.82 ng/ml



#25 AR-1248-5


R.T.: 7.054 min
Delta R.T.: -0.003 min
Response: 243320
Conc: 163.97 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#25 AR-1248-5

R.T.: 6.213 min
Delta R.T.: -0.006 min
Response: 143819
Conc: 114.63 ng/ml




#26 AR-1254-1

R.T.: 6.984 min
Delta R.T.: -0.004 min
Response: 375006
Conc: 241.43 ng/ml



#26 AR-1254-1


R.T.: 6.169 min
Delta R.T.: -0.005 min
Response: 456745
Conc: 220.97 ng/ml



#27 AR-1254-2


R.T.: 7.213 min
Delta R.T.: -0.004 min
Response: 568745
Conc: 247.25 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#27 AR-1254-2

R.T.: 6.327 min
Delta R.T.: -0.006 min
Response: 332612
Conc: 185.53 ng/ml




#28 AR-1254-3

R.T.: 7.592 min
Delta R.T.: -0.003 min
Response: 768726
Conc: 315.71 ng/ml



#28 AR-1254-3


R.T.: 6.748 min
Delta R.T.: -0.006 min
Response: 726663
Conc: 254.26 ng/ml



#29 AR-1254-4


R.T.: 7.886 min
Delta R.T.: -0.004 min
Response: 367545
Conc: 238.79 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#29 AR-1254-4

R.T.: 6.987 min
Delta R.T.: -0.006 min
Response: 325215
Conc: 235.33 ng/ml




#30 AR-1254-5

R.T.: 8.313 min
Delta R.T.: -0.005 min
Response: 420801
Conc: 245.53 ng/ml



#30 AR-1254-5


R.T.: 7.414 min
Delta R.T.: -0.007 min
Response: 1705623
Conc: 716.95 ng/ml



#31 AR-1260-1


R.T.: 7.758 min
Delta R.T.: -0.007 min
Response: 228013
Conc: 131.56 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#31 AR-1260-1

R.T.: 6.882 min
Delta R.T.: -0.009 min
Response: 421336
Conc: 222.24 ng/ml




#32 AR-1260-2

R.T.: 8.021 min
Delta R.T.: -0.008 min
Response: 687849
Conc: 334.79 ng/ml



#32 AR-1260-2


R.T.: 7.082 min
Delta R.T.: -0.005 min
Response: 599662
Conc: 275.66 ng/ml



#33 AR-1260-3


R.T.: 8.389 min
Delta R.T.: -0.005 min
Response: 273045
Conc: 156.48 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#33 AR-1260-3

R.T.: 7.234 min
Delta R.T.: -0.009 min
Response: 332909
Conc: 156.69 ng/ml




#34 AR-1260-4

R.T.: 8.615 min
Delta R.T.: -0.008 min
Response: 336990
Conc: 187.01 ng/ml



#34 AR-1260-4


R.T.: 7.715 min
Delta R.T.: -0.010 min
Response: 236137
Conc: 132.91 ng/ml



#35 AR-1260-5


R.T.: 8.931 min
Delta R.T.: -0.006 min
Response: 577333
Conc: 160.60 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#35 AR-1260-5

R.T.: 7.961 min
Delta R.T.: -0.011 min
Response: 821947
Conc: 214.86 ng/ml




#36 AR-1262-1

R.T.: 8.389 min
Delta R.T.: -0.005 min
Response: 273045
Conc: 101.19 ng/ml



#36 AR-1262-1


R.T.: 7.453 min
Delta R.T.: -0.007 min
Response: 301848
Conc: 112.32 ng/ml



#37 AR-1262-2


R.T.: 8.931 min
Delta R.T.: -0.005 min
Response: 577333
Conc: 142.37 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#37 AR-1262-2

R.T.: 7.961 min
Delta R.T.: -0.008 min
Response: 821947
Conc: 197.12 ng/ml




#38 AR-1262-3

R.T.: 9.227 min
Delta R.T.: -0.006 min
Response: 578786
Conc: 201.98 ng/ml



#38 AR-1262-3


R.T.: 8.249 min
Delta R.T.: -0.007 min
Response: 430614
Conc: 237.68 ng/ml



#39 AR-1262-4


R.T.: 9.316 min
Delta R.T.: -0.006 min
Response: 489952
Conc: 200.98 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#39 AR-1262-4

R.T.: 8.313 min
Delta R.T.: -0.007 min
Response: 560738
Conc: 166.67 ng/ml




#40 AR-1262-5

R.T.: 9.939 min
Delta R.T.: -0.008 min
Response: 316521
Conc: 233.49 ng/ml



#40 AR-1262-5


R.T.: 8.809 min
Delta R.T.: -0.007 min
Response: 304133
Conc: 232.14 ng/ml



#41 AR-1268-1


R.T.: 9.227 min
Delta R.T.: -0.006 min
Response: 578786
Conc: 111.39 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#41 AR-1268-1

R.T.: 8.249 min
Delta R.T.: -0.007 min
Response: 430614
Conc: 85.45 ng/ml




#42 AR-1268-2

R.T.: 9.316 min
Delta R.T.: -0.007 min
Response: 489952
Conc: 100.66 ng/ml



#42 AR-1268-2


R.T.: 8.313 min
Delta R.T.: -0.008 min
Response: 560738
Conc: 109.67 ng/ml



#43 AR-1268-3


R.T.: 9.530 min
Delta R.T.: -0.007 min
Response: 231169
Conc: 53.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS




#43 AR-1268-3

R.T.: 8.519 min
Delta R.T.: -0.007 min
Response: 255943
Conc: 58.05 ng/ml




#44 AR-1268-4

R.T.: 9.939 min
Delta R.T.: -0.005 min
Response: 316521
Conc: 227.83 ng/ml



#44 AR-1268-4


R.T.: 8.809 min
Delta R.T.: -0.007 min
Response: 304133
Conc: 208.11 ng/ml



#45 AR-1268-5

R.T.: 10.324 min
Delta R.T.: -0.008 min
Response: 1223262
Conc: 101.56 ng/ml

Instrument :
ECD_P
ClientSampleId :
DARK-GREEN-CHIPS



#45 AR-1268-5

R.T.: 9.093 min
Delta R.T.: -0.008 min
Response: 1239470
Conc: 98.02 ng/ml