

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP122122\
 Data File : PP053931.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Dec 2022 18:24
 Operator : YP\AJ
 Sample : N6161-08
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 21 21:56:02 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP121322.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Dec 14 05:38:40 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.336	3.588	43154443	29562473	20.552	18.929
2)	SA Decachlor...	10.093	8.620	29017258	23414029	17.091	16.763
Target Compounds							
3)	L1 AR-1016-1	5.505	4.672	710111	586135	10.472	12.762
4)	L1 AR-1016-2	5.534	4.708	1690984	1203137	16.976	19.202
5)	L1 AR-1016-3	5.582	4.875	927670	224724	14.678	6.621 #
6)	L1 AR-1016-4	5.668f	4.917	2041038	465408	41.189	15.618 #
7)	L1 AR-1016-5	6.001	5.164f	772740	694922	14.681	19.164 #
8)	L2 AR-1221-1	4.543	3.813	19833019	538981	769.856	27.837 #
9)	L2 AR-1221-2	4.643	3.871f	1088126	7597001	55.891	519.724 #
10)	L2 AR-1221-3	4.700	3.965	137603	547564	2.368	12.310 #
11)	L3 AR-1232-1	4.700	3.965	137603	547564	3.072	15.912 #
12)	L3 AR-1232-2	5.243	4.708	1405604	1203137	54.643	40.311 #
13)	L3 AR-1232-3	5.534	4.875	1690984	224724	36.027	14.184 #
14)	L3 AR-1232-4	5.668f	4.975	2041038	472136	86.141	30.554 #
15)	L3 AR-1232-5	5.788	5.164f	137608	694922	7.461	42.201 #
16)	L4 AR-1242-1	5.505	4.672	710111	586135	13.557	16.551
17)	L4 AR-1242-2	5.534	4.708	1690984	1203137	22.194	25.043
18)	L4 AR-1242-3	5.582f	4.875	927670	224724	18.934	8.620 #
19)	L4 AR-1242-4	5.668f	4.975	2041038	472136	53.168	16.550 #
20)	L4 AR-1242-5	0.000	5.491	0	2503460	N.D.	82.018 #
21)	L5 AR-1248-1	5.505	4.672	710111	586135	16.849	20.604
22)	L5 AR-1248-2	5.788	4.917	137608	465408	2.177	11.250 #
23)	L5 AR-1248-3	6.001	4.975	772740	472136	11.032	11.242
24)	L5 AR-1248-4	6.402	5.164f	3222558	694922	45.693	14.443 #
25)	L5 AR-1248-5	0.000	5.529	0	1271209	N.D.	33.855 #
26)	L6 AR-1254-1	6.375	5.491	2315401	2503460	29.879	38.230 #
27)	L6 AR-1254-2	6.595	5.633	3570917	1594385	30.692	27.339
28)	L6 AR-1254-3	6.963	6.041	4326466	1768217	36.938	20.100 #
29)	L6 AR-1254-4	7.241	6.264	352952	2058939	4.452	44.940 #
30)	L6 AR-1254-5	7.680f	6.686	1807329	1180789	18.532	15.151
31)	L7 AR-1260-1	7.118	6.189	882328	3234092	9.136	49.581 #
32)	L7 AR-1260-2	7.370	6.355	1863212	1505393	16.866	19.991
33)	L7 AR-1260-3	7.740	6.508	124270	1470785	1.644	20.291 #
34)	L7 AR-1260-4	7.970	6.986	216510	102611	2.307	1.891
35)	L7 AR-1260-5	8.278	7.227	496400	290726	3.130	2.431
36)	L8 AR-1262-1	7.740	6.787	124270	437630	1.038	12.270 #
37)	L8 AR-1262-2	8.278	6.986	496400	102611	2.589	1.320 #
38)	L8 AR-1262-3	8.611	7.509f	483554	337680	3.490	5.360 #
39)	L8 AR-1262-4	8.688	7.581	291673	384610	4.687	3.364 #
40)	L8 AR-1262-5	9.360	8.077	112537	200956	1.593	4.034 #
41)	L9 AR-1268-1	8.611f	7.509f	483554	337680	1.981	1.866

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP122122\
 Data File : PP053931.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Dec 2022 18:24
 Operator : YP\AJ
 Sample : N6161-08
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 21 21:56:02 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP121322.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Dec 14 05:38:40 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.688	7.581	291673	384610	1.283	2.254 #
43) L9	AR-1268-3	8.897f	7.788	1410037	173865	7.358	1.177 #
44) L9	AR-1268-4	9.360f	8.077	112537	200956	1.462	3.606 #
45) L9	AR-1268-5	9.747	8.366	227256	135737	0.386	0.287 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP122122\
Data File : PP053931.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Dec 2022 18:24
Operator : YP\AJ
Sample : N6161-08
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 21 21:56:02 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP121322.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Dec 14 05:38:40 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.336 min
Delta R.T.: -0.003 min
Response: 43154443
Conc: 20.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.588 min
Delta R.T.: -0.005 min
Response: 29562473
Conc: 18.93 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.093 min
Delta R.T.: -0.009 min
Response: 29017258
Conc: 17.09 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.620 min
Delta R.T.: -0.016 min
Response: 23414029
Conc: 16.76 ng/ml



#3 AR-1016-1


R.T.: 5.505 min
Delta R.T.: -0.006 min
Response: 710111
Conc: 10.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.672 min
Delta R.T.: -0.014 min
Response: 586135
Conc: 12.76 ng/ml




#4 AR-1016-2

R.T.: 5.534 min
Delta R.T.: 0.000 min
Response: 1690984
Conc: 16.98 ng/ml



#4 AR-1016-2


R.T.: 4.708 min
Delta R.T.: 0.003 min
Response: 1203137
Conc: 19.20 ng/ml



#5 AR-1016-3


R.T.: 5.582 min
Delta R.T.: -0.015 min
Response: 927670
Conc: 14.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.875 min
Delta R.T.: -0.007 min
Response: 224724
Conc: 6.62 ng/ml




#6 AR-1016-4

R.T.: 5.668 min
Delta R.T.: -0.027 min
Response: 2041038
Conc: 41.19 ng/ml



#6 AR-1016-4


R.T.: 4.917 min
Delta R.T.: -0.008 min
Response: 465408
Conc: 15.62 ng/ml



#7 AR-1016-5


R.T.: 6.001 min
Delta R.T.: 0.010 min
Response: 772740
Conc: 14.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.164 min
Delta R.T.: 0.026 min
Response: 694922
Conc: 19.16 ng/ml




#8 AR-1221-1

R.T.: 4.543 min
Delta R.T.: -0.005 min
Response: 19833019
Conc: 769.86 ng/ml



#8 AR-1221-1


R.T.: 3.813 min
Delta R.T.: 0.004 min
Response: 538981
Conc: 27.84 ng/ml



#9 AR-1221-2


R.T.: 4.643 min
Delta R.T.: 0.008 min
Response: 1088126
Conc: 55.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.871 min
Delta R.T.: -0.024 min
Response: 7597001
Conc: 519.72 ng/ml




#10 AR-1221-3

R.T.: 4.700 min
Delta R.T.: -0.011 min
Response: 137603
Conc: 2.37 ng/ml



#10 AR-1221-3


R.T.: 3.965 min
Delta R.T.: -0.007 min
Response: 547564
Conc: 12.31 ng/ml



#11 AR-1232-1


R.T.: 4.700 min
Delta R.T.: -0.011 min
Response: 137603
Conc: 3.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.965 min
Delta R.T.: -0.006 min
Response: 547564
Conc: 15.91 ng/ml




#12 AR-1232-2

R.T.: 5.243 min
Delta R.T.: 0.002 min
Response: 1405604
Conc: 54.64 ng/ml



#12 AR-1232-2


R.T.: 4.708 min
Delta R.T.: 0.003 min
Response: 1203137
Conc: 40.31 ng/ml



#13 AR-1232-3


R.T.: 5.534 min
Delta R.T.: 0.000 min
Response: 1690984
Conc: 36.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.875 min
Delta R.T.: -0.006 min
Response: 224724
Conc: 14.18 ng/ml




#14 AR-1232-4

R.T.: 5.668 min
Delta R.T.: -0.027 min
Response: 2041038
Conc: 86.14 ng/ml



#14 AR-1232-4


R.T.: 4.975 min
Delta R.T.: 0.009 min
Response: 472136
Conc: 30.55 ng/ml



#15 AR-1232-5


R.T.: 5.788 min
Delta R.T.: 0.002 min
Response: 137608
Conc: 7.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.164 min
Delta R.T.: 0.026 min
Response: 694922
Conc: 42.20 ng/ml




#16 AR-1242-1

R.T.: 5.505 min
Delta R.T.: -0.006 min
Response: 710111
Conc: 13.56 ng/ml



#16 AR-1242-1


R.T.: 4.672 min
Delta R.T.: -0.014 min
Response: 586135
Conc: 16.55 ng/ml



#17 AR-1242-2


R.T.: 5.534 min
Delta R.T.: 0.000 min
Response: 1690984
Conc: 22.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.708 min
Delta R.T.: 0.003 min
Response: 1203137
Conc: 25.04 ng/ml




#18 AR-1242-3

R.T.: 5.582 min
Delta R.T.: -0.015 min
Response: 927670
Conc: 18.93 ng/ml



#18 AR-1242-3


R.T.: 4.875 min
Delta R.T.: -0.007 min
Response: 224724
Conc: 8.62 ng/ml



#19 AR-1242-4


R.T.: 5.668 min
Delta R.T.: -0.027 min
Response: 2041038
Conc: 53.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.975 min
Delta R.T.: 0.009 min
Response: 472136
Conc: 16.55 ng/ml




#20 AR-1242-5

R.T.: 0.000 min
Exp R.T. : 6.435 min
Response: 0
Conc: N.D.



#20 AR-1242-5


R.T.: 5.491 min
Delta R.T.: -0.001 min
Response: 2503460
Conc: 82.02 ng/ml



#21 AR-1248-1


R.T.: 5.505 min
Delta R.T.: -0.007 min
Response: 710111
Conc: 16.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.672 min
Delta R.T.: -0.014 min
Response: 586135
Conc: 20.60 ng/ml




#22 AR-1248-2

R.T.: 5.788 min
Delta R.T.: 0.002 min
Response: 137608
Conc: 2.18 ng/ml



#22 AR-1248-2


R.T.: 4.917 min
Delta R.T.: -0.007 min
Response: 465408
Conc: 11.25 ng/ml



#23 AR-1248-3


R.T.: 6.001 min
Delta R.T.: 0.010 min
Response: 772740
Conc: 11.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.975 min
Delta R.T.: 0.009 min
Response: 472136
Conc: 11.24 ng/ml




#24 AR-1248-4

R.T.: 6.402 min
Delta R.T.: 0.005 min
Response: 3222558
Conc: 45.69 ng/ml



#24 AR-1248-4


R.T.: 5.164 min
Delta R.T.: 0.026 min
Response: 694922
Conc: 14.44 ng/ml



#25 AR-1248-5


R.T.: 0.000 min
Exp R.T.: 6.435 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.529 min
Delta R.T.: -0.005 min
Response: 1271209
Conc: 33.85 ng/ml




#26 AR-1254-1

R.T.: 6.375 min
Delta R.T.: 0.006 min
Response: 2315401
Conc: 29.88 ng/ml



#26 AR-1254-1


R.T.: 5.491 min
Delta R.T.: -0.001 min
Response: 2503460
Conc: 38.23 ng/ml



#27 AR-1254-2


R.T.: 6.595 min
Delta R.T.: 0.006 min
Response: 3570917
Conc: 30.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.633 min
Delta R.T.: -0.008 min
Response: 1594385
Conc: 27.34 ng/ml




#28 AR-1254-3

R.T.: 6.963 min
Delta R.T.: 0.006 min
Response: 4326466
Conc: 36.94 ng/ml



#28 AR-1254-3


R.T.: 6.041 min
Delta R.T.: -0.005 min
Response: 1768217
Conc: 20.10 ng/ml



#29 AR-1254-4


R.T.: 7.241 min
Delta R.T.: -0.003 min
Response: 352952
Conc: 4.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.264 min
Delta R.T.: -0.012 min
Response: 2058939
Conc: 44.94 ng/ml




#30 AR-1254-5

R.T.: 7.680 min
Delta R.T.: 0.016 min
Response: 1807329
Conc: 18.53 ng/ml



#30 AR-1254-5


R.T.: 6.686 min
Delta R.T.: -0.010 min
Response: 1180789
Conc: 15.15 ng/ml



#31 AR-1260-1


R.T.: 7.118 min
Delta R.T.: -0.005 min
Response: 882328
Conc: 9.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.189 min
Delta R.T.: 0.010 min
Response: 3234092
Conc: 49.58 ng/ml




#32 AR-1260-2

R.T.: 7.370 min
Delta R.T.: -0.011 min
Response: 1863212
Conc: 16.87 ng/ml



#32 AR-1260-2


R.T.: 6.355 min
Delta R.T.: -0.012 min
Response: 1505393
Conc: 19.99 ng/ml



#33 AR-1260-3


R.T.: 7.740 min
Delta R.T.: -0.001 min
Response: 124270
Conc: 1.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.508 min
Delta R.T.: -0.014 min
Response: 1470785
Conc: 20.29 ng/ml




#34 AR-1260-4

R.T.: 7.970 min
Delta R.T.: 0.002 min
Response: 216510
Conc: 2.31 ng/ml



#34 AR-1260-4


R.T.: 6.986 min
Delta R.T.: -0.011 min
Response: 102611
Conc: 1.89 ng/ml



#35 AR-1260-5


R.T.: 8.278 min
Delta R.T.: -0.006 min
Response: 496400
Conc: 3.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.227 min
Delta R.T.: -0.012 min
Response: 290726
Conc: 2.43 ng/ml




#36 AR-1262-1

R.T.: 7.740 min
Delta R.T.: 0.000 min
Response: 124270
Conc: 1.04 ng/ml



#36 AR-1262-1


R.T.: 6.787 min
Delta R.T.: -0.001 min
Response: 437630
Conc: 12.27 ng/ml



#37 AR-1262-2


R.T.: 8.278 min
Delta R.T.: -0.006 min
Response: 496400
Conc: 2.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.986 min
Delta R.T.: -0.010 min
Response: 102611
Conc: 1.32 ng/ml




#38 AR-1262-3

R.T.: 8.611 min
Delta R.T.: 0.013 min
Response: 483554
Conc: 3.49 ng/ml



#38 AR-1262-3


R.T.: 7.509 min
Delta R.T.: -0.016 min
Response: 337680
Conc: 5.36 ng/ml



#39 AR-1262-4


R.T.: 8.688 min
Delta R.T.: 0.002 min
Response: 291673
Conc: 4.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.581 min
Delta R.T.: -0.008 min
Response: 384610
Conc: 3.36 ng/ml




#40 AR-1262-5

R.T.: 9.360 min
Delta R.T.: 0.015 min
Response: 112537
Conc: 1.59 ng/ml



#40 AR-1262-5


R.T.: 8.077 min
Delta R.T.: -0.008 min
Response: 200956
Conc: 4.03 ng/ml



#41 AR-1268-1


R.T.: 8.611 min
Delta R.T.: 0.016 min
Response: 483554
Conc: 1.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.509 min
Delta R.T.: -0.017 min
Response: 337680
Conc: 1.87 ng/ml




#42 AR-1268-2

R.T.: 8.688 min
Delta R.T.: -0.001 min
Response: 291673
Conc: 1.28 ng/ml



#42 AR-1268-2


R.T.: 7.581 min
Delta R.T.: -0.009 min
Response: 384610
Conc: 2.25 ng/ml



#43 AR-1268-3


R.T.: 8.897 min
Delta R.T.: -0.021 min
Response: 1410037
Conc: 7.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.788 min
Delta R.T.: -0.011 min
Response: 173865
Conc: 1.18 ng/ml




#44 AR-1268-4

R.T.: 9.360 min
Delta R.T.: 0.016 min
Response: 112537
Conc: 1.46 ng/ml



#44 AR-1268-4


R.T.: 8.077 min
Delta R.T.: -0.008 min
Response: 200956
Conc: 3.61 ng/ml



#45 AR-1268-5

R.T.: 9.747 min
Delta R.T.: -0.013 min
Response: 227256
Conc: 0.39 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.366 min
Delta R.T.: -0.012 min
Response: 135737
Conc: 0.29 ng/ml