

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP122723\
 Data File : PP062645.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Dec 2023 10:37
 Operator : YP\AJ
 Sample : PB158052BS
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB158052BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 28 00:16:06 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP122123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Dec 22 03:29:15 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.397	3.684	47938407	59282726	22.050	19.865
2) SA Decachlor...	10.149	8.783	30883677	49067971	21.417	19.275
Target Compounds						
3) L1 AR-1016-1	5.569	4.791	36312410	46839618	532.813	498.828
4) L1 AR-1016-2	5.591	4.810	54022231	66889517	532.351	499.435
5) L1 AR-1016-3	5.654	4.990	34329153	36102893	544.774	494.251
6) L1 AR-1016-4	5.751	5.032	28610238	29768170	558.140	488.663
7) L1 AR-1016-5	6.048	5.249	29171226	38709668	550.640	481.128
8) L2 AR-1221-1	4.602	3.901	3562449	4626698	130.704	127.501
9) L2 AR-1221-2	4.693	3.989	4709725	6137709	231.699	222.202
10) L2 AR-1221-3	4.769	4.067	19422163	25499375	329.555	319.517
11) L3 AR-1232-1	4.769	4.067	19422163	25499375	401.483	394.240
12) L3 AR-1232-2	5.300	4.810	27851391	66889517	1050.368	1061.926
13) L3 AR-1232-3	5.591	4.990	54022231	36102893	1147.567	1059.817
14) L3 AR-1232-4	5.751	5.075	28610238	36590972	1188.573	1121.435
15) L3 AR-1232-5	5.844	5.249	23684513	38709668	1184.752	1094.714
16) L4 AR-1242-1	5.569	4.791	36312410	46839618	647.894	609.558
17) L4 AR-1242-2	5.591	4.810	54022231	66889517	654.402	620.882
18) L4 AR-1242-3	5.654	4.990	34329153	36102893	670.744	612.814
19) L4 AR-1242-4	5.751	5.075	28610238	36590972	683.167	594.154
20) L4 AR-1242-5	6.492	5.608	3818589	30961537	89.022	428.620 #
21) L5 AR-1248-1	5.569	4.791	36312410	46839618	841.470	807.326
22) L5 AR-1248-2	5.844	5.032	23684513	29768170	348.976	341.663
23) L5 AR-1248-3	6.048	5.075	29171226	36590972	395.808	400.788
24) L5 AR-1248-4	6.452	5.249	3875445	38709668	50.879	360.573 #
25) L5 AR-1248-5	6.492	5.648	3818589	4907864	50.366	49.447
26) L6 AR-1254-1	6.427	5.608	21118696	30961537	255.914	195.030
27) L6 AR-1254-2	6.646	5.757	22557966	29680201	175.961	212.810
28) L6 AR-1254-3	7.013	6.182f	3750001	52977486	29.044	239.724 #
29) L6 AR-1254-4	7.300	6.398	7471028	5752976	82.912	44.492 #
30) L6 AR-1254-5	7.720	6.820	59800595	98907724	610.416	515.472
31) L7 AR-1260-1	7.179	6.299	48489074	73371708	489.780	459.001
32) L7 AR-1260-2	7.437	6.489	54824995	85863917	483.206	468.978
33) L7 AR-1260-3	7.797	6.644	26359107	82121996	307.636	456.590 #
34) L7 AR-1260-4	8.023	7.122	34478671	59475695	356.038	404.208
35) L7 AR-1260-5	8.341	7.366	66879296	135.4E6	375.220	420.221
36) L8 AR-1262-1	7.855	6.913	2519493	34417983	46.318	387.398 #
37) L8 AR-1262-2	8.341	7.122	66879296	59475695	329.792	318.347
38) L8 AR-1262-3	8.664	7.653	44411891	24704682	330.117	226.500 #
39) L8 AR-1262-4	0.000	7.716	0	94778141	N.D.	369.531 #
40) L8 AR-1262-5	9.395	8.219	17889677	28098243	276.528	246.613
41) L9 AR-1268-1	8.664f	7.653	44411891	24704682	196.589	64.104 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP122723\
 Data File : PP062645.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Dec 2023 10:37
 Operator : YP\AJ
 Sample : PB158052BS
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB158052BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 28 00:16:06 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP122123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Dec 22 03:29:15 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	0.000	7.716	0	94778141	N.D.	267.817 #
43) L9	AR-1268-3	8.972	7.927	1059550	2312984	6.196	7.382
44) L9	AR-1268-4	9.395	8.219	17889677	28098243	264.268	224.988
45) L9	AR-1268-5	9.809	8.518	6408885	9964668	12.591	11.356



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP122723\
Data File : PP062645.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Dec 2023 10:37
Operator : YP\AJ
Sample : PB158052BS
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB158052BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 28 00:16:06 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP122123.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Dec 22 03:29:15 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 47938407
Conc: 22.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#1 Tetrachloro-m-xylene

R.T.: 3.684 min
Delta R.T.: 0.002 min
Response: 59282726
Conc: 19.87 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.149 min
Delta R.T.: 0.007 min
Response: 30883677
Conc: 21.42 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.783 min
Delta R.T.: 0.002 min
Response: 49067971
Conc: 19.27 ng/ml



#3 AR-1016-1


R.T.: 5.569 min
Delta R.T.: 0.002 min
Response: 36312410
Conc: 532.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#3 AR-1016-1

R.T.: 4.791 min
Delta R.T.: 0.001 min
Response: 46839618
Conc: 498.83 ng/ml




#4 AR-1016-2

R.T.: 5.591 min
Delta R.T.: 0.002 min
Response: 54022231
Conc: 532.35 ng/ml



#4 AR-1016-2


R.T.: 4.810 min
Delta R.T.: 0.000 min
Response: 66889517
Conc: 499.43 ng/ml



#5 AR-1016-3


R.T.: 5.654 min
Delta R.T.: 0.002 min
Response: 34329153
Conc: 544.77 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#5 AR-1016-3

R.T.: 4.990 min
Delta R.T.: 0.001 min
Response: 36102893
Conc: 494.25 ng/ml




#6 AR-1016-4

R.T.: 5.751 min
Delta R.T.: 0.001 min
Response: 28610238
Conc: 558.14 ng/ml



#6 AR-1016-4


R.T.: 5.032 min
Delta R.T.: 0.000 min
Response: 29768170
Conc: 488.66 ng/ml



#7 AR-1016-5


R.T.: 6.048 min
Delta R.T.: 0.002 min
Response: 29171226
Conc: 550.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#7 AR-1016-5

R.T.: 5.249 min
Delta R.T.: 0.001 min
Response: 38709668
Conc: 481.13 ng/ml




#8 AR-1221-1

R.T.: 4.602 min
Delta R.T.: -0.003 min
Response: 3562449
Conc: 130.70 ng/ml



#8 AR-1221-1


R.T.: 3.901 min
Delta R.T.: 0.000 min
Response: 4626698
Conc: 127.50 ng/ml



#9 AR-1221-2


R.T.: 4.693 min
Delta R.T.: 0.001 min
Response: 4709725
Conc: 231.70 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#9 AR-1221-2

R.T.: 3.989 min
Delta R.T.: 0.000 min
Response: 6137709
Conc: 222.20 ng/ml




#10 AR-1221-3

R.T.: 4.769 min
Delta R.T.: 0.001 min
Response: 19422163
Conc: 329.56 ng/ml



#10 AR-1221-3


R.T.: 4.067 min
Delta R.T.: 0.000 min
Response: 25499375
Conc: 319.52 ng/ml



#11 AR-1232-1


R.T.: 4.769 min
Delta R.T.: 0.001 min
Response: 19422163
Conc: 401.48 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#11 AR-1232-1

R.T.: 4.067 min
Delta R.T.: 0.000 min
Response: 25499375
Conc: 394.24 ng/ml




#12 AR-1232-2

R.T.: 5.300 min
Delta R.T.: 0.001 min
Response: 27851391
Conc: 1050.37 ng/ml



#12 AR-1232-2


R.T.: 4.810 min
Delta R.T.: 0.000 min
Response: 66889517
Conc: 1061.93 ng/ml



#13 AR-1232-3


R.T.: 5.591 min
Delta R.T.: 0.001 min
Response: 54022231
Conc: 1147.57 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#13 AR-1232-3

R.T.: 4.990 min
Delta R.T.: 0.000 min
Response: 36102893
Conc: 1059.82 ng/ml




#14 AR-1232-4

R.T.: 5.751 min
Delta R.T.: 0.001 min
Response: 28610238
Conc: 1188.57 ng/ml



#14 AR-1232-4


R.T.: 5.075 min
Delta R.T.: 0.001 min
Response: 36590972
Conc: 1121.43 ng/ml



#15 AR-1232-5


R.T.: 5.844 min
Delta R.T.: 0.002 min
Response: 23684513
Conc: 1184.75 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#15 AR-1232-5

R.T.: 5.249 min
Delta R.T.: 0.000 min
Response: 38709668
Conc: 1094.71 ng/ml




#16 AR-1242-1

R.T.: 5.569 min
Delta R.T.: 0.003 min
Response: 36312410
Conc: 647.89 ng/ml



#16 AR-1242-1


R.T.: 4.791 min
Delta R.T.: 0.002 min
Response: 46839618
Conc: 609.56 ng/ml



#17 AR-1242-2


R.T.: 5.591 min
Delta R.T.: 0.002 min
Response: 54022231
Conc: 654.40 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#17 AR-1242-2

R.T.: 4.810 min
Delta R.T.: 0.001 min
Response: 66889517
Conc: 620.88 ng/ml




#18 AR-1242-3

R.T.: 5.654 min
Delta R.T.: 0.003 min
Response: 34329153
Conc: 670.74 ng/ml



#18 AR-1242-3


R.T.: 4.990 min
Delta R.T.: 0.001 min
Response: 36102893
Conc: 612.81 ng/ml



#19 AR-1242-4


R.T.: 5.751 min
Delta R.T.: 0.002 min
Response: 28610238
Conc: 683.17 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#19 AR-1242-4

R.T.: 5.075 min
Delta R.T.: 0.002 min
Response: 36590972
Conc: 594.15 ng/ml




#20 AR-1242-5

R.T.: 6.492 min
Delta R.T.: 0.003 min
Response: 3818589
Conc: 89.02 ng/ml



#20 AR-1242-5


R.T.: 5.608 min
Delta R.T.: 0.002 min
Response: 30961537
Conc: 428.62 ng/ml



#21 AR-1248-1


R.T.: 5.569 min
Delta R.T.: 0.002 min
Response: 36312410
Conc: 841.47 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#21 AR-1248-1

R.T.: 4.791 min
Delta R.T.: 0.001 min
Response: 46839618
Conc: 807.33 ng/ml




#22 AR-1248-2

R.T.: 5.844 min
Delta R.T.: 0.002 min
Response: 23684513
Conc: 348.98 ng/ml



#22 AR-1248-2


R.T.: 5.032 min
Delta R.T.: 0.000 min
Response: 29768170
Conc: 341.66 ng/ml



#23 AR-1248-3


R.T.: 6.048 min
Delta R.T.: 0.002 min
Response: 29171226
Conc: 395.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#23 AR-1248-3

R.T.: 5.075 min
Delta R.T.: 0.001 min
Response: 36590972
Conc: 400.79 ng/ml




#24 AR-1248-4

R.T.: 6.452 min
Delta R.T.: 0.002 min
Response: 3875445
Conc: 50.88 ng/ml



#24 AR-1248-4


R.T.: 5.249 min
Delta R.T.: 0.001 min
Response: 38709668
Conc: 360.57 ng/ml



#25 AR-1248-5


R.T.: 6.492 min
Delta R.T.: 0.003 min
Response: 3818589
Conc: 50.37 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#25 AR-1248-5

R.T.: 5.648 min
Delta R.T.: 0.000 min
Response: 4907864
Conc: 49.45 ng/ml




#26 AR-1254-1

R.T.: 6.427 min
Delta R.T.: 0.003 min
Response: 21118696
Conc: 255.91 ng/ml



#26 AR-1254-1


R.T.: 5.608 min
Delta R.T.: 0.001 min
Response: 30961537
Conc: 195.03 ng/ml



#27 AR-1254-2


R.T.: 6.646 min
Delta R.T.: 0.002 min
Response: 22557966
Conc: 175.96 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#27 AR-1254-2

R.T.: 5.757 min
Delta R.T.: 0.002 min
Response: 29680201
Conc: 212.81 ng/ml




#28 AR-1254-3

R.T.: 7.013 min
Delta R.T.: 0.003 min
Response: 3750001
Conc: 29.04 ng/ml



#28 AR-1254-3


R.T.: 6.182 min
Delta R.T.: 0.016 min
Response: 52977486
Conc: 239.72 ng/ml



#29 AR-1254-4


R.T.: 7.300 min
Delta R.T.: 0.003 min
Response: 7471028
Conc: 82.91 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#29 AR-1254-4

R.T.: 6.398 min
Delta R.T.: 0.001 min
Response: 5752976
Conc: 44.49 ng/ml




#30 AR-1254-5

R.T.: 7.720 min
Delta R.T.: 0.002 min
Response: 59800595
Conc: 610.42 ng/ml



#30 AR-1254-5


R.T.: 6.820 min
Delta R.T.: 0.000 min
Response: 98907724
Conc: 515.47 ng/ml



#31 AR-1260-1


R.T.: 7.179 min
Delta R.T.: 0.003 min
Response: 48489074
Conc: 489.78 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#31 AR-1260-1

R.T.: 6.299 min
Delta R.T.: 0.001 min
Response: 73371708
Conc: 459.00 ng/ml




#32 AR-1260-2

R.T.: 7.437 min
Delta R.T.: 0.002 min
Response: 54824995
Conc: 483.21 ng/ml



#32 AR-1260-2


R.T.: 6.489 min
Delta R.T.: 0.002 min
Response: 85863917
Conc: 468.98 ng/ml



#33 AR-1260-3


R.T.: 7.797 min
Delta R.T.: 0.003 min
Response: 26359107
Conc: 307.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#33 AR-1260-3

R.T.: 6.644 min
Delta R.T.: 0.000 min
Response: 82121996
Conc: 456.59 ng/ml




#34 AR-1260-4

R.T.: 8.023 min
Delta R.T.: 0.003 min
Response: 34478671
Conc: 356.04 ng/ml



#34 AR-1260-4


R.T.: 7.122 min
Delta R.T.: 0.002 min
Response: 59475695
Conc: 404.21 ng/ml



#35 AR-1260-5


R.T.: 8.341 min
Delta R.T.: 0.003 min
Response: 66879296
Conc: 375.22 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#35 AR-1260-5

R.T.: 7.366 min
Delta R.T.: 0.001 min
Response: 135361793
Conc: 420.22 ng/ml




#36 AR-1262-1

R.T.: 7.855 min
Delta R.T.: 0.004 min
Response: 2519493
Conc: 46.32 ng/ml



#36 AR-1262-1


R.T.: 6.913 min
Delta R.T.: 0.000 min
Response: 34417983
Conc: 387.40 ng/ml



#37 AR-1262-2


R.T.: 8.341 min
Delta R.T.: 0.003 min
Response: 66879296
Conc: 329.79 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#37 AR-1262-2

R.T.: 7.122 min
Delta R.T.: 0.000 min
Response: 59475695
Conc: 318.35 ng/ml




#38 AR-1262-3

R.T.: 8.664 min
Delta R.T.: 0.013 min
Response: 44411891
Conc: 330.12 ng/ml



#38 AR-1262-3


R.T.: 7.653 min
Delta R.T.: 0.002 min
Response: 24704682
Conc: 226.50 ng/ml



#39 AR-1262-4


R.T.: 0.000 min
Exp R.T.: 8.739 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#39 AR-1262-4

R.T.: 7.716 min
Delta R.T.: 0.000 min
Response: 94778141
Conc: 369.53 ng/ml




#40 AR-1262-5

R.T.: 9.395 min
Delta R.T.: 0.004 min
Response: 17889677
Conc: 276.53 ng/ml



#40 AR-1262-5


R.T.: 8.219 min
Delta R.T.: 0.000 min
Response: 28098243
Conc: 246.61 ng/ml



#41 AR-1268-1


R.T.: 8.664 min
Delta R.T.: 0.016 min
Response: 44411891
Conc: 196.59 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#41 AR-1268-1

R.T.: 7.653 min
Delta R.T.: 0.002 min
Response: 24704682
Conc: 64.10 ng/ml




#42 AR-1268-2

R.T.: 0.000 min
Exp R.T.: 8.740 min
Response: 0
Conc: N.D.



#42 AR-1268-2


R.T.: 7.716 min
Delta R.T.: 0.000 min
Response: 94778141
Conc: 267.82 ng/ml



#43 AR-1268-3


R.T.: 8.972 min
Delta R.T.: 0.004 min
Response: 1059550
Conc: 6.20 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS




#43 AR-1268-3

R.T.: 7.927 min
Delta R.T.: 0.002 min
Response: 2312984
Conc: 7.38 ng/ml




#44 AR-1268-4

R.T.: 9.395 min
Delta R.T.: 0.005 min
Response: 17889677
Conc: 264.27 ng/ml



#44 AR-1268-4


R.T.: 8.219 min
Delta R.T.: 0.002 min
Response: 28098243
Conc: 224.99 ng/ml



#45 AR-1268-5

R.T.: 9.809 min
Delta R.T.: 0.004 min
Response: 6408885
Conc: 12.59 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB158052BS



#45 AR-1268-5

R.T.: 8.518 min
Delta R.T.: 0.000 min
Response: 9964668
Conc: 11.36 ng/ml