

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP123021\
 Data File : PP042409.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 30 Dec 2021 13:36
 Operator : AJ\MA
 Sample : M5196-04MSD
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 31 01:18:34 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP122321.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Dec 24 23:47:53 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.916	4.053	288918	517661	22.005	22.665
2)	SA Decachlor...	10.911	9.395f	319107	404922	26.199	25.039
Target Compounds							
3)	L1 AR-1016-1	6.226	5.340	212058	616987	477.070	673.061 #
4)	L1 AR-1016-2	6.249	5.340	314514	616987	475.477	489.674
5)	L1 AR-1016-3	6.316	5.535	196945	353540	482.839	503.410
6)	L1 AR-1016-4	6.422	5.585	159074	271638	488.288	500.223
7)	L1 AR-1016-5	6.739	5.817	145203	337654	423.088	517.868
8)	L2 AR-1221-1	5.152	4.313	27578	44304	174.039	171.069
9)	L2 AR-1221-2	5.258	4.414	27624	53403	244.998	251.576
10)	L2 AR-1221-3	5.344	4.504	122983	241420	351.566	347.101
11)	L3 AR-1232-1	5.344	4.504	122983	241420	425.759	412.928
12)	L3 AR-1232-2	5.933	5.340	170755	616987	1151.853	1159.492
13)	L3 AR-1232-3	6.249	5.535	314514	353540	1202.098	1235.168
14)	L3 AR-1232-4	6.422	5.630	159074	338784	1213.667	1404.569
15)	L3 AR-1232-5	6.524	5.817	132661	337654	1285.599	1390.622
16)	L4 AR-1242-1	6.226	5.340	212058	616987	650.340	906.117 #
17)	L4 AR-1242-2	6.249	5.340	314514	616987	658.985	662.470
18)	L4 AR-1242-3	6.316	5.535	196945	353540	657.563	669.006
19)	L4 AR-1242-4	6.422	5.630	159074	338784	649.266	669.584
20)	L4 AR-1242-5	7.206	6.198	22180	262668	85.277	443.098 #
21)	L5 AR-1248-1	6.226	5.340	212058	616987	847.027	1187.620 #
22)	L5 AR-1248-2	6.524	5.585	132661	271638	375.618	385.739
23)	L5 AR-1248-3	6.739	5.630	145203	338784	345.277	456.553 #
24)	L5 AR-1248-4	7.164	5.817	23012	337654	50.754	401.073 #
25)	L5 AR-1248-5	7.206	6.242	22180	38512	49.745	46.494
26)	L6 AR-1254-1	7.137	6.198	127861	262668	256.476	210.004
27)	L6 AR-1254-2	7.368	6.356	141221	255147	184.208	234.459 #
28)	L6 AR-1254-3	7.748	6.798	74517	424519	96.578	255.528 #
29)	L6 AR-1254-4	8.044	7.020	48892	42066	87.873	43.121 #
30)	L6 AR-1254-5	8.472	7.452f	450262	750915	719.043	586.002
31)	L7 AR-1260-1	7.918	6.918f	329072	575128	555.275	541.174
32)	L7 AR-1260-2	8.184	7.114f	370546	661357	479.911	535.736
33)	L7 AR-1260-3	8.552	7.272f	259117	611076	500.894	456.029
34)	L7 AR-1260-4	8.782	7.757f	326944	432062	564.649	483.855
35)	L7 AR-1260-5	9.104	8.004f	576087	983228	492.347	510.893
36)	L8 AR-1262-1	8.552	7.452	259117	750915	337.658	1128.594 #
37)	L8 AR-1262-2	9.104	7.757f	576087	432062	470.026	398.352
38)	L8 AR-1262-3	9.428	8.293f	363535	129202	739.579	169.587 #
39)	L8 AR-1262-4	9.504	8.356f	97485	706322	264.509	463.686 #
40)	L8 AR-1262-5	10.160	8.900f	152209	-16621	332.318	N.D. #
41)	L9 AR-1268-1	9.428	8.293f	363535	129202	239.775	57.096 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP123021\
 Data File : PP042409.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 30 Dec 2021 13:36
 Operator : AJ\MA
 Sample : M5196-04MSD
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 31 01:18:34 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP122321.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Dec 24 23:47:53 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.504	8.356f	97485	706322	68.698	323.524 #
43) L9	AR-1268-3	9.741	8.567f	17325	15474	13.461	8.382 #
44) L9	AR-1268-4	10.160	8.900f	152209	-16621	293.724	N.D. #
45) L9	AR-1268-5	10.576	9.145f	54335	71125	14.012	12.462



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP123021\
Data File : PP042409.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 30 Dec 2021 13:36
Operator : AJ\MA
Sample : M5196-04MSD
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 31 01:18:34 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP122321.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Dec 24 23:47:53 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.916 min
Delta R.T.: -0.008 min
Response: 288918
Conc: 22.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.053 min
Delta R.T.: -0.010 min
Response: 517661
Conc: 22.67 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.911 min
Delta R.T.: -0.007 min
Response: 319107
Conc: 26.20 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.395 min
Delta R.T.: -0.020 min
Response: 404922
Conc: 25.04 ng/ml



#3 AR-1016-1


R.T.: 6.226 min
Delta R.T.: -0.007 min
Response: 212058
Conc: 477.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.340 min
Delta R.T.: 0.007 min
Response: 616987
Conc: 673.06 ng/ml




#4 AR-1016-2

R.T.: 6.249 min
Delta R.T.: -0.007 min
Response: 314514
Conc: 475.48 ng/ml



#4 AR-1016-2


R.T.: 5.340 min
Delta R.T.: -0.013 min
Response: 616987
Conc: 489.67 ng/ml



#5 AR-1016-3


R.T.: 6.316 min
Delta R.T.: -0.006 min
Response: 196945
Conc: 482.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.535 min
Delta R.T.: -0.013 min
Response: 353540
Conc: 503.41 ng/ml




#6 AR-1016-4

R.T.: 6.422 min
Delta R.T.: -0.006 min
Response: 159074
Conc: 488.29 ng/ml



#6 AR-1016-4


R.T.: 5.585 min
Delta R.T.: -0.014 min
Response: 271638
Conc: 500.22 ng/ml



#7 AR-1016-5


R.T.: 6.739 min
Delta R.T.: -0.006 min
Response: 145203
Conc: 423.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.817 min
Delta R.T.: -0.014 min
Response: 337654
Conc: 517.87 ng/ml




#8 AR-1221-1

R.T.: 5.152 min
Delta R.T.: -0.014 min
Response: 27578
Conc: 174.04 ng/ml



#8 AR-1221-1


R.T.: 4.313 min
Delta R.T.: -0.012 min
Response: 44304
Conc: 171.07 ng/ml



#9 AR-1221-2


R.T.: 5.258 min
Delta R.T.: -0.007 min
Response: 27624
Conc: 245.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.414 min
Delta R.T.: -0.011 min
Response: 53403
Conc: 251.58 ng/ml




#10 AR-1221-3

R.T.: 5.344 min
Delta R.T.: -0.007 min
Response: 122983
Conc: 351.57 ng/ml



#10 AR-1221-3


R.T.: 4.504 min
Delta R.T.: -0.011 min
Response: 241420
Conc: 347.10 ng/ml



#11 AR-1232-1


R.T.: 5.344 min
Delta R.T.: -0.007 min
Response: 122983
Conc: 425.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.504 min
Delta R.T.: -0.011 min
Response: 241420
Conc: 412.93 ng/ml




#12 AR-1232-2

R.T.: 5.933 min
Delta R.T.: -0.008 min
Response: 170755
Conc: 1151.85 ng/ml



#12 AR-1232-2


R.T.: 5.340 min
Delta R.T.: -0.013 min
Response: 616987
Conc: 1159.49 ng/ml



#13 AR-1232-3


R.T.: 6.249 min
Delta R.T.: -0.007 min
Response: 314514
Conc: 1202.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.535 min
Delta R.T.: -0.013 min
Response: 353540
Conc: 1235.17 ng/ml




#14 AR-1232-4

R.T.: 6.422 min
Delta R.T.: -0.007 min
Response: 159074
Conc: 1213.67 ng/ml



#14 AR-1232-4


R.T.: 5.630 min
Delta R.T.: -0.014 min
Response: 338784
Conc: 1404.57 ng/ml



#15 AR-1232-5


R.T.: 6.524 min
Delta R.T.: -0.006 min
Response: 132661
Conc: 1285.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.817 min
Delta R.T.: -0.014 min
Response: 337654
Conc: 1390.62 ng/ml




#16 AR-1242-1

R.T.: 6.226 min
Delta R.T.: -0.006 min
Response: 212058
Conc: 650.34 ng/ml



#16 AR-1242-1


R.T.: 5.340 min
Delta R.T.: 0.009 min
Response: 616987
Conc: 906.12 ng/ml



#17 AR-1242-2


R.T.: 6.249 min
Delta R.T.: -0.006 min
Response: 314514
Conc: 658.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.340 min
Delta R.T.: -0.012 min
Response: 616987
Conc: 662.47 ng/ml




#18 AR-1242-3

R.T.: 6.316 min
Delta R.T.: -0.006 min
Response: 196945
Conc: 657.56 ng/ml



#18 AR-1242-3


R.T.: 5.535 min
Delta R.T.: -0.012 min
Response: 353540
Conc: 669.01 ng/ml



#19 AR-1242-4


R.T.: 6.422 min
Delta R.T.: -0.005 min
Response: 159074
Conc: 649.27 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.630 min
Delta R.T.: -0.013 min
Response: 338784
Conc: 669.58 ng/ml




#20 AR-1242-5

R.T.: 7.206 min
Delta R.T.: -0.004 min
Response: 22180
Conc: 85.28 ng/ml



#20 AR-1242-5


R.T.: 6.198 min
Delta R.T.: -0.012 min
Response: 262668
Conc: 443.10 ng/ml



#21 AR-1248-1


R.T.: 6.226 min
Delta R.T.: -0.007 min
Response: 212058
Conc: 847.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.340 min
Delta R.T.: 0.008 min
Response: 616987
Conc: 1187.62 ng/ml




#22 AR-1248-2

R.T.: 6.524 min
Delta R.T.: -0.006 min
Response: 132661
Conc: 375.62 ng/ml



#22 AR-1248-2


R.T.: 5.585 min
Delta R.T.: -0.013 min
Response: 271638
Conc: 385.74 ng/ml



#23 AR-1248-3


R.T.: 6.739 min
Delta R.T.: -0.006 min
Response: 145203
Conc: 345.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.630 min
Delta R.T.: -0.013 min
Response: 338784
Conc: 456.55 ng/ml




#24 AR-1248-4

R.T.: 7.164 min
Delta R.T.: -0.007 min
Response: 23012
Conc: 50.75 ng/ml



#24 AR-1248-4


R.T.: 5.817 min
Delta R.T.: -0.013 min
Response: 337654
Conc: 401.07 ng/ml



#25 AR-1248-5


R.T.: 7.206 min
Delta R.T.: -0.005 min
Response: 22180
Conc: 49.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 6.242 min
Delta R.T.: -0.013 min
Response: 38512
Conc: 46.49 ng/ml




#26 AR-1254-1

R.T.: 7.137 min
Delta R.T.: -0.007 min
Response: 127861
Conc: 256.48 ng/ml



#26 AR-1254-1


R.T.: 6.198 min
Delta R.T.: -0.014 min
Response: 262668
Conc: 210.00 ng/ml



#27 AR-1254-2


R.T.: 7.368 min
Delta R.T.: -0.006 min
Response: 141221
Conc: 184.21 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.356 min
Delta R.T.: -0.014 min
Response: 255147
Conc: 234.46 ng/ml




#28 AR-1254-3

R.T.: 7.748 min
Delta R.T.: -0.006 min
Response: 74517
Conc: 96.58 ng/ml



#28 AR-1254-3


R.T.: 6.798 min
Delta R.T.: 0.003 min
Response: 424519
Conc: 255.53 ng/ml



#29 AR-1254-4


R.T.: 8.044 min
Delta R.T.: -0.005 min
Response: 48892
Conc: 87.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 7.020 min
Delta R.T.: -0.015 min
Response: 42066
Conc: 43.12 ng/ml




#30 AR-1254-5

R.T.: 8.472 min
Delta R.T.: -0.007 min
Response: 450262
Conc: 719.04 ng/ml



#30 AR-1254-5


R.T.: 7.452 min
Delta R.T.: -0.016 min
Response: 750915
Conc: 586.00 ng/ml



#31 AR-1260-1


R.T.: 7.918 min
Delta R.T.: -0.005 min
Response: 329072
Conc: 555.27 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.918 min
Delta R.T.: -0.015 min
Response: 575128
Conc: 541.17 ng/ml




#32 AR-1260-2

R.T.: 8.184 min
Delta R.T.: -0.004 min
Response: 370546
Conc: 479.91 ng/ml



#32 AR-1260-2


R.T.: 7.114 min
Delta R.T.: -0.016 min
Response: 661357
Conc: 535.74 ng/ml



#33 AR-1260-3


R.T.: 8.552 min
Delta R.T.: -0.005 min
Response: 259117
Conc: 500.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 7.272 min
Delta R.T.: -0.016 min
Response: 611076
Conc: 456.03 ng/ml




#34 AR-1260-4

R.T.: 8.782 min
Delta R.T.: -0.004 min
Response: 326944
Conc: 564.65 ng/ml



#34 AR-1260-4


R.T.: 7.757 min
Delta R.T.: -0.017 min
Response: 432062
Conc: 483.85 ng/ml



#35 AR-1260-5


R.T.: 9.104 min
Delta R.T.: -0.005 min
Response: 576087
Conc: 492.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 8.004 min
Delta R.T.: -0.016 min
Response: 983228
Conc: 510.89 ng/ml




#36 AR-1262-1

R.T.: 8.552 min
Delta R.T.: -0.005 min
Response: 259117
Conc: 337.66 ng/ml



#36 AR-1262-1


R.T.: 7.452 min
Delta R.T.: -0.014 min
Response: 750915
Conc: 1128.59 ng/ml



#37 AR-1262-2


R.T.: 9.104 min
Delta R.T.: -0.004 min
Response: 576087
Conc: 470.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.757 min
Delta R.T.: -0.016 min
Response: 432062
Conc: 398.35 ng/ml




#38 AR-1262-3

R.T.: 9.428 min
Delta R.T.: 0.005 min
Response: 363535
Conc: 739.58 ng/ml



#38 AR-1262-3


R.T.: 8.293 min
Delta R.T.: -0.016 min
Response: 129202
Conc: 169.59 ng/ml



#39 AR-1262-4


R.T.: 9.504 min
Delta R.T.: -0.007 min
Response: 97485
Conc: 264.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.356 min
Delta R.T.: -0.017 min
Response: 706322
Conc: 463.69 ng/ml




#40 AR-1262-5

R.T.: 10.160 min
Delta R.T.: -0.007 min
Response: 152209
Conc: 332.32 ng/ml



#40 AR-1262-5


R.T.: 8.900 min
Delta R.T.: 0.028 min
Response: -16621
Conc: N.D.



#41 AR-1268-1


R.T.: 9.428 min
Delta R.T.: 0.007 min
Response: 363535
Conc: 239.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 8.293 min
Delta R.T.: -0.016 min
Response: 129202
Conc: 57.10 ng/ml




#42 AR-1268-2

R.T.: 9.504 min
Delta R.T.: -0.011 min
Response: 97485
Conc: 68.70 ng/ml



#42 AR-1268-2


R.T.: 8.356 min
Delta R.T.: -0.018 min
Response: 706322
Conc: 323.52 ng/ml



#43 AR-1268-3


R.T.: 9.741 min
Delta R.T.: -0.003 min
Response: 17325
Conc: 13.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.567 min
Delta R.T.: -0.018 min
Response: 15474
Conc: 8.38 ng/ml




#44 AR-1268-4

R.T.: 10.160 min
Delta R.T.: -0.008 min
Response: 152209
Conc: 293.72 ng/ml



#44 AR-1268-4


R.T.: 8.900 min
Delta R.T.: 0.028 min
Response: -16621
Conc: N.D.



#45 AR-1268-5

R.T.: 10.576 min
Delta R.T.: -0.007 min
Response: 54335
Conc: 14.01 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 9.145 min
Delta R.T.: -0.018 min
Response: 71125
Conc: 12.46 ng/ml