

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ010522\
 Data File : PQ055576.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Jan 2022 13:31
 Operator : AJ\MA
 Sample : N1010-07
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 20211306-FIELD-BLANK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 05 14:03:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ010422.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jan 04 15:29:13 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.241	4.308	322.2E6	262.5E6	28.066	27.273
2) SA Decachlor...	11.422	9.683	204.4E6	93248642	13.708	12.548

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ010522\
Data File : PQ055576.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Jan 2022 13:31
Operator : AJ\MA
Sample : N1010-07
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
20211306-FIELD-BLANK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 05 14:03:09 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ010422.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jan 04 15:29:13 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.241 min
Delta R.T.: 0.000 min
Response: 322168488
Conc: 28.07 ng/ml

Instrument :
ECD_Q
ClientSampleId :
20211306-FIELD-BLANK




#1 Tetrachloro-m-xylene

R.T.: 4.308 min
Delta R.T.: 0.002 min
Response: 262501288
Conc: 27.27 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.422 min
Delta R.T.: -0.002 min
Response: 204437786
Conc: 13.71 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.683 min
Delta R.T.: -0.005 min
Response: 93248642
Conc: 12.55 ng/ml