

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ011322\
 Data File : PQ055731.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Jan 2022 20:27
 Operator : AJ\MA
 Sample : N1119-05
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 EAST-AREA-BOTTOM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 13 21:06:44 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ010422.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jan 04 15:29:13 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.235	4.299	297.2E6	236.4E6	25.894	24.566
2) SA Decachlor...	11.416	9.668	314.3E6	139.6E6	21.076	18.789

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ011322\
Data File : PQ055731.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Jan 2022 20:27
Operator : AJ\MA
Sample : N1119-05
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
EAST-AREA-BOTTOM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 13 21:06:44 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ010422.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jan 04 15:29:13 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.235 min
Delta R.T.: -0.005 min
Response: 297232880
Conc: 25.89 ng/ml

Instrument :
ECD_Q
ClientSampleId :
EAST-AREA-BOTTOM




#1 Tetrachloro-m-xylene

R.T.: 4.299 min
Delta R.T.: -0.007 min
Response: 236447525
Conc: 24.57 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.416 min
Delta R.T.: -0.009 min
Response: 314311317
Conc: 21.08 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.668 min
Delta R.T.: -0.007 min
Response: 139633404
Conc: 18.79 ng/ml