

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ012324\
 Data File : PQ064983.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jan 2024 18:56
 Operator : YP\AJ
 Sample : P1187-07
 Misc : AR1268 LOD 25 PPB
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 LOD-MDL-WATER-01-QT1-2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 24 01:34:15 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011724.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 18 00:09:27 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.465	2.744	77526461	155.1E6	20.811	23.222
2)	SA Decachlor...	8.757	7.520	70393554	183.5E6	22.778	25.245
Target Compounds							
3)	L1 AR-1016-1	4.603	3.743	435182	622968	3.607	2.495 #
4)	L1 AR-1016-2	4.603	3.779	435182	109974	2.529	0.320 #
5)	L1 AR-1016-3	4.660	3.935	1930404	3243828	17.568	16.945
6)	L1 AR-1016-4	4.812f	3.968	76156	97790	0.831	0.608 #
7)	L1 AR-1016-5	0.000	4.163	0	133344	N.D.	0.671 #
8)	L2 AR-1221-1	3.652	2.949	325481	158274	7.242	1.664 #
9)	L2 AR-1221-2	3.747	3.030	1480598	66679	45.462	0.928 #
10)	L2 AR-1221-3	3.795	3.099	111945	620010	1.115	3.173 #
11)	L3 AR-1232-1	3.795f	3.099	111945	620010	1.329	3.799 #
12)	L3 AR-1232-2	4.309	3.779	918099	109974	19.529	0.649 #
13)	L3 AR-1232-3	4.603	3.935	435182	3243828	5.057	35.184 #
14)	L3 AR-1232-4	4.812f	4.007	76156	77869	1.754	0.989 #
15)	L3 AR-1232-5	4.874	4.163	121787	133344	4.050	1.484 #
16)	L4 AR-1242-1	4.603	3.743	435182	622968	4.286	2.922 #
17)	L4 AR-1242-2	4.603	3.779	435182	109974	2.939	0.378 #
18)	L4 AR-1242-3	4.660	3.935	1930404	3243828	20.262	20.068
19)	L4 AR-1242-4	4.812f	4.007	76156	77869	0.988	0.510 #
20)	L4 AR-1242-5	5.513	4.499	190797	544910	2.323	2.679
21)	L5 AR-1248-1	4.603	3.743	435182	622968	5.607	3.711 #
22)	L5 AR-1248-2	4.874	3.968	121787	97790	1.178	0.417 #
23)	L5 AR-1248-3	0.000	4.007	0	77869	N.D.	0.346 #
24)	L5 AR-1248-4	5.454	4.163	1358610	133344	9.534	0.478 #
25)	L5 AR-1248-5	5.513	4.528	190797	712103	1.354	2.489 #
26)	L6 AR-1254-1	5.424	4.499	338840	544910	2.421	1.304 #
27)	L6 AR-1254-2	5.646	4.650	289701	353053	1.338	0.959 #
28)	L6 AR-1254-3	6.022	5.045	37025	9335905	0.163	15.952 #
29)	L6 AR-1254-4	6.321	5.252	3077553	5776083	18.261	14.926
30)	L6 AR-1254-5	0.000	5.664	0	564904	N.D.	1.033 #
31)	L7 AR-1260-1	6.183	5.150	115538	6432419	0.656	15.983 #
32)	L7 AR-1260-2	0.000	5.348	0	2320920	N.D.	4.746 #
33)	L7 AR-1260-3	6.793	5.493	2571574	1966368	16.016	4.111 #
34)	L7 AR-1260-4	7.039	5.953	3320405	11538971	18.671	29.655 #
35)	L7 AR-1260-5	7.335	6.198	599113	5947651	1.632	6.815 #
36)	L8 AR-1262-1	6.672f	5.664	1491514	564904	8.188	1.584 #
37)	L8 AR-1262-2	7.335	5.953	599113	11538971	1.245	21.834 #
38)	L8 AR-1262-3	7.614	6.477	11053295	38495214	36.583	82.933 #
39)	L8 AR-1262-4	7.695	6.540	9993849	30284040	42.712	35.471
40)	L8 AR-1262-5	8.211	7.033	3382941	17358213	21.093	41.978 #
41)	L9 AR-1268-1	7.614	6.477	11053295	38495214	23.045	30.733 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ012324\
 Data File : PQ064983.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jan 2024 18:56
 Operator : YP\AJ
 Sample : P1187-07
 Misc : AR1268 LOD 25 PPB
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 LOD-MDL-WATER-01-QT1-2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 24 01:34:15 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011724.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 18 00:09:27 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	7.695	6.540	9993849	30284040	22.905	26.399
43) L9	AR-1268-3	7.880	6.742	8320302	38643433	22.855	39.230 #
44) L9	AR-1268-4	8.211	7.033	3382941	17358213	20.791	39.398 #
45) L9	AR-1268-5	8.514	7.302	26547920	77065573	23.191	26.077



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ012324\
Data File : PQ064983.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jan 2024 18:56
Operator : YP\AJ
Sample : P1187-07
Misc : AR1268 LOD 25 PPB
ALS Vial : 21 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 24 01:34:15 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011724.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jan 18 00:09:27 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.465 min
Delta R.T.: -0.006 min
Response: 77526461
Conc: 20.81 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#1 Tetrachloro-m-xylene

R.T.: 2.744 min
Delta R.T.: -0.001 min
Response: 155066155
Conc: 23.22 ng/ml




#2 Decachlorobiphenyl

R.T.: 8.757 min
Delta R.T.: -0.018 min
Response: 70393554
Conc: 22.78 ng/ml



#2 Decachlorobiphenyl


R.T.: 7.520 min
Delta R.T.: -0.012 min
Response: 183468870
Conc: 25.25 ng/ml



#3 AR-1016-1


R.T.: 4.603 min
Delta R.T.: 0.009 min
Response: 435182
Conc: 3.61 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#3 AR-1016-1

R.T.: 3.743 min
Delta R.T.: -0.004 min
Response: 622968
Conc: 2.49 ng/ml




#4 AR-1016-2

R.T.: 4.603 min
Delta R.T.: -0.011 min
Response: 435182
Conc: 2.53 ng/ml



#4 AR-1016-2


R.T.: 3.779 min
Delta R.T.: 0.017 min
Response: 109974
Conc: 0.32 ng/ml



#5 AR-1016-3


R.T.: 4.660 min
Delta R.T.: -0.013 min
Response: 1930404
Conc: 17.57 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#5 AR-1016-3

R.T.: 3.935 min
Delta R.T.: 0.013 min
Response: 3243828
Conc: 16.95 ng/ml




#6 AR-1016-4

R.T.: 4.812 min
Delta R.T.: 0.047 min
Response: 76156
Conc: 0.83 ng/ml



#6 AR-1016-4


R.T.: 3.968 min
Delta R.T.: -0.003 min
Response: 97790
Conc: 0.61 ng/ml



#7 AR-1016-5


R.T.: 0.000 min
Exp R.T.: 5.058 min
Response: 0
Conc: N.D.

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#7 AR-1016-5

R.T.: 4.163 min
Delta R.T.: -0.003 min
Response: 133344
Conc: 0.67 ng/ml




#8 AR-1221-1

R.T.: 3.652 min
Delta R.T.: -0.016 min
Response: 325481
Conc: 7.24 ng/ml



#8 AR-1221-1


R.T.: 2.949 min
Delta R.T.: 0.002 min
Response: 158274
Conc: 1.66 ng/ml



#9 AR-1221-2


R.T.: 3.747 min
Delta R.T.: 0.000 min
Response: 1480598
Conc: 45.46 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#9 AR-1221-2

R.T.: 3.030 min
Delta R.T.: 0.007 min
Response: 66679
Conc: 0.93 ng/ml




#10 AR-1221-3

R.T.: 3.795 min
Delta R.T.: -0.024 min
Response: 111945
Conc: 1.11 ng/ml



#10 AR-1221-3


R.T.: 3.099 min
Delta R.T.: 0.009 min
Response: 620010
Conc: 3.17 ng/ml



#11 AR-1232-1


R.T.: 3.795 min
Delta R.T.: -0.032 min
Response: 111945
Conc: 1.33 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#11 AR-1232-1

R.T.: 3.099 min
Delta R.T.: 0.009 min
Response: 620010
Conc: 3.80 ng/ml




#12 AR-1232-2

R.T.: 4.309 min
Delta R.T.: -0.022 min
Response: 918099
Conc: 19.53 ng/ml



#12 AR-1232-2


R.T.: 3.779 min
Delta R.T.: 0.016 min
Response: 109974
Conc: 0.65 ng/ml



#13 AR-1232-3


R.T.: 4.603 min
Delta R.T.: -0.012 min
Response: 435182
Conc: 5.06 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#13 AR-1232-3

R.T.: 3.935 min
Delta R.T.: 0.013 min
Response: 3243828
Conc: 35.18 ng/ml




#14 AR-1232-4

R.T.: 4.812 min
Delta R.T.: 0.046 min
Response: 76156
Conc: 1.75 ng/ml



#14 AR-1232-4


R.T.: 4.007 min
Delta R.T.: -0.002 min
Response: 77869
Conc: 0.99 ng/ml



#15 AR-1232-5


R.T.: 4.874 min
Delta R.T.: 0.008 min
Response: 121787
Conc: 4.05 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#15 AR-1232-5

R.T.: 4.163 min
Delta R.T.: -0.003 min
Response: 133344
Conc: 1.48 ng/ml




#16 AR-1242-1

R.T.: 4.603 min
Delta R.T.: 0.008 min
Response: 435182
Conc: 4.29 ng/ml



#16 AR-1242-1


R.T.: 3.743 min
Delta R.T.: -0.003 min
Response: 622968
Conc: 2.92 ng/ml



#17 AR-1242-2


R.T.: 4.603 min
Delta R.T.: -0.011 min
Response: 435182
Conc: 2.94 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#17 AR-1242-2

R.T.: 3.779 min
Delta R.T.: 0.017 min
Response: 109974
Conc: 0.38 ng/ml




#18 AR-1242-3

R.T.: 4.660 min
Delta R.T.: -0.013 min
Response: 1930404
Conc: 20.26 ng/ml



#18 AR-1242-3


R.T.: 3.935 min
Delta R.T.: 0.013 min
Response: 3243828
Conc: 20.07 ng/ml



#19 AR-1242-4


R.T.: 4.812 min
Delta R.T.: 0.046 min
Response: 76156
Conc: 0.99 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#19 AR-1242-4

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 77869
Conc: 0.51 ng/ml




#20 AR-1242-5

R.T.: 5.513 min
Delta R.T.: 0.018 min
Response: 190797
Conc: 2.32 ng/ml



#20 AR-1242-5


R.T.: 4.499 min
Delta R.T.: -0.005 min
Response: 544910
Conc: 2.68 ng/ml



#21 AR-1248-1


R.T.: 4.603 min
Delta R.T.: 0.008 min
Response: 435182
Conc: 5.61 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#21 AR-1248-1

R.T.: 3.743 min
Delta R.T.: -0.003 min
Response: 622968
Conc: 3.71 ng/ml




#22 AR-1248-2

R.T.: 4.874 min
Delta R.T.: 0.007 min
Response: 121787
Conc: 1.18 ng/ml



#22 AR-1248-2


R.T.: 3.968 min
Delta R.T.: -0.003 min
Response: 97790
Conc: 0.42 ng/ml



#23 AR-1248-3


R.T.: 0.000 min
Exp R.T.: 5.059 min
Response: 0
Conc: N.D.

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#23 AR-1248-3

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 77869
Conc: 0.35 ng/ml




#24 AR-1248-4

R.T.: 5.454 min
Delta R.T.: -0.005 min
Response: 1358610
Conc: 9.53 ng/ml



#24 AR-1248-4


R.T.: 4.163 min
Delta R.T.: -0.002 min
Response: 133344
Conc: 0.48 ng/ml



#25 AR-1248-5


R.T.: 5.513 min
Delta R.T.: 0.018 min
Response: 190797
Conc: 1.35 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#25 AR-1248-5

R.T.: 4.528 min
Delta R.T.: -0.012 min
Response: 712103
Conc: 2.49 ng/ml




#26 AR-1254-1

R.T.: 5.424 min
Delta R.T.: -0.008 min
Response: 338840
Conc: 2.42 ng/ml



#26 AR-1254-1


R.T.: 4.499 min
Delta R.T.: -0.004 min
Response: 544910
Conc: 1.30 ng/ml



#27 AR-1254-2


R.T.: 5.646 min
Delta R.T.: -0.006 min
Response: 289701
Conc: 1.34 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#27 AR-1254-2

R.T.: 4.650 min
Delta R.T.: 0.000 min
Response: 353053
Conc: 0.96 ng/ml




#28 AR-1254-3

R.T.: 6.022 min
Delta R.T.: 0.009 min
Response: 37025
Conc: 0.16 ng/ml



#28 AR-1254-3


R.T.: 5.045 min
Delta R.T.: 0.013 min
Response: 9335905
Conc: 15.95 ng/ml



#29 AR-1254-4


R.T.: 6.321 min
Delta R.T.: 0.018 min
Response: 3077553
Conc: 18.26 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#29 AR-1254-4

R.T.: 5.252 min
Delta R.T.: -0.007 min
Response: 5776083
Conc: 14.93 ng/ml




#30 AR-1254-5

R.T.: 0.000 min
Exp R.T.: 6.724 min
Response: 0
Conc: N.D.



#30 AR-1254-5


R.T.: 5.664 min
Delta R.T.: -0.002 min
Response: 564904
Conc: 1.03 ng/ml



#31 AR-1260-1


R.T.: 6.183 min
Delta R.T.: 0.000 min
Response: 115538
Conc: 0.66 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#31 AR-1260-1

R.T.: 5.150 min
Delta R.T.: -0.013 min
Response: 6432419
Conc: 15.98 ng/ml




#32 AR-1260-2

R.T.: 0.000 min
Exp R.T.: 6.447 min
Response: 0
Conc: N.D.



#32 AR-1260-2


R.T.: 5.348 min
Delta R.T.: -0.004 min
Response: 2320920
Conc: 4.75 ng/ml



#33 AR-1260-3


R.T.: 6.793 min
Delta R.T.: -0.017 min
Response: 2571574
Conc: 16.02 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#33 AR-1260-3

R.T.: 5.493 min
Delta R.T.: -0.003 min
Response: 1966368
Conc: 4.11 ng/ml




#34 AR-1260-4

R.T.: 7.039 min
Delta R.T.: 0.008 min
Response: 3320405
Conc: 18.67 ng/ml



#34 AR-1260-4


R.T.: 5.953 min
Delta R.T.: -0.006 min
Response: 11538971
Conc: 29.65 ng/ml



#35 AR-1260-5


R.T.: 7.335 min
Delta R.T.: -0.016 min
Response: 599113
Conc: 1.63 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#35 AR-1260-5

R.T.: 6.198 min
Delta R.T.: -0.008 min
Response: 5947651
Conc: 6.81 ng/ml




#36 AR-1262-1

R.T.: 6.672 min
Delta R.T.: -0.038 min
Response: 1491514
Conc: 8.19 ng/ml



#36 AR-1262-1


R.T.: 5.664 min
Delta R.T.: 0.000 min
Response: 564904
Conc: 1.58 ng/ml



#37 AR-1262-2


R.T.: 7.335 min
Delta R.T.: -0.002 min
Response: 599113
Conc: 1.24 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#37 AR-1262-2

R.T.: 5.953 min
Delta R.T.: -0.004 min
Response: 11538971
Conc: 21.83 ng/ml




#38 AR-1262-3

R.T.: 7.614 min
Delta R.T.: -0.004 min
Response: 11053295
Conc: 36.58 ng/ml



#38 AR-1262-3


R.T.: 6.477 min
Delta R.T.: -0.005 min
Response: 38495214
Conc: 82.93 ng/ml



#39 AR-1262-4


R.T.: 7.695 min
Delta R.T.: 0.003 min
Response: 9993849
Conc: 42.71 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#39 AR-1262-4

R.T.: 6.540 min
Delta R.T.: -0.002 min
Response: 30284040
Conc: 35.47 ng/ml




#40 AR-1262-5

R.T.: 8.211 min
Delta R.T.: -0.002 min
Response: 3382941
Conc: 21.09 ng/ml



#40 AR-1262-5


R.T.: 7.033 min
Delta R.T.: -0.005 min
Response: 17358213
Conc: 41.98 ng/ml



#41 AR-1268-1


R.T.: 7.614 min
Delta R.T.: -0.001 min
Response: 11053295
Conc: 23.05 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#41 AR-1268-1

R.T.: 6.477 min
Delta R.T.: -0.005 min
Response: 38495214
Conc: 30.73 ng/ml




#42 AR-1268-2

R.T.: 7.695 min
Delta R.T.: -0.001 min
Response: 9993849
Conc: 22.90 ng/ml



#42 AR-1268-2


R.T.: 6.540 min
Delta R.T.: -0.005 min
Response: 30284040
Conc: 26.40 ng/ml



#43 AR-1268-3


R.T.: 7.880 min
Delta R.T.: -0.001 min
Response: 8320302
Conc: 22.86 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#43 AR-1268-3

R.T.: 6.742 min
Delta R.T.: -0.005 min
Response: 38643433
Conc: 39.23 ng/ml




#44 AR-1268-4

R.T.: 8.211 min
Delta R.T.: -0.001 min
Response: 3382941
Conc: 20.79 ng/ml



#44 AR-1268-4


R.T.: 7.033 min
Delta R.T.: -0.005 min
Response: 17358213
Conc: 39.40 ng/ml



#45 AR-1268-5

R.T.: 8.514 min
Delta R.T.: -0.002 min
Response: 26547920
Conc: 23.19 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024



#45 AR-1268-5

R.T.: 7.302 min
Delta R.T.: -0.006 min
Response: 77065573
Conc: 26.08 ng/ml