

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ012622\
 Data File : PQ055991.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Jan 2022 15:07
 Operator : AJ\MA
 Sample : N1267-07
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 RED-BRICK-EXT-WALL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 27 01:55:59 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011922.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 20 13:18:56 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.235	4.293	303.1E6	250.8E6	22.380	22.304
2) SA Decachlor...	11.411	9.653	342.9E6	182.9E6	23.488	22.939

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ012622\
Data File : PQ055991.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Jan 2022 15:07
Operator : AJ\MA
Sample : N1267-07
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
RED-BRICK-EXT-WALL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 27 01:55:59 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011922.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jan 20 13:18:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 303113094
Conc: 22.38 ng/ml

Instrument :
ECD_Q
ClientSampleId :
RED-BRICK-EXT-WALL




#1 Tetrachloro-m-xylene

R.T.: 4.293 min
Delta R.T.: -0.001 min
Response: 250776723
Conc: 22.30 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.411 min
Delta R.T.: -0.011 min
Response: 342887985
Conc: 23.49 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.653 min
Delta R.T.: -0.013 min
Response: 182941583
Conc: 22.94 ng/ml