

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ012924\
 Data File : PQ065147.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Jan 2024 18:56
 Operator : YP\AJ
 Sample : P1271-07
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 SB-03-20240124-9.0-10.0

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 30 01:15:18 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011724.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 18 00:09:27 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.464	2.742	67074096	130.8E6	18.005	19.583
2) SA Decachlor...	8.764	7.518	42035898	102.3E6	13.602	14.071

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ012924\
Data File : PQ065147.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Jan 2024 18:56
Operator : YP\AJ
Sample : P1271-07
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
SB-03-20240124-9.0-10.0

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 30 01:15:18 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011724.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jan 18 00:09:27 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.464 min
Delta R.T.: -0.007 min
Response: 67074096
Conc: 18.00 ng/ml

Instrument :
ECD_Q
ClientSampleId :
SB-03-20240124-9.0-10.0




#1 Tetrachloro-m-xylene

R.T.: 2.742 min
Delta R.T.: -0.003 min
Response: 130767426
Conc: 19.58 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.764 min
Delta R.T.: -0.011 min
Response: 42035898
Conc: 13.60 ng/ml



#2 Decachlorobiphenyl

R.T.: 7.518 min
Delta R.T.: -0.014 min
Response: 102259683
Conc: 14.07 ng/ml