

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ020222\
 Data File : PQ056081.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Feb 2022 16:37
 Operator : AJ\MA
 Sample : N1356-03
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 M-PHC

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 03 04:20:59 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011922.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 20 13:18:56 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.234	4.293	305.1E6	258.9E6	22.524	23.028
2) SA Decachlor...	11.403	9.647	316.5E6	158.0E6	21.680	19.810

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ020222\
Data File : PQ056081.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Feb 2022 16:37
Operator : AJ\MA
Sample : N1356-03
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
M-PHC

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 03 04:20:59 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011922.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jan 20 13:18:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.234 min
Delta R.T.: -0.002 min
Response: 305067176
Conc: 22.52 ng/ml

Instrument :
ECD_Q
ClientSampleId :
M-PHC




#1 Tetrachloro-m-xylene

R.T.: 4.293 min
Delta R.T.: -0.002 min
Response: 258918004
Conc: 23.03 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.403 min
Delta R.T.: -0.007 min
Response: 316499710
Conc: 21.68 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.647 min
Delta R.T.: -0.008 min
Response: 157984649
Conc: 19.81 ng/ml