

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ020924\
 Data File : PQ065377.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Feb 2024 18:14
 Operator : YP\AJ
 Sample : P1435-05
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 FRENCH-020724-CONC

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 09 22:14:56 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011724.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 18 00:09:27 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.464	2.740	69800003	158.6E6	18.737	23.753 #
2) SA Decachlor...	8.776	7.514	54988430	106.2E6	17.793	14.619

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ020924\
Data File : PQ065377.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Feb 2024 18:14
Operator : YP\AJ
Sample : P1435-05
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
FRENCH-020724-CONC

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 09 22:14:56 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ011724.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jan 18 00:09:27 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.464 min
Delta R.T.: -0.007 min
Response: 69800003
Conc: 18.74 ng/ml

Instrument :
ECD_Q
ClientSampleId :
FRENCH-020724-CONC




#1 Tetrachloro-m-xylene

R.T.: 2.740 min
Delta R.T.: -0.004 min
Response: 158612293
Conc: 23.75 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.776 min
Delta R.T.: -0.009 min
Response: 54988430
Conc: 17.79 ng/ml



#2 Decachlorobiphenyl

R.T.: 7.514 min
Delta R.T.: -0.017 min
Response: 106244366
Conc: 14.62 ng/ml