



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Roux Associates, Inc.

Project Name: 2968.0006J004_Duke Bayonne

Project # N/A

Chemtech Project # N1908

Test Name: EPH

A. Number of Samples and Date of Receipt:

14 Solid samples were received on 03/11/2022.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: ASTM Ammonia, ASTM COD, ASTM Leach Extraction, ASTM Oil and Grease, Corrosivity, Cyanide, EPH, Hexavalent Chromium, Ignitability, Mercury, Metals ICP-TAL, Paint Filter, PCB, Pesticide-TCL, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, SVOC-TCL BNA -20, SVOCMS Group1, TCL+30/TAL, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP Metals+Cu+Ni+Zn, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TCLP-FULL, TCLP Metals Group1, TS, TVS and VOC-TCLVOA-10. This data package contains results for EPH.

C. Analytical Techniques:

The analysis were performed on instrument FID_C. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224. The analyses were performed on instrument FID_D. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224. The analysis of EPHs was based on method NJEPH and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for

WC-8-9-3DL2 [1-chlorooctadecane (SURRE) - 0%],

WC-8-9-2DL [1-chlorooctadecane (SURRE) - 0%],

WC-8-9-2DL2 [1-chlorooctadecane (SURRE) - 0%],

WC-14A-2DL2 [1-chlorooctadecane (SURRE) - 0%],

WC-14A-1BDL2 [1-chlorooctadecane (SURRE) - 0%],

D-17-4-SB-14-(13.5-14) [1-chlorooctadecane (SURRE) - 40%],

D-17-4-SB-14-(13.5-14)DL [1-chlorooctadecane (SURRE) - 30%] and

WASTEMS [2-Fluorobiphenyl (SURRE) - 1646.12%, ortho-Terphenyl (SURRE) - 323.46%],

WASTEMSD [2-Fluorobiphenyl (SURRE) - 1616.7%, ortho-Terphenyl (SURRE) - 316.84%]
due to samples are very bad matrix.



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

The Retention Times were acceptable for all samples except for WC-8-9-3DL2, WC-8-9-2DL2, WC-14A-2DL2 and WC-14A-1BDL2 for Aliphatic samples.

The Retention Times were acceptable for all samples except for WC-8-9-2DL, WC-14A-2DL2 and WC-14A-1BDL2 Aromatic samples.

The MS {N1837-01MS} with File ID: FC058718.D recoveries met the requirements for all compounds except for Aliphatic C9-C12[2033%], Aliphatic C12-C16[5889%], Aliphatic C16-C21[5415%] and Aliphatic C21-C28[566%] due to sample is very bad matrix.

The MS {N1837-01MS} with File ID: FD041536.D recoveries met the requirements for all compounds except for Aromatic C10-C12[697%], Aromatic C12-C16[2186%], Aromatic C16-C21[3149%] and Aromatic C21-C36[371%] due to sample is very bad matrix.

The MSD {N1837-01MSD} with File ID: FC058719.D recoveries met the acceptable requirements except for Aliphatic C9-C12[2039%], Aliphatic C12-C16[5982%], Aliphatic C16-C21[5412%] and Aliphatic C21-C28[593%] due to sample is very bad matrix.

The MSD {N1837-01MSD} with File ID: FD041537.D recoveries met the acceptable requirements except for Aromatic C10-C12[696%], Aromatic C12-C16[2177%], Aromatic C16-C21[3194%] and Aromatic C21-C36[387%] due to sample is very bad matrix.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

Samples WC-8-9-3, WC-8-9-3DL, WC-8-9-2, WC-8-9-2DL, WC-8-9-1, WC-8-9-1DL, WC-14A-2, WC-14A-2DL, WC-14A-1B, WC-14A-1BDL, D-17-4-SB-14-(9.5-10) and D-17-4-SB-14-(13.5-14) were diluted due to high concentrations.

E. Additional Comments:

The soil samples results are based on a dry weight basis.

WASTEMS-MSD: F flag is coming for Compound #13 in MS/MSD, due to sample is very bad matrix

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____