



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

GC ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

CHEMTECH PROJECT NUMBER: N2986

MATRIX: Solid

METHOD: 8082A/3541

	NA	NO	YES
1. Chromatograms Labeled/Compounds Identified.			✓
2. Standard Summary Submitted.			✓
3. Calibration - Initial Calibration performed within 30 days before sample analysis and continuing calibration performed within 24 hours of sample analysis, 12 HOURS IF 8000 SERIES METHOD. The Initial Calibration met the requirements. The Continuous Calibration File ID PO086903.D met the requirements except for Aroclor-1260(Peak-03) is failing in 2nd column but passing on average. The Continuous Calibration File ID PO086913.D met the requirements except for Aroclor-1260(Peak-03) is failing in 2nd column but passing on average.		✓	
4. Blank Contamination - If yes, list compounds and concentrations in each blank:		✓	
5. Surrogate Recoveries Meet Criteria If not met, list those compounds and their recoveries which fall outside the acceptable ranges. The Surrogate recoveries met the acceptable criteria except for P027-SS001-0006-01DL [Decachlorobiphenyl(1) - 0%, Decachlorobiphenyl(2) - 0%, Tetrachloro-m-xylene(1) - 0%, Tetrachloro-m-xylene(2) - 0%], P027-SS001-0612-01DL [Decachlorobiphenyl(1) - 0%, Decachlorobiphenyl(2) - 0%, Tetrachloro-m-xylene(1) - 0%, Tetrachloro-m-xylene(2) - 0%] and P027-SS002-0006-01DL [Decachlorobiphenyl(1) - 180%].		✓	
6. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria If not met, list those compounds and their recoveries which fall outside the acceptable range. The MS recoveries met the requirements for all compounds. The MSD recoveries met the acceptable requirements. The Blank Spike met requirements for all samples. The RPD met criteria.			✓
7. Retention Time Shift Meet Criteria (if applicable) Comments: The Retention Times were acceptable for all samples except for P027-SS001-0006-01DL and P027-SS001-0612-01DL.		✓	
8. Extraction Holding Time Met If not met, list number of days exceeded for each sample:		✓	



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

GC ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY (CONTINUED)

	NA	NO	YES
9. Analysis Holding Time Met			✓
If not met, list those compounds and their recoveries which fall outside the acceptable range.			
The Holding Times were met for all analysis.			

ADDITIONAL COMMENTS:

Samples P027-SS001-0006-01, P027-SS001-0612-01, P027-SS001-1218-01, P027-SS001-1824-01, P027-SS001-2430-01, P027-SS002-0006-01 and P027-SS002-0612-01 were diluted due to high concentrations.

The soil samples results are based on a dry weight basis.

QA REVIEW

Date