

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ062525\
 Data File : PQ070406.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jun 2025 16:38
 Operator : YP\AJ
 Sample : Q2126-07
 Misc : AR1248 LOD 25 PPB
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 LOD-MDL-WATER-01-QT2-2025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 25 07:30:39 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ062425.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 25 02:08:47 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.404	2.782	107.4E6	116.9E6	17.540	17.318
2)	SA Decachlor...	8.505	7.545	81241811	140.9E6	19.736	19.434
Target Compounds							
3)	L1 AR-1016-1	4.485	3.784	2833805	3103082	15.098	14.941
4)	L1 AR-1016-2	4.503	3.799	3486908	3135187	11.260	9.269
5)	L1 AR-1016-3	4.563	3.962	1841399	2575872	9.152	13.727 #
6)	L1 AR-1016-4	4.649	4.008	1809687	5113326	11.433	29.148 #
7)	L1 AR-1016-5	4.935	4.203	4727023	5867879	29.066	29.072
8)	L2 AR-1221-1	3.575	2.991	62203	182113	0.726	1.781 #
9)	L2 AR-1221-2	3.677	3.051	2222668	1863944	34.390	23.630 #
10)	L2 AR-1221-3	3.744	3.127	504825	409378	2.603	1.806 #
11)	L3 AR-1232-1	3.744	3.127	504825	409378	3.568	2.456 #
12)	L3 AR-1232-2	4.231	3.799	1339343	3135187	16.528	19.649
13)	L3 AR-1232-3	4.503	3.962	3486908	2575872	24.436	29.307
14)	L3 AR-1232-4	4.649	4.045	1809687	4498490	25.168	58.310 #
15)	L3 AR-1232-5	4.790	4.203	3435389	5867879	57.483	70.071
16)	L4 AR-1242-1	4.485	3.784	2833805	3103082	18.311	17.688
17)	L4 AR-1242-2	4.503	3.799	3486908	3135187	13.274	11.259
18)	L4 AR-1242-3	4.563	3.962	1841399	2575872	10.839	16.390 #
19)	L4 AR-1242-4	4.649	4.045	1809687	4498490	13.410	29.540 #
20)	L4 AR-1242-5	5.356	4.540	4667400	8557653	34.704	46.899 #
21)	L5 AR-1248-1	4.485	3.784	2833805	3103082	22.881	22.077
22)	L5 AR-1248-2	4.748	4.008	3803110	5113326	20.614	21.904
23)	L5 AR-1248-3	4.935	4.045	4727023	4498490	21.406	19.982
24)	L5 AR-1248-4	5.323	4.203	5870768	5867879	26.454	21.519
25)	L5 AR-1248-5	5.356	4.579	4667400	7071537	20.195	28.237 #
26)	L6 AR-1254-1	5.295	4.540	4216846	8557653	17.046	21.123
27)	L6 AR-1254-2	5.507	4.687	5053094	3504833	13.453	9.705 #
28)	L6 AR-1254-3	5.859	5.074	3093679	8851866	7.968	15.652 #
29)	L6 AR-1254-4	6.160	5.294	6849488	2361364	27.516	7.742 #
30)	L6 AR-1254-5	6.547	5.696	949850	659603	3.198	1.282 #
31)	L7 AR-1260-1	6.023	5.201	332694	1491044	1.151	3.903 #
32)	L7 AR-1260-2	6.272	5.380	934790	810723	2.932	1.850 #
33)	L7 AR-1260-3	6.602f	5.530	387552	158343	1.492	0.367 #
34)	L7 AR-1260-4	6.858	5.989	263446	77303	0.967	0.211 #
35)	L7 AR-1260-5	7.112f	6.234	259819	1168552	0.522	1.406 #
36)	L8 AR-1262-1	6.858	5.740	263446	560522	0.748	1.024 #
37)	L8 AR-1262-2	7.112f	5.989	259819	77303	0.459	0.152 #
38)	L8 AR-1262-3	7.449f	0.000	549903	0	1.412	N.D. #
39)	L8 AR-1262-4	7.498	6.621f	186923	46272	0.584	0.066 #
40)	L8 AR-1262-5	7.993	7.068	118599	52686	0.633	0.166 #
41)	L9 AR-1268-1	7.449f	0.000	549903	0	0.763	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ062525\
 Data File : PQ070406.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jun 2025 16:38
 Operator : YP\AJ
 Sample : Q2126-07
 Misc : AR1248 LOD 25 PPB
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 LOD-MDL-WATER-01-QT2-2025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 25 07:30:39 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ062425.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 25 02:08:47 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	7.498	6.621f	186923	46272	0.281	0.043 #
43) L9	AR-1268-3	7.681	6.775	258738	379106	0.456	0.397
44) L9	AR-1268-4	7.993	7.068	118599	52686	0.575	0.140 #
45) L9	AR-1268-5	8.279	7.330	600401	377525	0.375	0.144 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ062525\
Data File : PQ070406.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jun 2025 16:38
Operator : YP\AJ
Sample : Q2126-07
Misc : AR1248 LOD 25 PPB
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 25 07:30:39 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ062425.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 25 02:08:47 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.404 min
Delta R.T.: 0.000 min
Response: 107374356
Conc: 17.54 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#1 Tetrachloro-m-xylene

R.T.: 2.782 min
Delta R.T.: 0.000 min
Response: 116947934
Conc: 17.32 ng/ml




#2 Decachlorobiphenyl

R.T.: 8.505 min
Delta R.T.: 0.004 min
Response: 81241811
Conc: 19.74 ng/ml



#2 Decachlorobiphenyl


R.T.: 7.545 min
Delta R.T.: 0.002 min
Response: 140884400
Conc: 19.43 ng/ml



#3 AR-1016-1


R.T.: 4.485 min
Delta R.T.: 0.000 min
Response: 2833805
Conc: 15.10 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#3 AR-1016-1

R.T.: 3.784 min
Delta R.T.: 0.000 min
Response: 3103082
Conc: 14.94 ng/ml




#4 AR-1016-2

R.T.: 4.503 min
Delta R.T.: 0.000 min
Response: 3486908
Conc: 11.26 ng/ml



#4 AR-1016-2


R.T.: 3.799 min
Delta R.T.: 0.000 min
Response: 3135187
Conc: 9.27 ng/ml



#5 AR-1016-3


R.T.: 4.563 min
Delta R.T.: 0.000 min
Response: 1841399
Conc: 9.15 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#5 AR-1016-3

R.T.: 3.962 min
Delta R.T.: 0.002 min
Response: 2575872
Conc: 13.73 ng/ml




#6 AR-1016-4

R.T.: 4.649 min
Delta R.T.: -0.001 min
Response: 1809687
Conc: 11.43 ng/ml



#6 AR-1016-4


R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 5113326
Conc: 29.15 ng/ml



#7 AR-1016-5


R.T.: 4.935 min
Delta R.T.: 0.000 min
Response: 4727023
Conc: 29.07 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#7 AR-1016-5

R.T.: 4.203 min
Delta R.T.: 0.000 min
Response: 5867879
Conc: 29.07 ng/ml




#8 AR-1221-1

R.T.: 3.575 min
Delta R.T.: -0.022 min
Response: 62203
Conc: 0.73 ng/ml



#8 AR-1221-1


R.T.: 2.991 min
Delta R.T.: 0.009 min
Response: 182113
Conc: 1.78 ng/ml



#9 AR-1221-2


R.T.: 3.677 min
Delta R.T.: 0.001 min
Response: 2222668
Conc: 34.39 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#9 AR-1221-2

R.T.: 3.051 min
Delta R.T.: -0.007 min
Response: 1863944
Conc: 23.63 ng/ml




#10 AR-1221-3

R.T.: 3.744 min
Delta R.T.: 0.002 min
Response: 504825
Conc: 2.60 ng/ml



#10 AR-1221-3


R.T.: 3.127 min
Delta R.T.: 0.000 min
Response: 409378
Conc: 1.81 ng/ml



#11 AR-1232-1


R.T.: 3.744 min
Delta R.T.: 0.000 min
Response: 504825
Conc: 3.57 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#11 AR-1232-1

R.T.: 3.127 min
Delta R.T.: 0.000 min
Response: 409378
Conc: 2.46 ng/ml




#12 AR-1232-2

R.T.: 4.231 min
Delta R.T.: 0.000 min
Response: 1339343
Conc: 16.53 ng/ml



#12 AR-1232-2


R.T.: 3.799 min
Delta R.T.: 0.000 min
Response: 3135187
Conc: 19.65 ng/ml



#13 AR-1232-3


R.T.: 4.503 min
Delta R.T.: 0.000 min
Response: 3486908
Conc: 24.44 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#13 AR-1232-3

R.T.: 3.962 min
Delta R.T.: 0.003 min
Response: 2575872
Conc: 29.31 ng/ml




#14 AR-1232-4

R.T.: 4.649 min
Delta R.T.: -0.001 min
Response: 1809687
Conc: 25.17 ng/ml



#14 AR-1232-4


R.T.: 4.045 min
Delta R.T.: 0.000 min
Response: 4498490
Conc: 58.31 ng/ml



#15 AR-1232-5


R.T.: 4.790 min
Delta R.T.: 0.001 min
Response: 3435389
Conc: 57.48 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#15 AR-1232-5

R.T.: 4.203 min
Delta R.T.: 0.000 min
Response: 5867879
Conc: 70.07 ng/ml




#16 AR-1242-1

R.T.: 4.485 min
Delta R.T.: 0.000 min
Response: 2833805
Conc: 18.31 ng/ml



#16 AR-1242-1


R.T.: 3.784 min
Delta R.T.: 0.000 min
Response: 3103082
Conc: 17.69 ng/ml



#17 AR-1242-2


R.T.: 4.503 min
Delta R.T.: 0.000 min
Response: 3486908
Conc: 13.27 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#17 AR-1242-2

R.T.: 3.799 min
Delta R.T.: 0.000 min
Response: 3135187
Conc: 11.26 ng/ml




#18 AR-1242-3

R.T.: 4.563 min
Delta R.T.: 0.002 min
Response: 1841399
Conc: 10.84 ng/ml



#18 AR-1242-3


R.T.: 3.962 min
Delta R.T.: 0.002 min
Response: 2575872
Conc: 16.39 ng/ml



#19 AR-1242-4


R.T.: 4.649 min
Delta R.T.: 0.000 min
Response: 1809687
Conc: 13.41 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#19 AR-1242-4

R.T.: 4.045 min
Delta R.T.: 0.000 min
Response: 4498490
Conc: 29.54 ng/ml




#20 AR-1242-5

R.T.: 5.356 min
Delta R.T.: -0.001 min
Response: 4667400
Conc: 34.70 ng/ml



#20 AR-1242-5


R.T.: 4.540 min
Delta R.T.: 0.000 min
Response: 8557653
Conc: 46.90 ng/ml



#21 AR-1248-1


R.T.: 4.485 min
Delta R.T.: 0.000 min
Response: 2833805
Conc: 22.88 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#21 AR-1248-1

R.T.: 3.784 min
Delta R.T.: 0.000 min
Response: 3103082
Conc: 22.08 ng/ml




#22 AR-1248-2

R.T.: 4.748 min
Delta R.T.: 0.000 min
Response: 3803110
Conc: 20.61 ng/ml



#22 AR-1248-2


R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 5113326
Conc: 21.90 ng/ml



#23 AR-1248-3


R.T.: 4.935 min
Delta R.T.: 0.000 min
Response: 4727023
Conc: 21.41 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#23 AR-1248-3

R.T.: 4.045 min
Delta R.T.: 0.000 min
Response: 4498490
Conc: 19.98 ng/ml




#24 AR-1248-4

R.T.: 5.323 min
Delta R.T.: 0.000 min
Response: 5870768
Conc: 26.45 ng/ml



#24 AR-1248-4


R.T.: 4.203 min
Delta R.T.: 0.000 min
Response: 5867879
Conc: 21.52 ng/ml



#25 AR-1248-5


R.T.: 5.356 min
Delta R.T.: -0.001 min
Response: 4667400
Conc: 20.20 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#25 AR-1248-5

R.T.: 4.579 min
Delta R.T.: 0.000 min
Response: 7071537
Conc: 28.24 ng/ml




#26 AR-1254-1

R.T.: 5.295 min
Delta R.T.: -0.002 min
Response: 4216846
Conc: 17.05 ng/ml



#26 AR-1254-1


R.T.: 4.540 min
Delta R.T.: 0.000 min
Response: 8557653
Conc: 21.12 ng/ml



#27 AR-1254-2


R.T.: 5.507 min
Delta R.T.: -0.004 min
Response: 5053094
Conc: 13.45 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#27 AR-1254-2

R.T.: 4.687 min
Delta R.T.: 0.000 min
Response: 3504833
Conc: 9.71 ng/ml




#28 AR-1254-3

R.T.: 5.859 min
Delta R.T.: 0.000 min
Response: 3093679
Conc: 7.97 ng/ml



#28 AR-1254-3


R.T.: 5.074 min
Delta R.T.: 0.006 min
Response: 8851866
Conc: 15.65 ng/ml



#29 AR-1254-4


R.T.: 6.160 min
Delta R.T.: 0.020 min
Response: 6849488
Conc: 27.52 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#29 AR-1254-4

R.T.: 5.294 min
Delta R.T.: 0.000 min
Response: 2361364
Conc: 7.74 ng/ml




#30 AR-1254-5

R.T.: 6.547 min
Delta R.T.: 0.000 min
Response: 949850
Conc: 3.20 ng/ml



#30 AR-1254-5


R.T.: 5.696 min
Delta R.T.: -0.002 min
Response: 659603
Conc: 1.28 ng/ml



#31 AR-1260-1


R.T.: 6.023 min
Delta R.T.: -0.001 min
Response: 332694
Conc: 1.15 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#31 AR-1260-1

R.T.: 5.201 min
Delta R.T.: 0.004 min
Response: 1491044
Conc: 3.90 ng/ml




#32 AR-1260-2

R.T.: 6.272 min
Delta R.T.: -0.009 min
Response: 934790
Conc: 2.93 ng/ml



#32 AR-1260-2


R.T.: 5.380 min
Delta R.T.: -0.007 min
Response: 810723
Conc: 1.85 ng/ml



#33 AR-1260-3


R.T.: 6.602 min
Delta R.T.: -0.029 min
Response: 387552
Conc: 1.49 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#33 AR-1260-3

R.T.: 5.530 min
Delta R.T.: 0.003 min
Response: 158343
Conc: 0.37 ng/ml




#34 AR-1260-4

R.T.: 6.858 min
Delta R.T.: 0.013 min
Response: 263446
Conc: 0.97 ng/ml



#34 AR-1260-4


R.T.: 5.989 min
Delta R.T.: 0.001 min
Response: 77303
Conc: 0.21 ng/ml



#35 AR-1260-5


R.T.: 7.112 min
Delta R.T.: -0.039 min
Response: 259819
Conc: 0.52 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#35 AR-1260-5

R.T.: 6.234 min
Delta R.T.: 0.002 min
Response: 1168552
Conc: 1.41 ng/ml




#36 AR-1262-1

R.T.: 6.858 min
Delta R.T.: 0.013 min
Response: 263446
Conc: 0.75 ng/ml



#36 AR-1262-1


R.T.: 5.740 min
Delta R.T.: -0.002 min
Response: 560522
Conc: 1.02 ng/ml



#37 AR-1262-2


R.T.: 7.112 min
Delta R.T.: -0.039 min
Response: 259819
Conc: 0.46 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#37 AR-1262-2

R.T.: 5.989 min
Delta R.T.: 0.000 min
Response: 77303
Conc: 0.15 ng/ml




#38 AR-1262-3

R.T.: 7.449 min
Delta R.T.: 0.026 min
Response: 549903
Conc: 1.41 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T. : 6.510 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 7.498 min
Delta R.T.: 0.000 min
Response: 186923
Conc: 0.58 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#39 AR-1262-4

R.T.: 6.621 min
Delta R.T.: 0.049 min
Response: 46272
Conc: 0.07 ng/ml




#40 AR-1262-5

R.T.: 7.993 min
Delta R.T.: 0.000 min
Response: 118599
Conc: 0.63 ng/ml



#40 AR-1262-5


R.T.: 7.068 min
Delta R.T.: 0.008 min
Response: 52686
Conc: 0.17 ng/ml



#41 AR-1268-1


R.T.: 7.449 min
Delta R.T.: 0.026 min
Response: 549903
Conc: 0.76 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 6.509 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 7.498 min
Delta R.T.: -0.003 min
Response: 186923
Conc: 0.28 ng/ml



#42 AR-1268-2


R.T.: 6.621 min
Delta R.T.: 0.049 min
Response: 46272
Conc: 0.04 ng/ml



#43 AR-1268-3


R.T.: 7.681 min
Delta R.T.: -0.001 min
Response: 258738
Conc: 0.46 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#43 AR-1268-3

R.T.: 6.775 min
Delta R.T.: 0.002 min
Response: 379106
Conc: 0.40 ng/ml




#44 AR-1268-4

R.T.: 7.993 min
Delta R.T.: 0.000 min
Response: 118599
Conc: 0.57 ng/ml



#44 AR-1268-4


R.T.: 7.068 min
Delta R.T.: 0.008 min
Response: 52686
Conc: 0.14 ng/ml



#45 AR-1268-5

R.T.: 8.279 min
Delta R.T.: 0.002 min
Response: 600401
Conc: 0.38 ng/ml

Instrument :
ECD_Q
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025



#45 AR-1268-5

R.T.: 7.330 min
Delta R.T.: 0.002 min
Response: 377525
Conc: 0.14 ng/ml