

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_Q\Data\PQ073021\  
 Data File : PQ054198.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 30 Jul 2021 11:37  
 Operator : AJ\MA  
 Sample : M2940-07  
 Misc : AR1221 MDL 25 PPB  
 ALS Vial : 58 Sample Multiplier: 1

Instrument :  
 ECD\_Q  
 ClientSampleId :  
 LOD-MDL-WATER-01-QT3-2021

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 02:03:46 2021  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_Q\Method\PQ072921.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Jul 30 02:37:02 2021  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2   | Resp#1   | Resp#2   | ng/ml  | ng/ml    |
|-----------------------------|-----------------|--------|--------|----------|----------|--------|----------|
| -----                       |                 |        |        |          |          |        |          |
| System Monitoring Compounds |                 |        |        |          |          |        |          |
| 1)                          | SA Tetrachlo... | 5.204  | 4.209  | 478.8E6  | 255.8E6  | 20.502 | 18.094   |
| 2)                          | SA Decachlor... | 11.379 | 9.546  | 393.5E6  | 310.3E6  | 23.386 | 24.601   |
| Target Compounds            |                 |        |        |          |          |        |          |
| 3)                          | L1 AR-1016-1    | 6.533  | 5.494f | 4751112  | 4478727  | 6.482  | 9.894 #  |
| 4)                          | L1 AR-1016-2    | 6.533f | 5.494  | 4751112  | 4478727  | 4.230  | 6.042 #  |
| 5)                          | L1 AR-1016-3    | 6.598f | 5.686  | 5012362  | 2505111  | 7.266  | 6.949    |
| 6)                          | L1 AR-1016-4    | 0.000  | 5.754f | 0        | 6572045  | N.D.   | 23.026 # |
| 7)                          | L1 AR-1016-5    | 0.000  | 5.991f | 0        | 1748252  | N.D.   | 4.798 #  |
| 8)                          | L2 AR-1221-1    | 5.454  | 4.469  | 7862801  | 4248870  | 32.499 | 29.821   |
| 9)                          | L2 AR-1221-2    | 5.560  | 4.567  | 11871046 | 5131777  | 65.533 | 48.646 # |
| 10)                         | L2 AR-1221-3    | 5.644  | 4.656  | 14369038 | 8048773  | 25.112 | 22.936   |
| 11)                         | L3 AR-1232-1    | 5.644  | 4.656  | 14369038 | 8048773  | 36.781 | 34.483   |
| 12)                         | L3 AR-1232-2    | 0.000  | 5.494  | 0        | 4478727  | N.D.   | 15.464 # |
| 13)                         | L3 AR-1232-3    | 6.533f | 5.686  | 4751112  | 2505111  | 11.072 | 18.882 # |
| 14)                         | L3 AR-1232-4    | 0.000  | 5.787  | 0        | 1868872  | N.D.   | 16.378 # |
| 15)                         | L3 AR-1232-5    | 0.000  | 5.991f | 0        | 1748252  | N.D.   | 13.604 # |
| 16)                         | L4 AR-1242-1    | 6.533  | 5.494f | 4751112  | 4478727  | 10.347 | 16.472 # |
| 17)                         | L4 AR-1242-2    | 6.533f | 5.494  | 4751112  | 4478727  | 6.741  | 9.516 #  |
| 18)                         | L4 AR-1242-3    | 6.598f | 5.686  | 5012362  | 2505111  | 11.513 | 11.355   |
| 19)                         | L4 AR-1242-4    | 0.000  | 5.787  | 0        | 1868872  | N.D.   | 8.639 #  |
| 20)                         | L4 AR-1242-5    | 7.514  | 6.343  | 117495   | 3321009  | 0.319  | 11.195 # |
| 21)                         | L5 AR-1248-1    | 6.533  | 5.494f | 4751112  | 4478727  | 12.807 | 19.851 # |
| 22)                         | L5 AR-1248-2    | 0.000  | 5.754f | 0        | 6572045  | N.D.   | 20.024 # |
| 23)                         | L5 AR-1248-3    | 0.000  | 5.787  | 0        | 1868872  | N.D.   | 5.651 #  |
| 24)                         | L5 AR-1248-4    | 7.448f | 5.991f | 6870706  | 1748252  | 10.343 | 4.405 #  |
| 25)                         | L5 AR-1248-5    | 7.514  | 6.374  | 117495   | 5341628  | 0.180  | 13.402 # |
| 26)                         | L6 AR-1254-1    | 7.448  | 6.343  | 6870706  | 3321009  | 9.721  | 4.966 #  |
| 27)                         | L6 AR-1254-2    | 0.000  | 6.505  | 0        | 8793352  | N.D.   | 14.301 # |
| 28)                         | L6 AR-1254-3    | 8.081f | 6.912  | 3520209  | 5285869  | 2.993  | 5.474 #  |
| 29)                         | L6 AR-1254-4    | 0.000  | 7.181f | 0        | 3392755  | N.D.   | 5.091 #  |
| 30)                         | L6 AR-1254-5    | 0.000  | 7.593  | 0        | 10998283 | N.D.   | 11.276 # |
| 31)                         | L7 AR-1260-1    | 0.000  | 7.057  | 0        | 8833409  | N.D.   | 11.785 # |
| 32)                         | L7 AR-1260-2    | 8.489  | 7.233f | 1683131  | 3570405  | 1.482  | 3.418 #  |
| 33)                         | L7 AR-1260-3    | 0.000  | 7.417  | 0        | 2575906  | N.D.   | 2.960 #  |
| 34)                         | L7 AR-1260-4    | 0.000  | 7.890  | 0        | 5502841  | N.D.   | 8.838 #  |
| 35)                         | L7 AR-1260-5    | 0.000  | 8.144  | 0        | 941593   | N.D.   | 0.550 #  |
| 36)                         | L8 AR-1262-1    | 0.000  | 7.593  | 0        | 10998283 | N.D.   | 24.336 # |
| 37)                         | L8 AR-1262-2    | 0.000  | 8.144  | 0        | 941593   | N.D.   | 0.500 #  |
| 39)                         | L8 AR-1262-4    | 0.000  | 8.490  | 0        | 676768   | N.D.   | 0.541 #  |
| 40)                         | L8 AR-1262-5    | 0.000  | 8.997  | 0        | 2352589  | N.D.   | 4.076 #  |
| 42)                         | L9 AR-1268-2    | 0.000  | 8.490  | 0        | 676768   | N.D.   | 0.362 #  |
| 43)                         | L9 AR-1268-3    | 0.000  | 8.702  | 0        | 3140752  | N.D.   | 1.879 #  |
| 44)                         | L9 AR-1268-4    | 0.000  | 8.997  | 0        | 2352589  | N.D.   | 3.608 #  |

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_Q\Data\PQ073021\  
 Data File : PQ054198.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 30 Jul 2021 11:37  
 Operator : AJ\MA  
 Sample : M2940-07  
 Misc : AR1221 MDL 25 PPB  
 ALS Vial : 58 Sample Multiplier: 1

Instrument :  
 ECD\_Q  
 ClientSampleId :  
 LOD-MDL-WATER-01-QT3-2021

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 02:03:46 2021  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_Q\Method\PQ072921.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Jul 30 02:37:02 2021  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|        | Compound  | RT#1   | RT#2  | Resp#1  | Resp#2  | ng/ml | ng/ml   |
|--------|-----------|--------|-------|---------|---------|-------|---------|
| 45) L9 | AR-1268-5 | 11.017 | 9.289 | 2561972 | 3870830 | 0.470 | 0.821 # |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_Q\Data\PQ073021\  
Data File : PQ054198.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 30 Jul 2021 11:37  
Operator : AJ\MA  
Sample : M2940-07  
Misc : AR1221 MDL 25 PPB  
ALS Vial : 58 Sample Multiplier: 1

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 02:03:46 2021  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_Q\Method\PQ072921.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Jul 30 02:37:02 2021  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.204 min  
Delta R.T.: 0.000 min  
Response: 478776734  
Conc: 20.50 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#1 Tetrachloro-m-xylene

R.T.: 4.209 min  
Delta R.T.: 0.002 min  
Response: 255800446  
Conc: 18.09 ng/ml




#2 Decachlorobiphenyl

R.T.: 11.379 min  
Delta R.T.: 0.000 min  
Response: 393499938  
Conc: 23.39 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.546 min  
Delta R.T.: -0.002 min  
Response: 310314817  
Conc: 24.60 ng/ml



#3 AR-1016-1


R.T.: 6.533 min  
Delta R.T.: 0.005 min  
Response: 4751112  
Conc: 6.48 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#3 AR-1016-1

R.T.: 5.494 min  
Delta R.T.: 0.023 min  
Response: 4478727  
Conc: 9.89 ng/ml




#4 AR-1016-2

R.T.: 6.533 min  
Delta R.T.: -0.020 min  
Response: 4751112  
Conc: 4.23 ng/ml



#4 AR-1016-2


R.T.: 5.494 min  
Delta R.T.: 0.003 min  
Response: 4478727  
Conc: 6.04 ng/ml



#5 AR-1016-3


R.T.: 6.598 min  
Delta R.T.: -0.021 min  
Response: 5012362  
Conc: 7.27 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#5 AR-1016-3

R.T.: 5.686 min  
Delta R.T.: 0.002 min  
Response: 2505111  
Conc: 6.95 ng/ml




#6 AR-1016-4

R.T.: 0.000 min  
Exp R.T. : 6.728 min  
Response: 0  
Conc: N.D.



#6 AR-1016-4


R.T.: 5.754 min  
Delta R.T.: 0.019 min  
Response: 6572045  
Conc: 23.03 ng/ml



#7 AR-1016-5


R.T.: 0.000 min  
Exp R.T.: 7.040 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#7 AR-1016-5

R.T.: 5.991 min  
Delta R.T.: 0.025 min  
Response: 1748252  
Conc: 4.80 ng/ml




#8 AR-1221-1

R.T.: 5.454 min  
Delta R.T.: 0.000 min  
Response: 7862801  
Conc: 32.50 ng/ml



#8 AR-1221-1


R.T.: 4.469 min  
Delta R.T.: 0.004 min  
Response: 4248870  
Conc: 29.82 ng/ml



#9 AR-1221-2


R.T.: 5.560 min  
Delta R.T.: 0.006 min  
Response: 11871046  
Conc: 65.53 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#9 AR-1221-2

R.T.: 4.567 min  
Delta R.T.: 0.000 min  
Response: 5131777  
Conc: 48.65 ng/ml



#10 AR-1221-3


R.T.: 5.644 min  
Delta R.T.: 0.003 min  
Response: 14369038  
Conc: 25.11 ng/ml



#10 AR-1221-3

R.T.: 4.656 min  
Delta R.T.: 0.001 min  
Response: 8048773  
Conc: 22.94 ng/ml






#11 AR-1232-1


R.T.: 5.644 min  
Delta R.T.: 0.002 min  
Response: 14369038  
Conc: 36.78 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#11 AR-1232-1

R.T.: 4.656 min  
Delta R.T.: 0.001 min  
Response: 8048773  
Conc: 34.48 ng/ml




#12 AR-1232-2

R.T.: 0.000 min  
Exp R.T. : 6.233 min  
Response: 0  
Conc: N.D.



#12 AR-1232-2


R.T.: 5.494 min  
Delta R.T.: 0.002 min  
Response: 4478727  
Conc: 15.46 ng/ml



#13 AR-1232-3


R.T.: 6.533 min  
Delta R.T.: -0.020 min  
Response: 4751112  
Conc: 11.07 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#13 AR-1232-3

R.T.: 5.686 min  
Delta R.T.: 0.001 min  
Response: 2505111  
Conc: 18.88 ng/ml




#14 AR-1232-4

R.T.: 0.000 min  
Exp R.T. : 6.729 min  
Response: 0  
Conc: N.D.



#14 AR-1232-4


R.T.: 5.787 min  
Delta R.T.: 0.006 min  
Response: 1868872  
Conc: 16.38 ng/ml



#15 AR-1232-5


R.T.: 0.000 min  
Exp R.T.: 6.821 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#15 AR-1232-5

R.T.: 5.991 min  
Delta R.T.: 0.024 min  
Response: 1748252  
Conc: 13.60 ng/ml




#16 AR-1242-1

R.T.: 6.533 min  
Delta R.T.: 0.004 min  
Response: 4751112  
Conc: 10.35 ng/ml



#16 AR-1242-1


R.T.: 5.494 min  
Delta R.T.: 0.021 min  
Response: 4478727  
Conc: 16.47 ng/ml



#17 AR-1242-2


R.T.: 6.533 min  
Delta R.T.: -0.021 min  
Response: 4751112  
Conc: 6.74 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#17 AR-1242-2

R.T.: 5.494 min  
Delta R.T.: 0.002 min  
Response: 4478727  
Conc: 9.52 ng/ml




#18 AR-1242-3

R.T.: 6.598 min  
Delta R.T.: -0.022 min  
Response: 5012362  
Conc: 11.51 ng/ml



#18 AR-1242-3


R.T.: 5.686 min  
Delta R.T.: 0.000 min  
Response: 2505111  
Conc: 11.35 ng/ml



#19 AR-1242-4


R.T.: 0.000 min  
Exp R.T.: 6.729 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#19 AR-1242-4

R.T.: 5.787 min  
Delta R.T.: 0.006 min  
Response: 1868872  
Conc: 8.64 ng/ml




#20 AR-1242-5

R.T.: 7.514 min  
Delta R.T.: 0.003 min  
Response: 117495  
Conc: 0.32 ng/ml



#20 AR-1242-5


R.T.: 6.343 min  
Delta R.T.: -0.002 min  
Response: 3321009  
Conc: 11.19 ng/ml



#21 AR-1248-1


R.T.: 6.533 min  
Delta R.T.: 0.004 min  
Response: 4751112  
Conc: 12.81 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#21 AR-1248-1

R.T.: 5.494 min  
Delta R.T.: 0.022 min  
Response: 4478727  
Conc: 19.85 ng/ml




#22 AR-1248-2

R.T.: 0.000 min  
Exp R.T. : 6.821 min  
Response: 0  
Conc: N.D.



#22 AR-1248-2


R.T.: 5.754 min  
Delta R.T.: 0.018 min  
Response: 6572045  
Conc: 20.02 ng/ml



#23 AR-1248-3


R.T.: 0.000 min  
Exp R.T.: 7.041 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#23 AR-1248-3

R.T.: 5.787 min  
Delta R.T.: 0.007 min  
Response: 1868872  
Conc: 5.65 ng/ml




#24 AR-1248-4

R.T.: 7.448 min  
Delta R.T.: -0.022 min  
Response: 6870706  
Conc: 10.34 ng/ml



#24 AR-1248-4


R.T.: 5.991 min  
Delta R.T.: 0.025 min  
Response: 1748252  
Conc: 4.41 ng/ml



#25 AR-1248-5


R.T.: 7.514 min  
Delta R.T.: 0.004 min  
Response: 117495  
Conc: 0.18 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#25 AR-1248-5

R.T.: 6.374 min  
Delta R.T.: -0.014 min  
Response: 5341628  
Conc: 13.40 ng/ml



#26 AR-1254-1


R.T.: 7.448 min  
Delta R.T.: 0.010 min  
Response: 6870706  
Conc: 9.72 ng/ml



#26 AR-1254-1

R.T.: 6.343 min  
Delta R.T.: -0.001 min  
Response: 3321009  
Conc: 4.97 ng/ml






#27 AR-1254-2


R.T.: 0.000 min  
Exp R.T.: 7.666 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#27 AR-1254-2

R.T.: 6.505 min  
Delta R.T.: 0.001 min  
Response: 8793352  
Conc: 14.30 ng/ml




#28 AR-1254-3

R.T.: 8.081 min  
Delta R.T.: 0.030 min  
Response: 3520209  
Conc: 2.99 ng/ml



#28 AR-1254-3


R.T.: 6.912 min  
Delta R.T.: -0.013 min  
Response: 5285869  
Conc: 5.47 ng/ml



#29 AR-1254-4


R.T.: 0.000 min  
Exp R.T. : 8.346 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#29 AR-1254-4

R.T.: 7.181 min  
Delta R.T.: 0.017 min  
Response: 3392755  
Conc: 5.09 ng/ml




#30 AR-1254-5

R.T.: 0.000 min  
Exp R.T. : 8.774 min  
Response: 0  
Conc: N.D.



#30 AR-1254-5


R.T.: 7.593 min  
Delta R.T.: 0.000 min  
Response: 10998283  
Conc: 11.28 ng/ml



#31 AR-1260-1


R.T.: 0.000 min  
Exp R.T.: 8.214 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#31 AR-1260-1

R.T.: 7.057 min  
Delta R.T.: -0.004 min  
Response: 8833409  
Conc: 11.78 ng/ml




#32 AR-1260-2

R.T.: 8.489 min  
Delta R.T.: 0.011 min  
Response: 1683131  
Conc: 1.48 ng/ml



#32 AR-1260-2


R.T.: 7.233 min  
Delta R.T.: -0.024 min  
Response: 3570405  
Conc: 3.42 ng/ml



#33 AR-1260-3


R.T.: 0.000 min  
Exp R.T. : 8.845 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#33 AR-1260-3

R.T.: 7.417 min  
Delta R.T.: 0.004 min  
Response: 2575906  
Conc: 2.96 ng/ml




#34 AR-1260-4

R.T.: 0.000 min  
Exp R.T. : 9.087 min  
Response: 0  
Conc: N.D.



#34 AR-1260-4


R.T.: 7.890 min  
Delta R.T.: -0.005 min  
Response: 5502841  
Conc: 8.84 ng/ml



#35 AR-1260-5


R.T.: 0.000 min  
Exp R.T.: 9.431 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#35 AR-1260-5

R.T.: 8.144 min  
Delta R.T.: 0.002 min  
Response: 941593  
Conc: 0.55 ng/ml




#36 AR-1262-1

R.T.: 0.000 min  
Exp R.T.: 8.845 min  
Response: 0  
Conc: N.D.



#36 AR-1262-1


R.T.: 7.593 min  
Delta R.T.: 0.002 min  
Response: 10998283  
Conc: 24.34 ng/ml



#37 AR-1262-2


R.T.: 0.000 min  
Exp R.T.: 9.432 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#37 AR-1262-2

R.T.: 8.144 min  
Delta R.T.: 0.002 min  
Response: 941593  
Conc: 0.50 ng/ml




#39 AR-1262-4

R.T.: 0.000 min  
Exp R.T.: 9.861 min  
Response: 0  
Conc: N.D.



#39 AR-1262-4


R.T.: 8.490 min  
Delta R.T.: -0.003 min  
Response: 676768  
Conc: 0.54 ng/ml



#40 AR-1262-5


R.T.: 0.000 min  
Exp R.T. : 10.574 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#40 AR-1262-5

R.T.: 8.997 min  
Delta R.T.: 0.002 min  
Response: 2352589  
Conc: 4.08 ng/ml




#42 AR-1268-2

R.T.: 0.000 min  
Exp R.T. : 9.864 min  
Response: 0  
Conc: N.D.



#42 AR-1268-2


R.T.: 8.490 min  
Delta R.T.: -0.004 min  
Response: 676768  
Conc: 0.36 ng/ml



#43 AR-1268-3


R.T.: 0.000 min  
Exp R.T. : 10.105 min  
Response: 0  
Conc: N.D.

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021




#43 AR-1268-3

R.T.: 8.702 min  
Delta R.T.: 0.000 min  
Response: 3140752  
Conc: 1.88 ng/ml



#44 AR-1268-4


R.T.: 0.000 min  
Exp R.T. : 10.573 min  
Response: 0  
Conc: N.D.



#44 AR-1268-4

R.T.: 8.997 min  
Delta R.T.: 0.003 min  
Response: 2352589  
Conc: 3.61 ng/ml






#45 AR-1268-5

R.T.: 11.017 min  
Delta R.T.: 0.000 min  
Response: 2561972  
Conc: 0.47 ng/ml

Instrument :  
ECD\_Q  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2021



#45 AR-1268-5

R.T.: 9.289 min  
Delta R.T.: -0.002 min  
Response: 3870830  
Conc: 0.82 ng/ml