

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ081124\
 Data File : PQ067845.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Aug 2024 03:50
 Operator : YP\AJ
 Sample : P3519-27
 Misc :
 ALS Vial : 68 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 OU4-CF-06-080624

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 11 13:59:27 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ080524.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Aug 09 02:37:44 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.458	2.826	137.0E6	153.4E6	23.095	24.193
2) SA Decachlor...	8.734	7.608	86547270	99056907	22.462	17.576

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ081124\
Data File : PQ067845.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Aug 2024 03:50
Operator : YP\AJ
Sample : P3519-27
Misc :
ALS Vial : 68 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
OU4-CF-06-080624

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 11 13:59:27 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ080524.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Aug 09 02:37:44 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: -0.002 min
Response: 137028645
Conc: 23.10 ng/ml

Instrument :
ECD_Q
ClientSampleId :
OU4-CF-06-080624




#1 Tetrachloro-m-xylene

R.T.: 2.826 min
Delta R.T.: -0.003 min
Response: 153438255
Conc: 24.19 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.734 min
Delta R.T.: -0.003 min
Response: 86547270
Conc: 22.46 ng/ml



#2 Decachlorobiphenyl

R.T.: 7.608 min
Delta R.T.: -0.004 min
Response: 99056907
Conc: 17.58 ng/ml