

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ111219\
 Data File : PQ044948.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Nov 2019 11:08
 Operator : SM\AJ
 Sample : K4775-14
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 PCB-GPC2-BLANK -SPIKE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 12 11:41:04 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ110719CLP.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Nov 08 03:35:55 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
 Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.086	4.364	2228456	1818198	0.281	0.386 #
2)	SA Decachlor...	0.000	9.723	0	1365957	N.D.	0.201 #
Target Compounds							
3)	L1 AR-1016-1	6.415	5.588	46621418	37356748	185.515	202.828
4)	L1 AR-1016-2	6.439	5.609	66872598	51770966	176.844	195.928
5)	L1 AR-1016-3	6.506	5.805	40980935	27199917	176.514	210.762
6)	L1 AR-1016-4	6.612	5.853	33358388	22761679	176.192	209.613
7)	L1 AR-1016-5	6.927	6.087	34092855	29003910	174.795	189.838
8)	L2 AR-1221-1	5.344	4.569	4505333	3275481	54.364	61.065
9)	L2 AR-1221-2	5.444	4.674	4515872	3661749	76.915	92.749
10)	L2 AR-1221-3	5.533	4.764	23631564	17456434	120.417	133.547
11)	L3 AR-1232-1	5.533	4.764	23631564	17456434	135.560	151.347
12)	L3 AR-1232-2	6.122	5.609	33757320	51770966	376.390	416.247
13)	L3 AR-1232-3	6.439	5.805	66872598	27199917	378.744	459.305
14)	L3 AR-1232-4	6.612	5.898	33358388	28641476	377.038	476.450 #
15)	L3 AR-1232-5	6.710	6.087	27947073	29003910	421.270	398.224
16)	L4 AR-1242-1	6.415	5.588	46621418	37356748	216.900	238.265
17)	L4 AR-1242-2	6.439	5.609	66872598	51770966	207.945	231.384
18)	L4 AR-1242-3	6.506	5.805	40980935	27199917	206.543	244.724
19)	L4 AR-1242-4	6.612	5.898	33358388	28641476	206.607	240.190
20)	L4 AR-1242-5	7.394	6.469	4865462	24171890	26.886	147.208 #
21)	L5 AR-1248-1	6.415	5.588	46621418	37356748	276.817	300.171
22)	L5 AR-1248-2	6.710	5.853	27947073	22761679	114.101	133.712
23)	L5 AR-1248-3	6.927	5.898	34092855	28641476	125.269	160.150 #
24)	L5 AR-1248-4	7.353	6.087	5285902	29003910	17.453	133.246 #
25)	L5 AR-1248-5	7.394	6.513	4865462	7052042	17.009	31.625 #
26)	L6 AR-1254-1	7.325	6.469	26770475	24171890	82.738	66.446
27)	L6 AR-1254-2	7.553	6.627	27797589	24593270	55.987	76.358 #
28)	L6 AR-1254-3	7.936	7.069	15117078	45160233	28.402	81.415 #
29)	L6 AR-1254-4	8.231	7.293	9787184	5045795	25.336	14.117 #
30)	L6 AR-1254-5	8.661	7.726	92164394	99431268	213.352	198.853
31)	L7 AR-1260-1	8.104	7.190	64782857	67379086	207.422	219.925
32)	L7 AR-1260-2	8.368	7.386	76669154	84677172	187.255	214.451
33)	L7 AR-1260-3	8.736	7.546	50249694	77440545	153.914	226.046 #
34)	L7 AR-1260-4	8.971	8.032	60998084	58874147	160.408	191.987
35)	L7 AR-1260-5	9.302	8.279	112.3E6	146.0E6	145.879	186.578 #
36)	L8 AR-1262-1	8.796	7.726	27070372	99431268	129.776	392.864 #
37)	L8 AR-1262-2	9.302	8.279	112.3E6	146.0E6	124.334	147.986
38)	L8 AR-1262-3	9.643	8.568	72913040	27342112	119.554	70.961 #
39)	L8 AR-1262-4	9.698	8.633	40943026	103.2E6	90.119	140.115 #
40)	L8 AR-1262-5	10.397	9.146	26083056	32054524	85.268	92.067
41)	L9 AR-1268-1	9.643	8.568	72913040	27342112	65.292	22.738 #
42)	L9 AR-1268-2	9.698	8.633	40943026	103.2E6	40.278	92.695 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ111219\
 Data File : PQ044948.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Nov 2019 11:08
 Operator : SM\AJ
 Sample : K4775-14
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 PCB-GPC2-BLANK -SPIKE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 12 11:41:04 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ110719CLP.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Nov 08 03:35:55 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
 Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	9.954	8.843	2052127	2728555	2.347	2.933
44) L9	AR-1268-4	10.397	9.146	26083056	32054524	75.133	79.588
45) L9	AR-1268-5	10.822	9.454	8598264	10072795	3.296	3.333



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ111219\
Data File : PQ044948.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Nov 2019 11:08
Operator : SM\AJ
Sample : K4775-14
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 12 11:41:04 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ110719CLP.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Nov 08 03:35:55 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.086 min
Delta R.T.: -0.016 min
Response: 2228456
Conc: 0.28 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#1 Tetrachloro-m-xylene

R.T.: 4.364 min
Delta R.T.: 0.057 min
Response: 1818198
Conc: 0.39 ng/ml




#2 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T. : 11.172 min
Response: 0
Conc: N.D.



#2 Decachlorobiphenyl


R.T.: 9.723 min
Delta R.T.: 0.000 min
Response: 1365957
Conc: 0.20 ng/ml



#3 AR-1016-1


R.T.: 6.415 min
Delta R.T.: -0.003 min
Response: 46621418
Conc: 185.52 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#3 AR-1016-1

R.T.: 5.588 min
Delta R.T.: -0.001 min
Response: 37356748
Conc: 202.83 ng/ml




#4 AR-1016-2

R.T.: 6.439 min
Delta R.T.: -0.003 min
Response: 66872598
Conc: 176.84 ng/ml



#4 AR-1016-2


R.T.: 5.609 min
Delta R.T.: 0.000 min
Response: 51770966
Conc: 195.93 ng/ml



#5 AR-1016-3


R.T.: 6.506 min
Delta R.T.: -0.003 min
Response: 40980935
Conc: 176.51 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#5 AR-1016-3

R.T.: 5.805 min
Delta R.T.: -0.001 min
Response: 27199917
Conc: 210.76 ng/ml




#6 AR-1016-4

R.T.: 6.612 min
Delta R.T.: -0.003 min
Response: 33358388
Conc: 176.19 ng/ml



#6 AR-1016-4


R.T.: 5.853 min
Delta R.T.: -0.002 min
Response: 22761679
Conc: 209.61 ng/ml



#7 AR-1016-5


R.T.: 6.927 min
Delta R.T.: -0.003 min
Response: 34092855
Conc: 174.80 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#7 AR-1016-5

R.T.: 6.087 min
Delta R.T.: -0.001 min
Response: 29003910
Conc: 189.84 ng/ml




#8 AR-1221-1

R.T.: 5.344 min
Delta R.T.: -0.004 min
Response: 4505333
Conc: 54.36 ng/ml



#8 AR-1221-1


R.T.: 4.569 min
Delta R.T.: -0.002 min
Response: 3275481
Conc: 61.07 ng/ml



#9 AR-1221-2


R.T.: 5.444 min
Delta R.T.: -0.002 min
Response: 4515872
Conc: 76.91 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#9 AR-1221-2

R.T.: 4.674 min
Delta R.T.: 0.002 min
Response: 3661749
Conc: 92.75 ng/ml




#10 AR-1221-3

R.T.: 5.533 min
Delta R.T.: 0.000 min
Response: 23631564
Conc: 120.42 ng/ml



#10 AR-1221-3


R.T.: 4.764 min
Delta R.T.: 0.000 min
Response: 17456434
Conc: 133.55 ng/ml



#11 AR-1232-1


R.T.: 5.533 min
Delta R.T.: 0.000 min
Response: 23631564
Conc: 135.56 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#11 AR-1232-1

R.T.: 4.764 min
Delta R.T.: 0.002 min
Response: 17456434
Conc: 151.35 ng/ml




#12 AR-1232-2

R.T.: 6.122 min
Delta R.T.: -0.001 min
Response: 33757320
Conc: 376.39 ng/ml



#12 AR-1232-2


R.T.: 5.609 min
Delta R.T.: 0.000 min
Response: 51770966
Conc: 416.25 ng/ml



#13 AR-1232-3


R.T.: 6.439 min
Delta R.T.: -0.002 min
Response: 66872598
Conc: 378.74 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#13 AR-1232-3

R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 27199917
Conc: 459.30 ng/ml




#14 AR-1232-4

R.T.: 6.612 min
Delta R.T.: -0.001 min
Response: 33358388
Conc: 377.04 ng/ml



#14 AR-1232-4


R.T.: 5.898 min
Delta R.T.: 0.000 min
Response: 28641476
Conc: 476.45 ng/ml



#15 AR-1232-5


R.T.: 6.710 min
Delta R.T.: -0.001 min
Response: 27947073
Conc: 421.27 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#15 AR-1232-5

R.T.: 6.087 min
Delta R.T.: 0.000 min
Response: 29003910
Conc: 398.22 ng/ml




#16 AR-1242-1

R.T.: 6.415 min
Delta R.T.: -0.002 min
Response: 46621418
Conc: 216.90 ng/ml



#16 AR-1242-1


R.T.: 5.588 min
Delta R.T.: 0.000 min
Response: 37356748
Conc: 238.26 ng/ml



#17 AR-1242-2


R.T.: 6.439 min
Delta R.T.: -0.002 min
Response: 66872598
Conc: 207.95 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#17 AR-1242-2

R.T.: 5.609 min
Delta R.T.: 0.000 min
Response: 51770966
Conc: 231.38 ng/ml




#18 AR-1242-3

R.T.: 6.506 min
Delta R.T.: -0.002 min
Response: 40980935
Conc: 206.54 ng/ml



#18 AR-1242-3


R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 27199917
Conc: 244.72 ng/ml



#19 AR-1242-4


R.T.: 6.612 min
Delta R.T.: -0.002 min
Response: 33358388
Conc: 206.61 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#19 AR-1242-4

R.T.: 5.898 min
Delta R.T.: -0.001 min
Response: 28641476
Conc: 240.19 ng/ml




#20 AR-1242-5

R.T.: 7.394 min
Delta R.T.: -0.002 min
Response: 4865462
Conc: 26.89 ng/ml



#20 AR-1242-5


R.T.: 6.469 min
Delta R.T.: 0.000 min
Response: 24171890
Conc: 147.21 ng/ml



#21 AR-1248-1


R.T.: 6.415 min
Delta R.T.: 0.000 min
Response: 46621418
Conc: 276.82 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#21 AR-1248-1

R.T.: 5.588 min
Delta R.T.: 0.000 min
Response: 37356748
Conc: 300.17 ng/ml




#22 AR-1248-2

R.T.: 6.710 min
Delta R.T.: 0.000 min
Response: 27947073
Conc: 114.10 ng/ml



#22 AR-1248-2


R.T.: 5.853 min
Delta R.T.: 0.000 min
Response: 22761679
Conc: 133.71 ng/ml



#23 AR-1248-3


R.T.: 6.927 min
Delta R.T.: -0.002 min
Response: 34092855
Conc: 125.27 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#23 AR-1248-3

R.T.: 5.898 min
Delta R.T.: 0.000 min
Response: 28641476
Conc: 160.15 ng/ml




#24 AR-1248-4

R.T.: 7.353 min
Delta R.T.: -0.002 min
Response: 5285902
Conc: 17.45 ng/ml



#24 AR-1248-4


R.T.: 6.087 min
Delta R.T.: 0.000 min
Response: 29003910
Conc: 133.25 ng/ml



#25 AR-1248-5


R.T.: 7.394 min
Delta R.T.: -0.001 min
Response: 4865462
Conc: 17.01 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#25 AR-1248-5

R.T.: 6.513 min
Delta R.T.: 0.000 min
Response: 7052042
Conc: 31.63 ng/ml




#26 AR-1254-1

R.T.: 7.325 min
Delta R.T.: -0.002 min
Response: 26770475
Conc: 82.74 ng/ml



#26 AR-1254-1


R.T.: 6.469 min
Delta R.T.: 0.000 min
Response: 24171890
Conc: 66.45 ng/ml



#27 AR-1254-2


R.T.: 7.553 min
Delta R.T.: -0.004 min
Response: 27797589
Conc: 55.99 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#27 AR-1254-2

R.T.: 6.627 min
Delta R.T.: -0.001 min
Response: 24593270
Conc: 76.36 ng/ml




#28 AR-1254-3

R.T.: 7.936 min
Delta R.T.: -0.002 min
Response: 15117078
Conc: 28.40 ng/ml



#28 AR-1254-3


R.T.: 7.069 min
Delta R.T.: 0.014 min
Response: 45160233
Conc: 81.41 ng/ml



#29 AR-1254-4


R.T.: 8.231 min
Delta R.T.: 0.000 min
Response: 9787184
Conc: 25.34 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#29 AR-1254-4

R.T.: 7.293 min
Delta R.T.: -0.001 min
Response: 5045795
Conc: 14.12 ng/ml




#30 AR-1254-5

R.T.: 8.661 min
Delta R.T.: -0.001 min
Response: 92164394
Conc: 213.35 ng/ml



#30 AR-1254-5


R.T.: 7.726 min
Delta R.T.: -0.002 min
Response: 99431268
Conc: 198.85 ng/ml



#31 AR-1260-1


R.T.: 8.104 min
Delta R.T.: -0.002 min
Response: 64782857
Conc: 207.42 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#31 AR-1260-1

R.T.: 7.190 min
Delta R.T.: -0.001 min
Response: 67379086
Conc: 219.93 ng/ml




#32 AR-1260-2

R.T.: 8.368 min
Delta R.T.: -0.002 min
Response: 76669154
Conc: 187.26 ng/ml



#32 AR-1260-2


R.T.: 7.386 min
Delta R.T.: 0.000 min
Response: 84677172
Conc: 214.45 ng/ml



#33 AR-1260-3


R.T.: 8.736 min
Delta R.T.: -0.002 min
Response: 50249694
Conc: 153.91 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#33 AR-1260-3

R.T.: 7.546 min
Delta R.T.: -0.001 min
Response: 77440545
Conc: 226.05 ng/ml




#34 AR-1260-4

R.T.: 8.971 min
Delta R.T.: -0.001 min
Response: 60998084
Conc: 160.41 ng/ml



#34 AR-1260-4


R.T.: 8.032 min
Delta R.T.: 0.000 min
Response: 58874147
Conc: 191.99 ng/ml



#35 AR-1260-5


R.T.: 9.302 min
Delta R.T.: -0.002 min
Response: 112297373
Conc: 145.88 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#35 AR-1260-5

R.T.: 8.279 min
Delta R.T.: 0.000 min
Response: 146021768
Conc: 186.58 ng/ml




#36 AR-1262-1

R.T.: 8.796 min
Delta R.T.: 0.000 min
Response: 27070372
Conc: 129.78 ng/ml



#36 AR-1262-1


R.T.: 7.726 min
Delta R.T.: 0.000 min
Response: 99431268
Conc: 392.86 ng/ml



#37 AR-1262-2


R.T.: 9.302 min
Delta R.T.: 0.000 min
Response: 112297373
Conc: 124.33 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#37 AR-1262-2

R.T.: 8.279 min
Delta R.T.: 0.000 min
Response: 146021768
Conc: 147.99 ng/ml




#38 AR-1262-3

R.T.: 9.643 min
Delta R.T.: 0.019 min
Response: 72913040
Conc: 119.55 ng/ml



#38 AR-1262-3


R.T.: 8.568 min
Delta R.T.: 0.000 min
Response: 27342112
Conc: 70.96 ng/ml



#39 AR-1262-4


R.T.: 9.698 min
Delta R.T.: -0.018 min
Response: 40943026
Conc: 90.12 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#39 AR-1262-4

R.T.: 8.633 min
Delta R.T.: 0.000 min
Response: 103223273
Conc: 140.11 ng/ml




#40 AR-1262-5

R.T.: 10.397 min
Delta R.T.: 0.000 min
Response: 26083056
Conc: 85.27 ng/ml



#40 AR-1262-5


R.T.: 9.146 min
Delta R.T.: 0.001 min
Response: 32054524
Conc: 92.07 ng/ml



#41 AR-1268-1


R.T.: 9.643 min
Delta R.T.: 0.021 min
Response: 72913040
Conc: 65.29 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#41 AR-1268-1

R.T.: 8.568 min
Delta R.T.: 0.000 min
Response: 27342112
Conc: 22.74 ng/ml




#42 AR-1268-2

R.T.: 9.698 min
Delta R.T.: -0.022 min
Response: 40943026
Conc: 40.28 ng/ml



#42 AR-1268-2


R.T.: 8.633 min
Delta R.T.: 0.000 min
Response: 103223273
Conc: 92.69 ng/ml



#43 AR-1268-3


R.T.: 9.954 min
Delta R.T.: 0.000 min
Response: 2052127
Conc: 2.35 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE




#43 AR-1268-3

R.T.: 8.843 min
Delta R.T.: 0.000 min
Response: 2728555
Conc: 2.93 ng/ml




#44 AR-1268-4

R.T.: 10.397 min
Delta R.T.: 0.002 min
Response: 26083056
Conc: 75.13 ng/ml



#44 AR-1268-4


R.T.: 9.146 min
Delta R.T.: 0.001 min
Response: 32054524
Conc: 79.59 ng/ml



#45 AR-1268-5

R.T.: 10.822 min
Delta R.T.: 0.000 min
Response: 8598264
Conc: 3.30 ng/ml

Instrument :
ECD_Q
ClientSampleId :
PCB-GPC2-BLANK -SPIKE



#45 AR-1268-5

R.T.: 9.454 min
Delta R.T.: 0.000 min
Response: 10072795
Conc: 3.33 ng/ml