

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ122023\
 Data File : PQ064676.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Dec 2023 03:41
 Operator : YP\AJ
 Sample : 05929-01
 Misc :
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 CONCRETE-PAD-1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 21 05:21:34 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ120823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Dec 09 05:18:21 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.455	2.772	91317709	118.0E6	22.012	28.109 #
2) SA Decachlor...	8.690	7.565	65980515	99547171	22.508	24.663
Target Compounds						
3) L1 AR-1016-1	4.596	3.780	757166	308697	5.943	2.540 #
4) L1 AR-1016-2	4.596	3.796	757166	79311	3.945	0.433 #
5) L1 AR-1016-3	4.658	3.965	475509	136996	4.008	1.408 #
6) L1 AR-1016-4	4.758	4.008	34836	510361	0.375	6.111 #
7) L1 AR-1016-5	5.016	4.219	224118	325205	2.300	3.212 #
8) L2 AR-1221-1	3.656	3.005f	351205	179156	6.917	3.164 #
9) L2 AR-1221-2	3.737	3.042	1410029	1608144	38.485	38.176
10) L2 AR-1221-3	3.813	3.156f	193816	402429	1.714	3.160 #
11) L3 AR-1232-1	3.813	3.156f	193816	402429	2.246	4.178 #
12) L3 AR-1232-2	4.319	3.796	1453115	79311	29.788	0.949 #
13) L3 AR-1232-3	4.596	3.965	757166	136996	8.870	3.077 #
14) L3 AR-1232-4	4.758	4.037	34836	308366	0.846	8.072 #
15) L3 AR-1232-5	4.845	4.219	311339	325205	10.183	7.641
16) L4 AR-1242-1	4.596	3.780	757166	308697	7.306	2.975 #
17) L4 AR-1242-2	4.596	3.796	757166	79311	4.881	0.513 #
18) L4 AR-1242-3	4.658	3.965	475509	136996	4.909	1.670 #
19) L4 AR-1242-4	4.758	4.037	34836	308366	0.458	3.952 #
20) L4 AR-1242-5	5.469	4.539	197756	710375	2.382	7.366 #
21) L5 AR-1248-1	4.596	3.780	757166	308697	9.723	3.815 #
22) L5 AR-1248-2	4.845	4.008	311339	510361	2.790	4.163 #
23) L5 AR-1248-3	5.016	4.037	224118	308366	1.684	2.643 #
24) L5 AR-1248-4	5.402f	4.219	328742	325205	2.297	2.320
25) L5 AR-1248-5	5.469	4.573	197756	1385686	1.410	10.413 #
26) L6 AR-1254-1	5.402	4.539	328742	710375	2.146	3.393 #
27) L6 AR-1254-2	5.660f	4.690	481474	1172077	2.062	6.336 #
28) L6 AR-1254-3	5.976	5.070	640243	1432228	2.605	5.062 #
29) L6 AR-1254-4	6.263	5.305	265885	1113887	1.530	6.000 #
30) L6 AR-1254-5	6.678	5.697	557100	3223456	2.886	12.415 #
31) L7 AR-1260-1	6.144	5.204	436604	886519	2.331	4.584 #
32) L7 AR-1260-2	6.400	5.394	705436	575996	3.254	2.475
33) L7 AR-1260-3	0.000	5.536	0	1311987	N.D.	6.036 #
34) L7 AR-1260-4	6.938f	5.999	800309	896646	4.665	4.868
35) L7 AR-1260-5	7.286	6.241	200717	624225	0.594	1.440 #
36) L8 AR-1262-1	0.000	5.822	0	270918	N.D.	2.378 #
37) L8 AR-1262-2	7.286	5.999	200717	896646	0.501	3.520 #
38) L8 AR-1262-3	0.000	6.538	0	1145751	N.D.	5.088 #
39) L8 AR-1262-4	0.000	6.580	0	1015039	N.D.	2.345 #
40) L8 AR-1262-5	8.180f	0.000	27836	0	0.204	N.D. #
41) L9 AR-1268-1	0.000	6.538	0	1145751	N.D.	1.740 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ122023\
 Data File : PQ064676.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Dec 2023 03:41
 Operator : YP\AJ
 Sample : 05929-01
 Misc :
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 CONCRETE-PAD-1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 21 05:21:34 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ120823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Dec 09 05:18:21 2023
 Response via : Initial Calibration
 Integrator: ChemStation


Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm


	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	0.000	6.580	0	1015039	N.D.	1.635 #
43) L9	AR-1268-3	7.827	6.790	578257	944101	1.530	1.475
44) L9	AR-1268-4	8.180f	0.000	27836	0	0.182	N.D. #
45) L9	AR-1268-5	8.455	7.346	458906	1219206	0.422	0.645 #

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.455 min
Delta R.T.: -0.002 min
Response: 91317709
Conc: 22.01 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#1 Tetrachloro-m-xylene

R.T.: 2.772 min
Delta R.T.: -0.001 min
Response: 118013155
Conc: 28.11 ng/ml




#2 Decachlorobiphenyl

R.T.: 8.690 min
Delta R.T.: -0.002 min
Response: 65980515
Conc: 22.51 ng/ml



#2 Decachlorobiphenyl


R.T.: 7.565 min
Delta R.T.: -0.005 min
Response: 99547171
Conc: 24.66 ng/ml



#3 AR-1016-1


R.T.: 4.596 min
Delta R.T.: 0.024 min
Response: 757166
Conc: 5.94 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#3 AR-1016-1

R.T.: 3.780 min
Delta R.T.: -0.004 min
Response: 308697
Conc: 2.54 ng/ml




#4 AR-1016-2

R.T.: 4.596 min
Delta R.T.: 0.005 min
Response: 757166
Conc: 3.94 ng/ml



#4 AR-1016-2


R.T.: 3.796 min
Delta R.T.: -0.002 min
Response: 79311
Conc: 0.43 ng/ml



#5 AR-1016-3


R.T.: 4.658 min
Delta R.T.: 0.008 min
Response: 475509
Conc: 4.01 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#5 AR-1016-3

R.T.: 3.965 min
Delta R.T.: 0.005 min
Response: 136996
Conc: 1.41 ng/ml




#6 AR-1016-4

R.T.: 4.758 min
Delta R.T.: 0.015 min
Response: 34836
Conc: 0.38 ng/ml



#6 AR-1016-4


R.T.: 4.008 min
Delta R.T.: -0.001 min
Response: 510361
Conc: 6.11 ng/ml



#7 AR-1016-5


R.T.: 5.016 min
Delta R.T.: -0.017 min
Response: 224118
Conc: 2.30 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#7 AR-1016-5

R.T.: 4.219 min
Delta R.T.: 0.013 min
Response: 325205
Conc: 3.21 ng/ml




#8 AR-1221-1

R.T.: 3.656 min
Delta R.T.: -0.003 min
Response: 351205
Conc: 6.92 ng/ml



#8 AR-1221-1


R.T.: 3.005 min
Delta R.T.: 0.028 min
Response: 179156
Conc: 3.16 ng/ml



#9 AR-1221-2


R.T.: 3.737 min
Delta R.T.: -0.002 min
Response: 1410029
Conc: 38.48 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#9 AR-1221-2

R.T.: 3.042 min
Delta R.T.: -0.012 min
Response: 1608144
Conc: 38.18 ng/ml




#10 AR-1221-3

R.T.: 3.813 min
Delta R.T.: 0.003 min
Response: 193816
Conc: 1.71 ng/ml



#10 AR-1221-3


R.T.: 3.156 min
Delta R.T.: 0.033 min
Response: 402429
Conc: 3.16 ng/ml



#11 AR-1232-1


R.T.: 3.813 min
Delta R.T.: 0.003 min
Response: 193816
Conc: 2.25 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#11 AR-1232-1

R.T.: 3.156 min
Delta R.T.: 0.033 min
Response: 402429
Conc: 4.18 ng/ml




#12 AR-1232-2

R.T.: 4.319 min
Delta R.T.: 0.008 min
Response: 1453115
Conc: 29.79 ng/ml



#12 AR-1232-2


R.T.: 3.796 min
Delta R.T.: -0.002 min
Response: 79311
Conc: 0.95 ng/ml



#13 AR-1232-3


R.T.: 4.596 min
Delta R.T.: 0.005 min
Response: 757166
Conc: 8.87 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#13 AR-1232-3

R.T.: 3.965 min
Delta R.T.: 0.005 min
Response: 136996
Conc: 3.08 ng/ml




#14 AR-1232-4

R.T.: 4.758 min
Delta R.T.: 0.015 min
Response: 34836
Conc: 0.85 ng/ml



#14 AR-1232-4


R.T.: 4.037 min
Delta R.T.: -0.009 min
Response: 308366
Conc: 8.07 ng/ml



#15 AR-1232-5


R.T.: 4.845 min
Delta R.T.: 0.004 min
Response: 311339
Conc: 10.18 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#15 AR-1232-5

R.T.: 4.219 min
Delta R.T.: 0.014 min
Response: 325205
Conc: 7.64 ng/ml




#16 AR-1242-1

R.T.: 4.596 min
Delta R.T.: 0.024 min
Response: 757166
Conc: 7.31 ng/ml



#16 AR-1242-1


R.T.: 3.780 min
Delta R.T.: -0.004 min
Response: 308697
Conc: 2.97 ng/ml



#17 AR-1242-2


R.T.: 4.596 min
Delta R.T.: 0.005 min
Response: 757166
Conc: 4.88 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#17 AR-1242-2

R.T.: 3.796 min
Delta R.T.: -0.003 min
Response: 79311
Conc: 0.51 ng/ml




#18 AR-1242-3

R.T.: 4.658 min
Delta R.T.: 0.009 min
Response: 475509
Conc: 4.91 ng/ml



#18 AR-1242-3


R.T.: 3.965 min
Delta R.T.: 0.005 min
Response: 136996
Conc: 1.67 ng/ml



#19 AR-1242-4


R.T.: 4.758 min
Delta R.T.: 0.015 min
Response: 34836
Conc: 0.46 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#19 AR-1242-4

R.T.: 4.037 min
Delta R.T.: -0.009 min
Response: 308366
Conc: 3.95 ng/ml




#20 AR-1242-5

R.T.: 5.469 min
Delta R.T.: 0.004 min
Response: 197756
Conc: 2.38 ng/ml



#20 AR-1242-5


R.T.: 4.539 min
Delta R.T.: -0.005 min
Response: 710375
Conc: 7.37 ng/ml



#21 AR-1248-1


R.T.: 4.596 min
Delta R.T.: 0.024 min
Response: 757166
Conc: 9.72 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#21 AR-1248-1

R.T.: 3.780 min
Delta R.T.: -0.003 min
Response: 308697
Conc: 3.82 ng/ml




#22 AR-1248-2

R.T.: 4.845 min
Delta R.T.: 0.005 min
Response: 311339
Conc: 2.79 ng/ml



#22 AR-1248-2


R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 510361
Conc: 4.16 ng/ml



#23 AR-1248-3


R.T.: 5.016 min
Delta R.T.: -0.016 min
Response: 224118
Conc: 1.68 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#23 AR-1248-3

R.T.: 4.037 min
Delta R.T.: -0.008 min
Response: 308366
Conc: 2.64 ng/ml




#24 AR-1248-4

R.T.: 5.402 min
Delta R.T.: -0.027 min
Response: 328742
Conc: 2.30 ng/ml



#24 AR-1248-4


R.T.: 4.219 min
Delta R.T.: 0.014 min
Response: 325205
Conc: 2.32 ng/ml



#25 AR-1248-5


R.T.: 5.469 min
Delta R.T.: 0.004 min
Response: 197756
Conc: 1.41 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#25 AR-1248-5

R.T.: 4.573 min
Delta R.T.: -0.009 min
Response: 1385686
Conc: 10.41 ng/ml




#26 AR-1254-1

R.T.: 5.402 min
Delta R.T.: 0.000 min
Response: 328742
Conc: 2.15 ng/ml



#26 AR-1254-1


R.T.: 4.539 min
Delta R.T.: -0.004 min
Response: 710375
Conc: 3.39 ng/ml



#27 AR-1254-2


R.T.: 5.660 min
Delta R.T.: 0.041 min
Response: 481474
Conc: 2.06 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#27 AR-1254-2

R.T.: 4.690 min
Delta R.T.: -0.001 min
Response: 1172077
Conc: 6.34 ng/ml




#28 AR-1254-3

R.T.: 5.976 min
Delta R.T.: 0.000 min
Response: 640243
Conc: 2.60 ng/ml



#28 AR-1254-3


R.T.: 5.070 min
Delta R.T.: -0.004 min
Response: 1432228
Conc: 5.06 ng/ml



#29 AR-1254-4


R.T.: 6.263 min
Delta R.T.: 0.000 min
Response: 265885
Conc: 1.53 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#29 AR-1254-4

R.T.: 5.305 min
Delta R.T.: 0.003 min
Response: 1113887
Conc: 6.00 ng/ml




#30 AR-1254-5

R.T.: 6.678 min
Delta R.T.: 0.000 min
Response: 557100
Conc: 2.89 ng/ml



#30 AR-1254-5


R.T.: 5.697 min
Delta R.T.: -0.012 min
Response: 3223456
Conc: 12.41 ng/ml



#31 AR-1260-1


R.T.: 6.144 min
Delta R.T.: 0.001 min
Response: 436604
Conc: 2.33 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#31 AR-1260-1

R.T.: 5.204 min
Delta R.T.: 0.000 min
Response: 886519
Conc: 4.58 ng/ml




#32 AR-1260-2

R.T.: 6.400 min
Delta R.T.: -0.005 min
Response: 705436
Conc: 3.25 ng/ml



#32 AR-1260-2


R.T.: 5.394 min
Delta R.T.: 0.000 min
Response: 575996
Conc: 2.47 ng/ml



#33 AR-1260-3


R.T.: 0.000 min
Exp R.T.: 6.760 min
Response: 0
Conc: N.D.

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#33 AR-1260-3

R.T.: 5.536 min
Delta R.T.: 0.000 min
Response: 1311987
Conc: 6.04 ng/ml




#34 AR-1260-4

R.T.: 6.938 min
Delta R.T.: -0.042 min
Response: 800309
Conc: 4.67 ng/ml



#34 AR-1260-4


R.T.: 5.999 min
Delta R.T.: -0.001 min
Response: 896646
Conc: 4.87 ng/ml



#35 AR-1260-5


R.T.: 7.286 min
Delta R.T.: -0.006 min
Response: 200717
Conc: 0.59 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#35 AR-1260-5

R.T.: 6.241 min
Delta R.T.: -0.007 min
Response: 624225
Conc: 1.44 ng/ml




#36 AR-1262-1

R.T.: 0.000 min
Exp R.T.: 6.760 min
Response: 0
Conc: N.D.



#36 AR-1262-1


R.T.: 5.822 min
Delta R.T.: 0.019 min
Response: 270918
Conc: 2.38 ng/ml



#37 AR-1262-2


R.T.: 7.286 min
Delta R.T.: -0.005 min
Response: 200717
Conc: 0.50 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#37 AR-1262-2

R.T.: 5.999 min
Delta R.T.: -0.001 min
Response: 896646
Conc: 3.52 ng/ml




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T.: 7.567 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 6.538 min
Delta R.T.: 0.012 min
Response: 1145751
Conc: 5.09 ng/ml



#39 AR-1262-4


R.T.: 0.000 min
Exp R.T.: 7.643 min
Response: 0
Conc: N.D.

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#39 AR-1262-4

R.T.: 6.580 min
Delta R.T.: -0.008 min
Response: 1015039
Conc: 2.35 ng/ml




#40 AR-1262-5

R.T.: 8.180 min
Delta R.T.: 0.029 min
Response: 27836
Conc: 0.20 ng/ml



#40 AR-1262-5

R.T.: 0.000 min
Exp R.T.: 7.083 min
Response: 0
Conc: N.D.




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T.: 7.565 min
Response: 0
Conc: N.D.

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1


Time



#41 AR-1268-1

R.T.: 6.538 min
Delta R.T.: 0.012 min
Response: 1145751
Conc: 1.74 ng/ml


Time



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T.: 7.645 min
Response: 0
Conc: N.D.

Time



#42 AR-1268-2


R.T.: 6.580 min
Delta R.T.: -0.010 min
Response: 1015039
Conc: 1.63 ng/ml



#43 AR-1268-3


R.T.: 7.827 min
Delta R.T.: 0.001 min
Response: 578257
Conc: 1.53 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1




#43 AR-1268-3

R.T.: 6.790 min
Delta R.T.: 0.000 min
Response: 944101
Conc: 1.47 ng/ml




#44 AR-1268-4

R.T.: 8.180 min
Delta R.T.: 0.029 min
Response: 27836
Conc: 0.18 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 7.083 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 8.455 min
Delta R.T.: 0.004 min
Response: 458906
Conc: 0.42 ng/ml

Instrument :
ECD_Q
ClientSampleId :
CONCRETE-PAD-1



#45 AR-1268-5

R.T.: 7.346 min
Delta R.T.: -0.005 min
Response: 1219206
Conc: 0.65 ng/ml