

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ021720\
 Data File : PQ046470.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Feb 2020 13:15
 Operator : AJ\MA
 Sample : L1546-07
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 INDIAN-ISLAND-(4)

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 17 16:53:07 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ021220.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Feb 13 06:52:02 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.187	4.336	191.8E6	102.9E6	20.838	21.665
2)	SA Decachlor...	11.318	9.757	138.9E6	113.8E6	20.700	18.515

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ021720\
Data File : PQ046470.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Feb 2020 13:15
Operator : AJ\MA
Sample : L1546-07
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
INDIAN-ISLAND-(4)

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 17 16:53:07 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ021220.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Feb 13 06:52:02 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.187 min
Delta R.T.: 0.000 min
Response: 191824148
Conc: 20.84 ng/ml

Instrument :
ECD_Q
ClientSampleId :
INDIAN-ISLAND-(4)




#1 Tetrachloro-m-xylene

R.T.: 4.336 min
Delta R.T.: 0.000 min
Response: 102890623
Conc: 21.66 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.318 min
Delta R.T.: -0.002 min
Response: 138855101
Conc: 20.70 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.757 min
Delta R.T.: -0.002 min
Response: 113806420
Conc: 18.52 ng/ml