

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ021720\
 Data File : PQ046485.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Feb 2020 17:56
 Operator : AJ\MA
 Sample : L1547-03
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 MARCY-GREEN-BH-01-C

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 18 03:21:23 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ021220.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Feb 13 06:52:02 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.186	4.335	275.6E6	145.4E6	29.938	30.614
2) SA Decachlor...	11.318	9.757	199.3E6	167.8E6	29.705	27.306

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ021720\
Data File : PQ046485.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Feb 2020 17:56
Operator : AJ\MA
Sample : L1547-03
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
MARCY-GREEN-BH-01-C

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 18 03:21:23 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ021220.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Feb 13 06:52:02 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.186 min
Delta R.T.: -0.002 min
Response: 275591729
Conc: 29.94 ng/ml

Instrument :
ECD_Q
ClientSampleId :
MARCY-GREEN-BH-01-C




#1 Tetrachloro-m-xylene

R.T.: 4.335 min
Delta R.T.: -0.002 min
Response: 145389154
Conc: 30.61 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.318 min
Delta R.T.: -0.002 min
Response: 199260471
Conc: 29.70 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.757 min
Delta R.T.: -0.002 min
Response: 167837226
Conc: 27.31 ng/ml