

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ021720\
 Data File : PQ046491.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Feb 2020 19:34
 Operator : AJ\MA
 Sample : L1547-15
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 MARCY-GREEN-BH-03-C

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 18 03:49:44 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ021220.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Feb 13 06:52:02 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.186	4.335	252.6E6	116.1E6	27.444	24.438
2) SA Decachlor...	11.315	9.756	149.7E6	127.7E6	22.324	20.783

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ021720\
Data File : PQ046491.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Feb 2020 19:34
Operator : AJ\MA
Sample : L1547-15
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
MARCY-GREEN-BH-03-C

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 18 03:49:44 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ021220.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Feb 13 06:52:02 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.186 min
Delta R.T.: -0.002 min
Response: 252634216
Conc: 27.44 ng/ml

Instrument :
ECD_Q
ClientSampleId :
MARCY-GREEN-BH-03-C




#1 Tetrachloro-m-xylene

R.T.: 4.335 min
Delta R.T.: -0.002 min
Response: 116059828
Conc: 24.44 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.315 min
Delta R.T.: -0.005 min
Response: 149749448
Conc: 22.32 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.756 min
Delta R.T.: -0.004 min
Response: 127742231
Conc: 20.78 ng/ml